

**PROGRAMMA NAZIONALE CELLULE STAMINALI
(2003-2005)**

**ELENCO SELEZIONATO DELLE PUBBLICAZIONI DELLE U.O.,
COMPRENSIVO DELLE PUBBLICAZIONI SU RIVISTE DI ELEVATO PRESTIGIO INTERNAZIONALE
(IF > 10)**

1. Musarò A, Giacinti C, Borsellino G, Dobrowolny G, Pelosi L, Cairns L, Ottolenghi S, Bernardi G, Cossu G, Battistini L, Molinaro M, Rosenthal N. Muscle restricted expression of mIGF-1 enhances the recruitment of stem cells during muscle regeneration. *Proc Natl Acad Sci USA*, 101:1206-1210, 2004. **IF 10.23**
2. Dobrowolny G., Giacinti C., Pelosi L., Nicoletti C., Winn N., Barberi L., Molinaro M., Rosenthal N., Musarò A. Muscle expression of a local Igf-1 isoform protects motor neurons in an ALS mouse model. *J Cell Biol*, 168:193-9, 2005. **IF 10.95**
3. Frattini A, Blair HC, Sacco MG, Cerisoli F, Faggioli F, Mira Catò E, Pangrazio A, Musio A, Rucci F, Sobacchi C, Sharroff AC, Kalla SE, Buzzone MG, Colombo R, Magli MC, Vezzoni P, Villa A. Rescue of ATPa3-deficient Murine Malignant Osteopetrosis by Hematopoietic Stem Cell Transplantation In Utero. *Proc Natl Acad Sci USA*, 102:14629-14634, 2005. **IF 10.23**
4. Camarda G, Siepi F, Pajalunga D, Bernardini C, Rossi R, Montecucco A, Meccia E, Crescenzi M. A pRb-independent mechanism preserves the postmitotic state in terminally differentiated skeletal muscle cells. *J Cell Biol*, 167:417-423, 2004. **IF 10.95**
5. Shaked Y, Bertolini F, Man S, Rogers MS, Cervi D, Foutz T, Rawn K, Voskas D, Dumont DJ, Ben-David Y, Lawler J, Henkin J, Huber J, Hicklin DJ, D'Amato RJ, Kerbel RS. Genetic heterogeneity of the vasculogenic phenotype parallels angiogenesis: Implications for cellular surrogate markers and analysis of antiangiogenesis. *Cancer Cell*, 7:101-111, 2005. **IF 18.73**
6. Shaked Y, Emmenegger U, Man S, Cervi D, Bertolini F, Ben-David Y, Kerbel RS. Optimal Biologic dose of metronomic chemotherapy regimens is associated with maximum antiangiogenic activity. *BLOOD*, 106:3058-3061, 2005. **IF 10.13**
7. Fernandez M, Giuliani A, Pirondi S, D'intino G, Giardino L, Aloe L, Levi-Montalcini R and Calza' L. Thyroid hormone administration facilitates remyelination in chronic experimental demyelinating-inflammatory disease. *Proc Natl Acad Sci USA*, 101:16363-16368, 2004. **IF 10.23**
8. Centurione L, Di Baldassarre A, Zingariello M, Bosco D, Gatta V, Rana RA, Langella V, Di Virgilio A, Vannucchi AM, Migliaccio AR. Increased and pathological emperipolesis of neutrophils within megakaryocytes associated with marrow fibrosis in GATA-1low mice. *BLOOD*, 104:3573-80, 2004. **IF 10.13**
9. Vannucchi AM, Bianchi L, Paoletti F, Pancrazzi A, Torre E, Nishikawa M, Di Baldassarre A, Rana RA, Lorenzini R, Alfani E, Migliaccio G, Migliaccio AR. A patho-biological pathway linking thrombopoietin, GATA-1 and TGF-β1 in the development of myelofibrosis. *BLOOD*, 105: 3493-3501, 2005. **IF 10.13**
10. Martelli F, Ghinassi B, Panetta B, Alfani E, Gatta V, Pancrazzi A, Bogani C, Vannucchi AM, Paoletti F, Migliaccio G, Migliaccio AR. Variegation of the phenotype induced by the GATA-1low mutation in mice of different genetic background, *BLOOD*, 106:4102-13, 2005 (On line 2005 Aug 18). **IF 10.13**
11. Xu M, Bruno E, Chao J, Huang S, Finazzi G, Fruchtman Sm, Popat U, Prchal Jt, Barosi G, Hoffman R. The constitutive mobilization of CD34+ cells into the peripheral blood in idiopathic myelofibrosis may be due to the action of a number of proteases. *BLOOD*, 105:4508-4515, 2005. **IF 10.13**
12. Rondelli D, Barosi G, Bacigalupo A, Prchal Jt, Popat U, Alessandrino Ep, Spivak Jl, Smith Bd, Klingemann Hg, Fruchtman S, Hoffman R. Allogeneic hematopoietic stem cell transplantation with reduced intensity conditioning in intermediate or high risk patients with myelofibrosis with myeloid metaplasia. *BLOOD*, 105:4115-4119, 2005. **IF 10.13**
13. Massa M, Rosti V, Ramaioli I, Campanelli R, Pecci A, Viarengo Gl, Meli V, Marchetti M, Hoffman R, Barosi G. Circulating CD34+, CD133+, and vascular endothelial growth factor receptor 2-positive endothelial progenitor cells in myelofibrosis with myeloid metaplasia. *J Clin Oncol*, 23:5688-5695. 2005. **IF 11.81**
14. Barosi G, Bordessoule D, Briere J, Cervantes F, Demory JL, Dupriez B, Gisslinger H, Griesshammer M, Hasselbalch H, Kusec R, Le Bousse-Kerdiles MéC, Liberato NL, Marchetti M, Reilly JT, Thiele J. Response criteria for myelofibrosis with myeloid metaplasia: results of an initiative of the European myelofibrosis network (EUMNET). *BLOOD*, 106:2849-53, 2005. **IF 10.13**
15. Emanueli C, Salis MB, Van Linthout S, Meloni M, Desortes E, Silvestre JS, Clergue M, Figueroa CD, Gadau S, Condorelli G, Madeddu P. Akt/protein kinase B and endothelial nitric oxide synthase mediate muscular neovascularization induced by tissue kallikrein gene transfer. *Circulation*, 110:1638-44, 2004. **IF 11.63**

16. Cossu G. Fusion with striated muscle may not be sufficient to activate muscle genes in bone marrow derived stem cells. *J Clin Invest*, 114:140-143, 2004. **IF 15.05**
17. Dejana E. Endothelial cell to cell junctions: happy together. *Nat Rev Mol Cell Biol*, 5:261-270, 2004. **IF 29.85**
18. Spagnuolo R, Breviario F, Corada M, Orsenigo F, Deusche U, Sandy P, Schneider C, Dejana E. Gas1 is induced by VE-cadherin and Vascular Endothelial Growth Factor and acts as a potent inhibitor of endothelial cell apoptosis. *BLOOD*, 103:3005-12, 2004. **IF 10.13**
19. Bazzoni G, Dejana E. Endothelial cell-to-cell junctions: organization, intracellular signaling and functional role in maintaining vascular homeostasis. *Physiol Rev*, 84:869-901, 2004. **IF 28.72**
20. Cera MR, Del Prete A, Vecchi A, Corada M, Martin-Padura I, Motoike T, Tonetti P, Bazzoni G, Bernasconi S, Sato TN, Mantovani A, Dejana E. Increased DC trafficking to lymph nodes and contact hypersensitivity in Junctional Adhesion Molecule-A deficient mice. *J Clin Invest*, 114:729-38, 2004. **IF 15.05**
21. Crosby CV, Fleming P, Zanetta L, Corada M, Giles B, Dejana E, Drake C. VE-cadherin is essential in the de novo genesis of blood vessels (vasculogenesis) in the allantois. *BLOOD*, 105:2771-6, 2005. **10.13**
22. Rossig L, Urbich C, Bruhl T, Dernbach E, Heeschen C, Chavakis E, Sasaki K-ichiro, Seeger F, Potente M, Aicher A, Zanetta L, Dejana E, Zeiher AM, Dimmeler S. Acetylation-dependent regulation of the homeodomain transcription factor HoxA9 directs endothelial commitment of progenitor cells. *J Exp Med*, 201:1825-35, 2005. **IF 13.97**
23. Khandoga A, Kessler JS, Meissner H, Hanschen M, Corada M, Motoike T, Enders G, Dejana E, Krombach F. Junctional adhesion molecule -A deficiency increases hepatic ischemia-reperfusion injury despite reduction of neutrophil transendothelial migration. *BLOOD*, 106:725-33, 2005. **IF 10.13**
24. Corada M, Chimenti S, Cera MR, Vinci M, Salio M, Fiordaliso F, Villa A, Bossi M, Staszewsky L, Vecchi A, Martin-Padura N, Motoike T, Sato TN, Latini R, Dejana E. Polymorphonuclear leukocytes diapedesis and recruitment in ischemic and inflammatory sites requires JAM-A expression. *Proc Natl Acad Sci*, 102:10634-9, 2005. **IF 10.23**
25. Tzima E, Irani-Tehrani M, Kiosses WB, Dejana E, Shultz D, Engelhardt B, Cao G, De Lisser H, Schwartz MA. PECAM-1, VE-cadherin and VEGFR2 cooperate to initiate the endothelial cell-specific response to fluid shear stress. *Nature*, 436:5141-51, 2005. **IF 29.27**
26. Liebner S, Cattelino A, Gallini R, Iurlaro M, Rudini N, Piccolo S, Dejana E. β -Catenin is required for TGF β 2-mediated endothelial to mesenchymal transformation during heart cushion development in the mouse. *J Cell Biol*, 166:359-67, 2004. **IF 10.95**
27. Gammaitoni L, Weisel KC, Gunetti M, Wu KD, Bruno S, Pinelli S, Bonati A, Aglietta M, Moore MA, Piacibello W. Elevated telomerase activity and minimal telomere loss in cord blood long-term cultures with extensive stem cell replication. *BLOOD*, 103:4440-8, 2004. **IF 10.13**
28. Di Marcotullio L, Ferretti E, De Smaele E, Argenti B, Mincione C, Zazzeroni F, Gallo R, Masuelli L, Napolitano M, Maroder M, Modesti A, Giangaspero F, Sclepanti I, Alesse E, Gulino A. REN KCTD11 is a suppressor of Hedgehog signaling and is deleted in human medulloblastoma. *Proc Natl Acad Sci USA*, 101:10833-10838, 2004. **IF 10.23**
29. Tacconelli A, Farina AR, Cappabianca L, DeSantis G, Tessitore A, Vetuschi A, Sferra R, Rucci N, Argenti B, Sclepanti I, Gulino A, Mackay AR. TrkA Alternative Splicing: a Regulated Tumor Promoting Switch in Human Neuroblastoma. *Cancer Cell*, 6:347-360, 2004. **IF 18.73**
30. Cheson BD, Bennett JM, Kopecky KJ, Buchner T, Willman CL, Estey EH, Schiffer CA, Doehner H, Tallman MS, Lister TA, Lo Coco F, Willemze R, Biondi A, Hiddemann W, Larson RA, Lowenberg B, Sanz MA, Head DR, Ohno R, Bloomfield CD. Revised recommendations of the International Working Group for Diagnosis, Standardization of Response Criteria, Treatment Outcomes, and Reporting Standards for Therapeutic Trials in Acute Myeloid Leukemia. *J Clin Oncol*, 21:4642-4649, 2003. **IF 11.81**
31. Cilloni D, Carturan S, Gottardi E, Messa F, Messa E, Fava M, Diverio D, Guerrasio A, Lo Coco F, Saglio G. Down-modulation of the C/EPB α transcription factor in core binding factor acute myeloid leukemias. *BLOOD*, 102:2705, 2003. **IF 10.13**
32. Falini B, Mecucci C, Tiacci E, Alcalay M, Rosati R, Pasqualucci L, La Starza R, Diverio D, Colombo E, Santucci A, Bigerna B, Pacini R, Pucciarini A, Liso A, Vignetti M, Fazi P, Meani N, Pettirossi V, Saglio G, Mandelli F, Lo Coco F, Pelicci PG, Martelli MF. Cytoplasmic Nucleophosmin (NPM) in Acute Myelogenous Leukemia With A Normal karyotype. *N Engl J Med*, 352:254-266, 2005. **IF 44.02**
33. Alcalay M, Tiacci E, Bergomas R, Bigerna B, Venturini E, Minardi SP, Meani N, Diverio D, Bernard L, Tizzoni L, Volorio S, Luzi L, Colombo E, Lo Coco F, Mecucci C, Falini B, Pelicci PG. Acute myeloid leukemia bearing cytoplasmic nucleophosmin (NPMc+ AML) shows a distinct gene expression profile characterized by up-regulation of genes involved in stem cell maintenance. *BLOOD*, 105:899-902, 2005. **IF 10.13**

34. Colucci-D'Amato L, Perrone-Capano C, Di Porzio U. Role of ERK in Neuronal Survival and Death. *Science STKE*, 2004:pe45, 2004. **IF 30.93**
35. Fazi F, Rosa A, Fatica A, Gelmetti V, De Marchis ML, Nervi C, Bozzoni I. A mini-circuitry comprising microRNA-223 and transcription factors NFI-A and C/EBPa regulates human granulopoiesis. *Cell*, 123:819-831, 2005. **IF 29.43**
36. Racanicchi S, Maccherani C, Liberatore C, Billi M, Gelmetti V, Panigada M, Rizzo G, Nervi C, Grignani F. Targeting fusion protein/corepressor contact restores differentiation response in leukemia cells. *EMBO J*, 24:1232-42, 2005. **IF 10.05**
37. Cote S, McNamara S, Brambilla D, Bianchini A, Rizzo G, Del Rincon SV, Grignani F, Nervi C, Miller WHJr. Expression of SMRT{beta} promotes ligand-induced activation of mutated and wild-type retinoid receptors. *BLOOD*, 104:4226-4235, 2004. **IF 10.13**
38. Zappia E, Casazza S, Pedemonte E, Benvenuto F, Bonanni I, Gerdoni E, Giunti D, Ceravolo A, Cazzanti F, Frassoni F, Mancardi G, Uccelli A. Mesenchymal stem cells ameliorate experimental autoimmune encephalomyelitis inducing T-cell anergy. *BLOOD*, 106:1755-61, 2005. **IF 10.13**
39. Ricci-Vitiani L, Ricci-Vitiani L., Pedini F., Molinari C., Condorelli G., Bonci D., Bez A., Colombo A., Parati E., Peschle C., De Maria R.. Absence of caspase-8 and high expression of ped protect primitive neural cells from cell death. *J Exp Med*, 200:1257-1266, 2004. **IF 13.97**
40. Casella I, Feccia T, Chelucci C, Samoggia P, Castelli G, Guerriero R, Parolini I, Petrucci E, Pelosi E, Morsilli O, Gabbianelli M, Testa U, Peschle C. Autocrine- paracrine VEGF loops potenziante the maturation of megakaryocytic precursors through Flt1 receptor. *BLOOD*, 101:1316-1323, 2003. **IF 10.13**
41. Felli N, Fontana L, Pelosi E, Botta R, Bonci D, Facchiano F, Liuzzi F, Lulli V, Morsilli O, Santoro S, Valtieri M, Calin GA, Liu Chang-Gong, Sorrentino A, Croce CM, Peschle C. MicroRNAs 221 and 222 inhibit normal erythropoiesis and erythroleukemic cell growth via kit receptor downmodulation. *P Natl Acad Sci*, 102:18081-18086, 2005. **IF 10.23**
42. Zeuner A, Pedini F, Signore M, Testa U, Peschle C, Pelosi E, De Maria R. Stem cell factor protects erythroid precursor cells from chemotherapeutic agents via upregulation of Bcl-2 family proteins. *BLOOD*, 102:87-93, 2003. **IF 10.13**
43. Corcione A, Benvenuto F, Ferretti E, Giunti D, Cappiello V, Cazzanti F, Risso M, Gualandi F, Mancardi GL, Pistoia V, Uccelli A. Human Mesenchymal stem cells modulate B cell functions. *BLOOD*, 107:367-72, 2006 (On line 2005 Sep 1). **IF 10.13**
44. Gressner O, Schilling T, Lorenz K, Schulze Schleithoff E, Koch A, Schulze-Bergkamen H, Lena MA, Candi E, Terrinoni A, Catani VM, Oren M, Melino G, Krammer PH, Stremmel W, Muller M. TA63alpha induces apoptosis by activating signaling via death receptors and mitochondria. *EMBO J*, 24:2458-71, 2005. **IF 10.05**
45. Sordi V, Maltosio ML, Marchesi F, Mercalli A, Giordano T, Belmonte N, Ferrari G, Leone B, Bertuzzi F, Zerbini G, Allavena P, Bonifacio E, Piemonti L. Bone marrow mesenchymal stem cells express a restricted set of functionally active chemokine receptors capable of promoting migration to pancreatic islets. *BLOOD*, 106:419-27, 2005. **IF 10.13**
46. Pellegrini G. Changing the cell source in cell therapy. *New Engl J Med*, 351:1170-1172, 2004. **IF 44.02**
47. Di Iorio E, Barbaro V, Ruzza A, Ponzin D, Pellegrini G, De Luca M. Isoforms of DeltaNp63 and the ocular limbal cells in human corneal regeneration. *Proc Natl Acad Sci USA*, 102:9523-9528, 2005. **IF 10.23**
48. De Palma M, Venneri MA, Galli R, Sergi LS, Politi LS, Sampaolesi M, Naldini L. Tie2 identifies a hematopoietic lineage of proangiogenic monocytes required for tumor vessel formation and a mesenchymal population of pericyte progenitors. *Cancer Cell*, 8:211-226, 2005. **IF 18.73**
49. Mirandola P, Ponti C, Gobbi G, Sponzilli I, Vaccarezza M, Cocco L, Zauli G, Secchiero P, Manzoli FA, Vitale M. Activated human NK and CD8+ T cells express both TNF-related apoptosis-inducing ligand (TRAIL) and TRAIL receptors but are resistant to TRAIL-mediated cytotoxicity. *BLOOD*, 104:2418-24, 2004. **IF 10.13**
50. Manzoli L, Martelli AM, Billi AM, Faenza I, Fiume R, Cocco L. Nuclear phospholipase C: involvement in signal transduction. *Prog Lipid Res*, 44:185-206, 2005. **IF 11.37**
51. Mirandola P, Gobbi G, Ponti C, Sponzilli I, Cocco L, Vitale M. PKC{epsilon} controls the protection against TRAIL in erythroid progenitors. *BLOOD*, 107:508-13, 2006. (On line 2005 Sep 15). **IF 10.13**
52. Secchiero P, Melloni E, Heikinheimo M, Mannisto S, Di Pietro R, Iacone A, Zauli G. TRAIL regulates normal erythroid maturation through an ERK-dependent pathway. *BLOOD*, 103: 517-522, 2004. **IF 10.13**
53. Zauli G, Rimondi E, Nicolin V, Melloni E, Celeghini C, Secchiero P. TNF-related apoptosis inducing ligand (TRAIL) blocks osteoclastic differentiation induced by RANKL+M-CSF. *BLOOD*, 104:2044-2050, 2004. **IF 10.13**
54. Mui SH, Kim JW, Lemke G, Bertuzzi S. Vax genes ventralize the embryonic eye. *Gene Dev*, 15:1249-1259, 2005. **IF 15.61**

55. Conrotto P, Valdembri D, Corso S, Serini G, Tamagnone L, Comoglio PM, Bussolino F, Giordano S. Sema4D induces angiogenesis through Met recruitment by Plexin B1. *BLOOD*, 105:4321-4329, 2005. **IF 10.13**
56. Conti L, Cattaneo E. Controlling neural stem cell division within the adult subventricular zone: an APPealing job. *Trends Neurosci*, 28: 57-59, 2005. **IF 14.33**
57. Pluchino S, Quattrini A, Brambilla E, Gritti A, Salani G, Dina G, Galli R, Del Carro U, Amadio S, Bergami A, Furlan R, Comi G, Vescovi AL, Martino G. Injection of adult neurospheres induces recovery in a chronic model of multiple sclerosis. *Nature*, 422:688-94, 2003. **IF 29.27**
58. Pluchino S, Zanotti L, Rossi B, Brambilla E, Ottoboni L, Salani G, Martinello M, Cattalani A, Bergami A, Furlan R, Comi G, Constantin G, Martino G. Neurosphere-derived multipotent precursors promote neuroprotection by an immunomodulatory mechanism. *Nature*, 436:266-71, 2005. **IF 29.27**
59. De Palma M, Montini M, Santoni De Sio FR, Benedicenti F, Gentile A, Medico E, Naldini L. Promoter Trapping Reveals Significant Differences in Integration Site Selection between MLV and HIV Vectors in Primary Hematopoietic Cells. *BLOOD*, 105:2307-15, 2005. **IF 10.13**
60. Chiaretti S, Li X, Gentleman R, Vitale A, Vignetti M, Mandelli F, Ritz J, Foà R. Gene expression profile of adult T-cell acute lymphocytic leukemia identifies distinct subsets of patients with different response to therapy and survival. *BLOOD*, 103:2771-8, 2004. **IF 10.13**
61. Giorgio M, Migliaccio E, Orsini F, Paolucci D, Moroni M, Contursi C, Pelliccia G, Luzi L, Minucci, Marcaccio M, Pinton P, Rizzuto R, Bernardi P, Paolucci F, Pellicci PG. Electron transfer between cytochrome c and p66Shc generates reactive oxygen species that trigger mitochondrial apoptosis. *Cell*, 29:221-33, 2005. **IF 29.43**
62. De Rosa R, Ancheta Garcia A, Braschi C, Capsoni S, Maffei L, Berardi N, Cattaneo A. Intranasal administration of nerve growth factor(NGF) rescues recognition memory deficits in AD11 anti-NGF transgenic mice *Proc Natl Acad Sci USA* 102:3811-6, 2005. **IF 10.23**
63. Sampaolesi M, Torrente Sampaolesi M, Torrente Y, Innocenzi A, Tonlorenzi R, D'Antona G, Pellegrino MA, Barresi R, Bresolin N, Cusella De Angelis MG, Campbell KP, Bottinelli R, Cossu G. Cell therapy of -sarcoglycan null dystrophic mice through intra-arterial delivery of mesoangioblasts. *Science*, 301:487-492, 2003. **IF 30.93**
64. Dupont S, Zacchigna L, Cordenonsi M, Soligo S, Adorno M, Rugge M, Piccolo S. Germ layer specification and control of cell growth by Ectodermin, a Smad4 ubiquitin ligase. *Cell*, 121: 87-99, 2004. **IF 29.43**
65. Zecchigna L, Vecchione C, Notte A, Cordenonsi M, Dupont S, Maretto S, cfifelli G, Ferrari A, Maffei A, Fabbro C, Braghetta P, Marino G, Selvetella G, Aretini A, Colonnese C, Bettarini U, Russo G, Soligo S, Adorno M, Bonaldo P, Volpin D Piccolo S, Lembo G, Bressan GM. Emilin1 links TGF-beta maturation to blood pressare homeostasis. *Cell*, 124:929-42, 2006. (in press 2005). **IF 29.43**
66. Kuznetsov SA, Riminucci M, Ziran N, Tsutsui TW, Corsi A, Calvi L, Kronenberg HM, Schipani E, Gehron Robey P, Bianco P. The interplay of osteogenesis and hematopoiesis: Expression of a constitutively active PTH/PTHrP receptor in osteogenic cells perturbs the establishment of hematopoiesis in bone and of skeletal stem cells in the bone marrow. *J Cell Biol*, 167:1113-1122, 2004. **IF 10.96**