

**PROGRAMMA NAZIONALE CELLULE STAMINALI
(2003-2005)**

ELENCO TOTALE DELLE PUBBLICAZIONI DELLE U.O., ESTRATTE DAI RENDICONTI SCIENTIFICI

U.O. 01

1. Musarò A, Giacinti C, Borsellino G, Dobrowolny G, Pelosi L, Cairns L, Ottolenghi S, Bernardi G, Cossu G, Battistini L, Molinaro M, Rosenthal N. Muscle restricted expression of mIGF-1 enhances the recruitment of stem cells during muscle regeneration. *Proc Natl Acad Sci USA*, 101:1206-1210, 2004. **IF 10.23**
2. Dobrowolny G., Giacinti C., Pelosi L., Nicoletti C., Winn N., Barberi L., Molinaro M., Rosenthal N., Musarò A. Muscle expression of a local Igf-1 isoform protects motor neurons in an ALS mouse model. *J Cell Biol*, 168:193-9, 2005. **IF 10.95**
3. Scicchitano BM, Spath L, Musarò A, Molinaro M, Rosenthal N, Nervi C, Adamo S. Vasopressin-dependent Myogenic Cell Differentiation Is Mediated by Both Ca²⁺/Calmodulin-dependent Kinase and Calcineurin Pathways. *Mol Biol Cell*, 16:3632-41, 2005. **IF 7.09**
4. Musarò A. Growth factor enhancement of muscle regeneration: a central role of IGF-1. *Arch Ital Biol*, 143:243-8, 2005. **IF 0.69**

U.O. 03

5. Frattini A, Pangrazio A, Susani L, Sobacchi C, Mirolo M, Abinun M, Andolina M, Flanagan A, Horwitz EM, Mihci E, Notarangelo LD, Ramenghi U, Teti A, Van Hove J, Vujic D, Young T, Albertini A, Orchard PJ, Vezzoni P, Villa A. Chloride channel CICN7 mutations are responsible for severe recessive, dominant, and intermediate osteopetrosis. *J Bone Miner Res*, 18:1740-1747, 2003. **IF 6.53**
6. Quarello P, Forni M, Barberis L, Defilippi C, Campagnoli MF, Silvestro L, Frattini A, Chalhoub N, Vacher J, Ramenghi U. Severe Malignant Osteopetrosis Caused by a GL Gene Mutation. *J Bone Miner Res*, 19:1194-1199, 2004. **IF 6.53**
7. Bombelli C, Faggioli F, Luciani P, Mancini G, Sacco MG. Efficient transfection of DNA by liposomes formulated with cationic gemini amphiphiles. *J Med Chem*, 48:5378-5382, 2005. **IF 4.93**
8. Frattini A, Blair HC, Sacco MG, Cerisoli F, Faggioli F, Mira Catò E, Pangrazio A, Musio A, Rucci F, Sobacchi C, Sharrow AC, Kalla SE, Buzzone MG, Colombo R, Magli MC, Vezzoni P, Villa A. Rescue of ATPa3-deficient Murine Malignant Osteopetrosis by Hematopoietic Stem Cell Transplantation In Utero. *Proc Natl Acad Sci USA*, 102:14629-14634, 2005. **IF 10.23**

U.O. 05

9. Pajalunga D, Crescenzi M. Regulation of cyclin E protein levels through E2F-mediated inhibition of degradation. *Cell Cycle*, 3:1572-1578, 2004. **IF 3.21**
10. Camarda G, Siepi F, Pajalunga D, Bernardini C, Rossi R, Montecucco A, Meccia E, Crescenzi M. A pRb-independent mechanism preserves the postmitotic state in terminally differentiated skeletal muscle cells. *J Cell Biol*, 167:417-423, 2004. **IF 10.95**

U.O. 06

11. Carletti B, Grimaldi P, Magrassi L, Rossi F. Engraftment and differentiation of neocortical progenitor cells transplanted to the embryonic brain in utero. *J. Neurocytol*, 33:309-19, 2004. **IF 1.84**
12. Grimaldi P, Carletti B, Magrassi L, Rossi F. Fate restriction and developmental potential of cerebellar progenitors. Transplantation studies in the developing CNS. In de Zeeuw C, Cicirata F (eds) *Creating Coordination in the Cerebellum*. *Prog Brain Res*, 148: 57-68, 2004. **IF 3.36**
13. Grimaldi P, Carletti B, Rossi F. Neuronal replacement and integration in the rewiring of cerebellar circuits. *Brain Res Rev*, 49:330-42, 2005. **IF 6.40**
14. Carletti B, Rossi F. Selective rather than inductive mechanisms favour specific replacement of Purkinje cells by embryonic cerebellar cells transplanted to the cerebellum of adult Purkinje cell degeneration (pcd) mutant mice. *Eur J Neurosci*, 22:1001-12, 2005. **IF 3.95**

U.O. 08

15. Rabascio C, Muratori E, Mancuso P, Calleri A, Raia V, Foutz T, Cinieri S, Veronesi G, Pruneri G, Lampertico P, Iavarone M, Martinelli G, Goldhirsch A, Bertolini F. Assessing tumor angiogenesis: increased circulating VE-cadherin RNA in patients with cancer indicates viability of circulating endothelial cells. *Cancer Res*, 64:4373-7, 2004. **IF 7.62**
16. Shaked Y, Bertolini F, Man S, Rogers MS, Cervi D, Foutz T, Rawn K, Voskas D, Dumont DJ, Ben-David Y, Lawler J, Henkin J, Huber J, Hicklin DJ, D'Amato RJ, Kerbel RS. Genetic heterogeneity of the vasculogenic phenotype parallels angiogenesis: Implications for cellular surrogate markers and analysis of antiangiogenesis. *Cancer Cell*, 7:101-111, 2005. **IF 18.73**
17. Shaked Y, Emmenegger U, Man S, Cervi D, Bertolini F, Ben-David Y, Kerbel RS. Optimal Biologic dose of metronomich chemotherapy regimens is associated with maximum antiangiogenic activity. *BLOOD*, 106:3058-3061, 2005. **IF 10.13**

U.O. 11

18. Brevini TA, Cillo F, Colleoni S, Lazzari G, Galli C, Gandolfi F. Expression pattern of the maternal factor zygote arrest 1 (Zar1) in bovine tissues, oocytes, and embryos. *Mol Reprod Dev*, 69: 375-380, 2004. **IF 2.22**
19. Colleoni S, Donofrio G, Lagutina I, Duchi R, Galli C, Lazzari G. Establishment, differentiation, electroporation, viral transduction, and nuclear transfer of bovine and porcine mesenchymal stem cells. *Cloning Stem Cells*, 7:154-66, 2005. **IF 3.03**
20. Donofrio G, Colleoni S, Galli C, Lazzari G, Cavarani S, Flammini CF. Susceptibility of bovine mesenchymal stem cells to bovine herpesvirus 4. *J Virol Methods*, 127:168-70, 2005. **IF 1.89**
21. Ferrari M, Soncini M, Losio MN, Ferrando L, Gilberti F, Corradi A, Petronini PG. Xenotrapianti e rischi correlati alla trasmissione dei retrovirus endogeni del suino. *Large Animals, Review*, 4, 39. 2003. **IF not available**
22. Focarelli L, Montagna C, Colombo R, Ried T, Vezzoni P, Musio A. SMC1 inhibition results in FRA3B expression but has no effect on its delayed replication. *Mutat Res*, 595:23-28, 2006. (In press 2005). **IF 3.34**
23. Frattini A, Blair HC, Sacco MG, Cerisoli F, Faggioli F, Mira Catò E, Pancrazio A, Musio A, Rucci F, Sobacchi C, Sharrow AC, Kalla SE, Buzzone MG, Colombo R, Magli MC, Vezzoni P, Villa A. Rescue of ATPa3-deficient Murine Malignant Osteopetrosis by Hematopoietic Stem Cell Transplantation In Utero. *Proc Natl Acad Sci USA*, 102:14629-14634, 2005. **IF 10.23**
24. Galli C, Duchi R, Crotti G, Turini P, Ponderato N, Colleoni S, Lagutina I, Lazzari G. Production and quality of bovine oocytes and embryos. *Vet Res Commun*; 28 Suppl 1: 121-126, 2004. **IF 0.33**
25. Lagutina I, Lazzari G, Duchi R, Colleoni S, Ponderato N, Turini P, Crotti G, Galli C. Somatic cell nuclear transfer in horses: effect of oocyte morphology, embryo reconstruction method and donor cell type. *Reproduction*, 130:559-567, 2005. **IF 3.14**
26. Lagutina I, Lazzari G, Galli C. Effect of the MII-age and activation protocol on the parthenogenetic development of porcines oocytes. *Reprod Fert Dev*, 16: 270, 2004. **IF 1.52**
27. Lazzari G, Lagutina I, Turini P, Crotti G, Colleoni S, Duchi R, and Galli C. Effect of culture system of IVM-IVF pig embryos on the ICMs ability to produce outgrowths for embryonic stem cell derivation. *Reprod Fert Dev*, 17:237, 2005. **IF 1.52**
28. Musio A, Mariani T, Montagna C, Zambroni D, Ascoli C, Ried T, Vezzoni P. Recapitulation of the Roberts syndrome cellular phenotype by inhibition of INCENP, ZWINT-1 and ZW10 genes. *Gene*, 331:33-40, 2004. **IF 2.69**
29. Musio A, Marrella V, Sobacchi C, Rucci F, Fariselli L, Giliani S, Lanzi G, Notarangelo LD, Delia D, Colombo R, Vezzoni P, Villa A. Damaging-agent sensitivity of Artemis-deficient cell lines. *Eur J Immunol*, 35:1250-1256, 2005. **IF 4.88**
30. Musio A, Montagna C, Mariani T, Tilenni M, Focarelli ML, Brait L, Indino E, Benedetti PA, Chessa L, Albertini A, Ried T, Vezzoni P. SMC1 involvement in fragile site expression. *Hum Mol Genet*, 14:525-533, 2005. **IF 7.76**

U.O. 12

31. Calzà L, Fernandez M, Giuliani A, Pirondi S, D'Intino G, Manservigi M, DeSordi N, Giardino L. Stem cells and nervous tissue repair: from in vitro to in vivo In: NGF and related molecules in health and disease, L. Aloe and L. Calzà (eds). *Progress in Brain Research*, 146:75-91, 2004. **IF 3.36**
32. Fernandez M, Pirondi S, Manservigi M, Giardino L, Calzà L. Thyroid hormone participates in the regulation of neural stem cells and oligodendrocyte precursor cells in the central nervous system of adult rat, *Eur J Neurosci*, 20:2059-2070, 2004. **IF 3.95**
33. Fernandez M, Giuliani A, Pirondi S, D'intino G, Giardino L, Aloe L, Levi-Montalcini R and Calza' L. Thyroid hormone administration facilitates remyelination in chronic experimental demyelinating-inflammatory disease. *Proc Natl Acad Sci USA*, 101:16363-16368, 2004. **IF 10.23**
34. Calzà L, Fernandez M, Giuliani A, D'Intino G, Pirondi S, Sivilia S, Paradisi M, DeSordi N, Giardino L. Thyroid hormone and remyelination in adult central nervous system: A lesson from an inflammatory-demyelinating disease. *Brain Res Review*, 48:339-346, 2005. **IF 6.40**
35. Fernández M, Paradisi M, Giardino L, Calzà L. To Know Neural Stem Properties From Diseased Brain: A critical step for Brain Repair. *Prog Stem Cell Res*, in press, 2005. **IF not available**
36. D'Intino G, Perretta G, Taglioni A, Callistri M, Falzone C, Baroni M, Giardino L and Calzà L. Endogenous stem and precursor cells for demyelinating diseases: an alternative for transplantation? *Neurol Res*, 28: 513-517, 2006. (In press 2005). **IF 1.64**

U.O. 17

37. Zuccotti M, Garagna S, Merico V, Monti M, Redi CA. Chromatin organisation and nuclear architecture in growing mouse oocytes. *Mol Cell Endocrinol*, 234:11-17, 2005. **IF 2.79**
38. Sebastiano V, Gentile L, Garagna S, Redi CA, Zuccotti M. Cloned preimplantation mouse embryos show correct timing but altered levels of gene expression. *Mol Reprod Dev*, 70: 146-154, 2005. **IF 2.22**

39. Zuccotti M, Sebastiano V, Garagna S, Redi CA. Experimental demonstration that Mammalian oocytes are not selective towards X- or Y-bearing sperm. *Mol Reprod Dev*, 71:245–246, 2005. **IF 2.22**
40. Sebastiano V., Monti M., Merico V., Zanon M., Garagna S., Redi C. A., Zuccotti M. Analisi quantitativa dell'espressione genica in embrioni clonati di topo *Biologi Italiani* 8:15-22, 2004. **IF not available**
41. Garagna S, Merico V, Sebastiano V, Monti M, Orlandini G, Gatti R, Scandroglio R, Redi CA, Zuccotti M. Three-dimensional localisation of centromeres in mouse oocytes during folliculogenesis. *J Mol Histol*, 35:631-638, 2004. **IF 1.05**
42. Gentile L, Monti M, Sebastiano V, Merico V, Garagna S, Redi CA, Zuccotti M. Single-cell quantitative RT-PCR analysis of Cpt-1b and Cpt-2 gene expression in mouse antral oocytes and in preimplantation embryos. *Cytogenet Genome Res*, 105:215-221, 2004. **IF 2.08**
43. Merico V, Sebastiano V, Monti M, Zanon M, Garagna S, Redi CA, Gatti R, Orlandini G, Scandroglio R, Zuccotti M. Organizzazione della cromatina e architettura nucleare dell'oocita di Mammifero. *Biologi Italiani* 9: 28-32, 2004. **IF not available**
U.O. 18
44. Sartore S, Lenzi M, Angelini A, Chiavegato A, Gasparotto L, De Coppi P, Bianco R, Gerosa G. Amniotic Mesenchymal Cells Autotransplanted in a Porcine Model of Cardiac Ischemia Do Not Differentiate to Cardiogenic Phenotypes. *Eur J Cardiothorac Surg*, 28:677-684, 2005. **IF 1.80**
U.O. 22
45. Centurione L, Di Baldassarre A, Zingariello M, Bosco D, Gatta V, Rana RA, Langella V, Di Virgilio A, Vannucchi AM, Migliaccio AR. Increased and pathological emperipoiesis of neutrophils within megakaryocytes associated with marrow fibrosis in GATA-1low mice. *BLOOD*, 104:3573-80, 2004. **IF 10.13**
46. Vannucchi AM, Bianchi L, Paoletti F, Pancrazzi A, Torre E, Nishikawa M, Di Baldassarre A, Rana RA, Lorenzini R, Alfani E, Migliaccio G, Migliaccio AR. A patho-biological pathway linking thrombopoietin, GATA-1 and TGF- β 1 in the development of myelofibrosis. *BLOOD*, 105: 3493-3501, 2005. **IF 10.13**
47. Vannucchi AM, Pancrazzi A, Bianchi L, Guglielmelli P, Di Lollo S, Bogani C, Baroni G, Migliaccio AR, Bosi A, Paoletti F. Abnormalities of Gata-1 in megakaryocytes from patients with idiopathic myelofibrosis. *Am J Pathol*, 167:849-58, 2005. **IF 5.80**
48. Martelli F, Ghinassi B, Panetta B, Alfani E, Gatta V, Pancrazzi A, Bogani C, Vannucchi AM, Paoletti F, Migliaccio G, Migliaccio AR. Variegation of the phenotype induced by the GATA-1low mutation in mice of different genetic background, *BLOOD*, 106:4102-13, 2005 (On line 2005 Aug 18). **IF 10.13**
49. Sanchez M, Weissman IL, Pallavicini M, Valeri M, Guglielmelli P, Vannucchi AM, Migliaccio G, Migliaccio AR. Differential amplification of murine bipotent megakaryocytic/erythroid "progenitor" and "precursor" cells during recovery from acute and chronic erythroid stress. *Stem Cells*, 24:337-48, 2006 (On line 2005 Sep 6). **IF 6.09**
50. Vannucchi AM, Bianchi L, Paoletti F, Viviana Di Giacomo, Migliaccio G, Migliaccio AR. Impaired GATA-1 expression and myelofibrosis in animal models. *Pathol Biol (Paris)*, 52:275-9, 2004. **IF 0.65**
51. Vannucchi AM, Migliaccio AR, Paoletti F, Chagraoui H, Wendling F. Pathogenesis of myelofibrosis with myeloid metaplasia: lessons from mouse models of the disease. *Semin Oncol*, 32:365-72, 2005. **IF 3.63**
52. Migliaccio AR, Rana RA, Vannucchi AM, Manzoli F. Role of GATA-1 in Normal and Neoplastic Hemopoiesis, *Ann N Y Acad Sci*, 1044:142-58, 2005. **IF 1.97**
53. Migliaccio AR, Vannucchi AM, Migliaccio G, Hoffman R. Molecular Advances Toward the Understanding of the Patho-biology of Idiopathic Myelofibrosis. *Curr Imm Rev*, 2:168-186, 2006. (In press 2005). **IF not available**
54. Amabile G, Di Noia A, Alfani E, Vannucchi AM, Sanchez M, Bosco D, Migliaccio AR, Migliaccio G. Isolation of TPO-dependent subclones from the multipotent 32D cell line. *Blood Cells Mol Dis*, 35:241-52, 2005. **IF 2.43**
U.O. 30
55. Xu M, Bruno E, Chao J, Huang S, Finazzi G, Fruchtman Sm, Popat U, Prchal Jt, Barosi G, Hoffman R. The constitutive mobilization of CD34+ cells into the peripheral blood in idiopathic myelofibrosis may be due to the action of a number of proteases. *BLOOD*, 105:4508-4515, 2005. **IF 10.13**
56. Rondelli D, Barosi G, Bacigalupo A, Prchal Jt, Popat U, Alessandrino Ep, Spivak JI, Smith Bd, Klingemann Hg, Fruchtman S, Hoffman R. Allogeneic hematopoietic stem cell transplantation with reduced intensity conditioning in intermediate or high risk patients with myelofibrosis with myeloid metaplasia. *BLOOD*, 105:4115-4119, 2005. **IF 10.13**
57. Ni H, Barosi G, Rondelli D, Hoffman R. Studies of the Site and Distribution of CD34+ Cells in Idiopathic Myelofibrosis. *Am J Clin Pathol*, 123:833-839, 2005. **IF 2.94**
58. Massa M, Rosti V, Ramaioli I, Campanelli R, Pecci A, Viarengo GI, Meli V, Marchetti M, Hoffman R, Barosi G. Circulating CD34+, CD133+, and vascular endothelial growth factor receptor 2-positive endothelial progenitor cells in myelofibrosis with myeloid metaplasia. *J Clin Oncol*, 23:5688-5695, 2005. **IF 11.81**

59. Cervantes F, Barosi G. Myelofibrosis with myeloid metaplasia: diagnosis, prognostic factors, and staging. *Semin Oncol*, 32:395-402, 2005. **IF 3.63**
60. Barosi G, Bordessoule D, Briere J, Cervantes F, Demory JL, Dupriez B, Gisslinger H, Griesshammer M, Hasselbalch H, Kusec R, Le Bousse-Kerdiles Méc, Liberato NL, Marchetti M, Reilly JT, Thiele J. Response criteria for myelofibrosis with myeloid metaplasia: results of an initiative of the European myelofibrosis network (EUMNET). *BLOOD*, 106:2849-53, 2005. **IF 10.13**
61. Barosi G, Hoffman R. Idiopathic myelofibrosis. *Semin Hematol*, 42:248-58, 2005. **IF 3.73**
U.O. 34
62. Peschle C, Condorelli G. Stem cells for cardiomyocyte regeneration: state of the art. *Ann NY Acad Sci*, 1047:376-85, 2005. Review. **IF 1.97**
63. Condorelli G, Peschle C. Stem cells for cardiac repair: state of the art. *Front Biosci*, 10:3143-50, 2005. **IF 2.62**
64. Emanuelli C, Salis MB, Van Linthout S, Meloni M, Desortes E, Silvestre JS, Clergue M, Figueroa CD, Gadau S, Condorelli G, Madeddu P. Akt/protein kinase B and endothelial nitric oxide synthase mediate muscular neovascularization induced by tissue kallikrein gene transfer. *Circulation*, 110:1638-44, 2004. **IF 11.63**
65. Madeddu P, Emanuelli C, Pelosi E, Salis MB, Cerio AM, Bonanno G, Patti M, Stassi G, Condorelli G, Peschle C. Transplantation of low dose CD34+KDR+ cells promotes vascular and muscular regeneration in ischemic limbs. *FASEB J*, 18:1737-9, 2004. **IF 7.06**
66. Botta R, Gao E, Stassi G, Bonci D, Pelosi E, Zwas D, Patti M, Colonna L, Baiocchi M, Coppola S, Ma X, Condorelli G, Peschle C. Heart infarct in NOD-SCID mice: therapeutic vasculogenesis by transplantation of human CD34+ cells and low dose CD34+KDR+ cells. *FASEB J*, 18:1392-4, 2004. **IF 7.06**
67. Bonci D, Cittadini A, Latronico MV, Borello U, Aycok JK, Drusco A, Innocenzi A, Follenzi A, Lavitrano M, Monti MG, Ross J Jr, Naldini L, Peschle C, Cossu G, Condorelli G. 'Advanced' generation lentiviruses as efficient vectors for cardiomyocyte gene transduction in vitro and in vivo. *Gene Ther*, 10:630-6, 2003. **IF 4.84**
U.O. 35
68. Brunelli S, Tagliafico E, G De Angelis FG, Tonlorenzi R, Baesso S, Ferrari Se, Niinobe M, Yoshikawa K, Bozzoni I, Ferrari St and Cossu G. Msx2 and Necdin combined activities are required for smooth muscle differentiation in mesoangioblast stem cells. *Circ Res*, 94:1571-1578, 2004. **IF 9.41**
69. Tagliafico E, Brunelli S, Bergamaschi A, De Angelis L, Scardigli R, Galli D, Battini R, Bianco P, Ferrari Se, Cossu G and Ferrari St. TGFβ/BMP activate the smooth muscle/bone differentiation programs in mesoangioblasts. *J. Cell Sci*, 117:4377-4388, 2004. **IF 6.54**
70. Cossu G and Sampaolesi M. New Therapies for muscular dystrophy: cautious optimism? *Trends Mol. Med*, 10:516-520, 2004. **IF 5.51**
71. Grassi F, Pagani F, Spinelli G, De Angelis L, Cossu G and Eusebi F. Fusion-independent expression of functional ACh receptors in mouse mesoangioblasts contacting myoblast membrane in co-culture. *J Physiol*, 560:479-489, 2004. **IF 4.27**
72. Cossu G. Fusion with striated muscle may not be sufficient to activate muscle genes in bone marrow derived stem cells. *J Clin Invest*, 114:140-143, 2004. **IF 15.05**
73. De Angelis L, Zhao J, Andreucci JJ, Olson EN, Cossu G, McDermott JC. Regulation of vertebrate myotome development by the p38 MAP kinase-MEF2 signaling pathway. *Dev Biol*, 283:171-179, 2005. **IF 5.23**
74. Cossu G, Biressi S. Satellite cells, myoblasts and other occasional myogenic progenitors: possible origin, phenotypic traits and role in muscle regeneration. *Sem Cell Dev Biol*, 16:623-31, 2005. **IF 6.49**
75. Brunelli S and Cossu G. Msx-2 and Necdin in mesoangioblast and smooth muscle differentiation. *Trends Cardiovasc Med*, 15:96-100, 2005. **IF 4.77**
76. Sampaolesi M, Biressi S, Tonlorenzi R, Innocenzi A, Draghici E, Cusella de Angelis MG, Cossu G. Cell therapy of primary myopathies. *Arch Ital Biol*, 43:235-42, 2005. **IF 0.69**
U.O. 36
77. Dejana E. Endothelial cell to cell junctions: happy together. *Nat Rev Moll Cell Biol*, 5:261-270, 2004. **IF 29.85**
78. Spagnuolo R, Breviario F, Corada M, Orsenigo F, Deuschle U, Sandy P, Schneider C, Dejana E. Gas1 is induced by VE-cadherin and Vascular Endothelial Growth Factor and acts as a potent inhibitor of endothelial cell apoptosis. *BLOOD*, 103:3005-12, 2004. **IF 10.13**
79. Bazzoni G, Dejana E. Endothelial cell-to-cell junctions: organization, intracellular signaling and functional role in maintaining vascular homeostasis. *Physiol Rev*, 84:869-901, 2004. **IF 28.72**
80. Cera MR, Del Prete A, Vecchi A, Corada M, Martin-Padura I, Motoike T, Tonetti P, Bazzoni G, Bernasconi S, Sato TN, Mantovani A, Dejana E. Increased DC trafficking to lymph nodes and contact hypersensitivity in Junctional Adhesion Molecule-A deficient mice. *J Clin Invest*, 114:729-38, 2004. **IF 15.05**

81. Thomas FC, Sheth B, Eckert JJ, Bazzoni G, Dejana E, Fleming TP. Contribution of JAM-1 to epithelial differentiation and tight-junction biogenesis in the mouse preimplantation embryo. *JCell Sci*, 117: 5599-5608, 2004. **IF 6.54**
82. Crosby CV, Fleming P, Zanetta L, Corada M, Giles B, Dejana E, Drake C. VE-cadherin is essential in the de novo genesis of blood vessels (vasculogenesis) in the allantois. *BLOOD*, 105:2771-6, 2005. **10.13**
83. Bazzoni G, Tonetti P, Manzi L, Cera MR, Balconi G, Dejana E. Expression of junctional adhesion molecule-A prevents spontaneous and random motility. *J Cell Sci*, 118: 623-32, 2005. **IF 6.54**
84. Zanetta L, Corada M, Breviario F, Pepper M, Dejana E. Downregulation of VE-cadherin expression is associated with increase in vascular tumor growth and haemorrhagic complications. *Thromb Haemost*, 93:1041-6 2005. **IF 3.06**
85. Pece-Barbara N, Vera S, Kathirkamathamby K, Liebner S, Di Guglielmo GM, Dejana E, Wrana JL, Letarte M. Endoglin null endothelial cells proliferate faster, and more responsive to TGFbeta 1 with higher affinity receptors and an activated ALK1 pathway. *J Biol Chem*, 280:27800-8, 2005. **IF 5.85**
86. Martinez-Estrada OM, Manzi L, Tonetti P, Dejana E, Bazzoni G. Opposite effects of tumor necrosis factor and soluble fibronectin on junctional adhesion molecule-A in endothelial cells. *Am J Physiol Lung Cell Mol Physiol*, 288:L1081-8, 2005. **IF 3.94**
87. Rossig L, Urbich C, Bruhl T, Dernbach E, Heeschen C, Chavakis E, Sasaki K-ichiro, Seeger F, Potente M, Aicher A, Zanetta L, Dejana E, Zeiher AM, Dimmeler S. Acetylation-dependent regulation of the homeodomain transcription factor HoxA9 directs endothelial commitment of progenitor cells. *J Exp Med*, 201:1825-35, 2005. **IF 13.97**
88. Khandoga A, Kessler JS, Meissner H, Hanschen M, Corada M, Motoike T, Enders G, Dejana E, Krombach F. Junctional adhesion molecule -A deficiency increases hepatic ischemia-reperfusion injury despite reduction of neutrophil transendothelial migration. *BLOOD*, 106:725-33, 2005. **IF 10.13**
89. Corada M, Chimenti S, Cera MR, Vinci M, Salio M, Fiordaliso F, Villa A, Bossi M, Staszewsky L, Vecchi A, Martin-Padura N, Motoike T, Sato TN, Latini R, Dejana E. Polymorphonuclear leukocytes diapedesis and recruitment in ischemic and inflammatory sites requires JAM-A expression. *Proc Natl Acad Sci*, 102:10634-9, 2005. **IF 10.23**
90. Tzima E, Irani-Tehrani M, Kiosses WB, Dejana E, Shultze D, Engelhardt B, Cao G, De Lissier H, Schwartz MA. PECAM-1, VE-cadherin and VEGFR2 cooperate to initiate the endothelial cell-specific response to fluid shear stress. *Nature*, 16:5141-51, 2005. **IF 29.27**
91. Xiao K, Garner J, Buckley KM, Vincent PA, Chiasson CM, Dejana E, Faundez V, Kowalczyk AP. p120-Catenin Regulates Clathrin-dependent Endocytosis of VE-Cadherin. *Mol Biol Cell*, 16:5141-51, 2005. **IF 7.09**
92. Kooistra MR, Corada M, Dejana E, Bos JL. Epac1 regulates integrity of endothelial cell junctions through VE-cadherin. *FEBS Lett*, 579:4966-72, 2005. **IF 6.52**
93. Cavallaro U, Liebner S, Dejana E. Endothelial cadherins and tumor angiogenesis. *Exp Cell Res*, 312:659-67, 2005. **IF 4.15**
- U.O. 38**
94. Bailo M, Soncini M, Vertua E, Bonassi Signoroni P, Sanzone S, Lombardi G, Arienti D, Calamani F, Zatti D, Paul P, Albertini A, Zorzi F, Cavagnini A, Candotti F, Wengler GS, Parolini O. Engraftment potential of human amnion and chorion cells derived from term placenta. *Transplantation*, 78:1439-48, 2004. **IF 3.88**
95. Wengler GS, Brocchi E, Lombardi G, Bailo M, Bonassi Signoroni P, Arienti D, Albertini A, Alberti D, Parolini O. Conditioning of neonatal pigs using low dose of chemotherapy and murine hybridoma transplantation. *Transplantation*, 79:349-352, 2005. **IF 3.88**
96. Wengler GS, Frusca T, Lombardi G, Alberti D, Albertini A, Parolini O. In utero transplantation of human cord blood cells into rabbits. *Transplantation*, 80:282-283, 2005. **IF 3.88**
97. Soncini M, Bonassi Signoroni P, Bailo M, Zatti D, Gregori A, Lombardi G, Albertini A, Wengler GS, Parolini O. Use of highly sensitive mitochondrial probes to detect microchimerism in xenotransplantation models. *Xenotransplantation*, 13:80-5, 2006. (In press 2005). **IF 2.11**
- U.O. 39**
98. Iurlaro M, Demontis F, Corada M, Peiro S, Cano A, Cattelino A, Tognin S, Marchisio PC, Dejana E. VE-cadherin expression and clustering maintain low levels of survivin in endothelial cells. *Am J Pathol*, 165:181-9, 2004. **IF 5.80**
99. Liebner S, Cattelino A, Gallini R, Iurlaro M, Rudini N, Piccolo S, Dejana E. β -Catenin is required for TGF β 2-mediated endothelial to mesenchymal transformation during heart cushion development in the mouse. *J Cell Biol*, 166:359-67, 2004. **IF 10.95**
100. Galli D, Innocenzi A, Staszewsky L, Zanetta L, Sampaolesi M, Bai A, Martinoli E, Carlo E, Balconi G, Fiordaliso F, Cusella G, Dejana E, Cossu G, Latini R. Mesoangioblasts, vessel-associated multipotent

- stem cells, repair the infarcted heart by multiple cellular mechanisms. A comparison with hematopoietic and endothelial cells. *Arterioscler Thromb Vasc Biol*, 25:692-7, 2005. **IF 7.05**
101. Zernecke A, Liehn EA, Fraemohs L, von Hundelshausen P, Koenen RR, Corada M, Dejana E, Weber C. Importance of JAM-A for neointimal lesion formation and infiltration in atherosclerosis-prone mice. *Arterioscler Thromb Vasc Biol*, 26:10-13, 2006. (in press 2005). **IF 7.05**
U.O. 40
 102. Droetto S, Viale A, Primo L, Jordaney N, Bruno S, Pagano M, Piacibello W, Bussolino F, Aglietta M. Vasculogenic potential of long term repopulating cord blood progenitors. *FASEB J*, 18:1273-5, 2004. **IF 7.06**
 103. Gammaitoni L, Weisel KC, Gunetti M, Wu KD, Bruno S, Pinelli S, Bonati A, Aglietta M, Moore MA, Piacibello W. Elevated telomerase activity and minimal telomere loss in cord blood long-term cultures with extensive stem cell replication. *BLOOD*, 103:4440-8, 2004. **IF 10.13**
U.O. 41
 104. Tagliafico E, Brunelli S, Bergamaschi A, De Angelis L, Scardigli R, Galli D, Battini R, Bianco P, Ferrari Se, Cossu G, Ferrari S. TGFbeta/BMP activate the smooth muscle/bone differentiation programs in mesoangioblasts. *J Cell Sci*, 117:4377-4388, 2004. **IF 6.54**
 105. Brunelli S, Tagliafico E, G De Angelis FG, Tonlorenzi R, Baesso S, Ferrari Se, Niinobe M, Yoshikawa K, Bozzoni I, Ferrari St and Cossu G. Msx2 and Necdin combined activities are required for smooth muscle differentiation in mesoangioblast stem cells. *Circ Res*, 94:1571-1578, 2004. **IF 9.41**
 106. Colombo E, Giannelli SG, Galli R, Tagliafico E, Foroni C, Tenedini E, Ferrari Se, Ferrari S, Corte G, Vescovi A, Cossu G, Broccoli V. ES-Derived vs. Somatic Neural Stem Cells: A Comparative Analysis of Their Developmental Potential and Molecular Phenotype. *Stem Cells*, 24:825-34, 2006 (On line 2005 Dec 9). **IF 6.09**
U.O. 42
 107. Di Marcotullio L, Ferretti E, De Smaele E, Argenti B, Mincione C, Zazzeroni F, Gallo R, Masuelli L, Napolitano M, Maroder M, Modesti A, Giangaspero F, Screpanti I, Alesse E, Gulino A. REN KCTD11 is a suppressor of Hedgehog signaling and is deleted in human medulloblastoma. *Proc Natl Acad Sci USA*, 101:10833-10838, 2004. **IF 10.23**
 108. De Smaele E, Di Marcotullio L, Ferretti E, Screpanti I, Alesse E, Gulino A. Chromosome 17p Deletion in Human Medulloblastoma: A Missing Checkpoint in the Hedgehog Pathway. *Cell Cycle*, 3:1263-1266, 2004. **IF 3.21**
 109. Tacconelli A, Farina AR, Cappabianca L, DeSantis G, Tessitore A, Vetuschci A, Sferra R, Rucci N, Argenti B, Screpanti I, Gulino A, Mackay AR. TrkA Alternative Splicing: a Regulated Tumor Promoting Switch in Human Neuroblastoma. *Cancer Cell*, 6:347-360, 2004. **IF 18.73**
 110. Cerignoli F, Ambrosi C, Mellone M, Assimi I, Di Marcotullio L, Gulino A, Giannini G. HMGA Molecules in Neuroblastic Tumors. *Ann N Y Acad Sci*, 1028:122-32, 2004. **IF 1.97**
 111. Giannini G, Cerignoli F, Mellone M, Ambrosi C, Rinaldi C, Dominici C, Frati L, Screpanti I, Gulino A. HMGA1 is a target for MYCN in human neuroblastoma. *Cancer Res*, 65:8308-8316, 2005. **IF 7.62**
 112. Argenti B, Gallo R, Di Marcotullio L, Ferretti E, Napolitano M, Canterini S, De Smaele E, Greco A, Fiorenza MR, Maroder M, Screpanti I, Alesse E, Gulino A. Hedgehog antagonist REN/KCTD11 regulates proliferation and apoptosis of developing cerebellar granule cell progenitors. *J Neurosci*, 25:8338-8346, 2005. **IF 7.51**
 113. Ferretti E, De Smaele E, Di Marcotullio L, Screpanti I, Gulino A. Hedgehog checkpoints in medulloblastoma: the chromosome 17p-deletion paradigm. *Trends Mol Med*, 11:537-45, 2005. **IF 5.51**
 114. Tacconelli A, Farina AR, Cappabianca L, Gulino A, Mackay AR. Alternative TrkAIII splicing: a potential regulated tumor-promoting switch and therapeutic target in neuroblastoma. *Future Oncol*, 1:689-698, 2005. **IF not available**
 115. Giannini G, Cerignoli F, Mellone M, Massimi I, Ambrosi C, Rinaldi C, Gulino A. Molecular mechanism of HMGA1 deregulation in human Neuroblastoma. *Cancer Lett*, 228:97-104, 2005. **IF 3.05**
U.O. 45
 116. Gorza L, del Monte F. Protein unfolding in cardiomyopathies. *Heart Failure Clinics*, 1:237-250, 2005. **IF 2.76**
U.O. 47
 117. Cheson BD, Bennett JM, Kopecky KJ, Buchner T, Willman CL, Estey EH, Schiffer CA, Doehner H, Tallman MS, Lister TA, Lo Coco F, Willemze R, Biondi A, Hiddemann W, Larson RA, Lowenberg B, Sanz MA, Head DR, Ohno R, Bloomfield CD. Revised recommendations of the International Working Group for Diagnosis, Standardization of Response Criteria, Treatment Outcomes, and Reporting Standards for Therapeutic Trials in Acute Myeloid Leukemia. *J Clin Oncol*, 15:4642-4649, 2003. **IF 11.81**
 118. Lo Coco F, Breccia M, Noguera N, Miller WH Jr. Diagnostic value of detecting fusion proteins derived from chromosome translocations in acute leukaemia. *Best Pract Res Clin Haematol*, 16:653, 2003. **IF 3.11**

119. Cilloni D, Carturan S, Gottardi E, Messa F, Messa E, Fava M, Diverio D, Guerrasio A, Lo Coco F, Saglio G. Down-modulation of the C/EPB α transcription factor in core binding factor acute myeloid leukemias. *BLOOD*, 102:2705, 2003. **IF 10.13**
120. Belloni E, Trubia M, Mancini M, Derme V, Nanni M, Lahortiga I, Riccioni R, Confalonieri S, Lo Coco F, Di Fiore PP, Pelicci PG. A new complex rearrangement involving the ETV6, LOC115548, and MN1 genes in a case of acute myeloid leukemia. *Genes Chromosom Cancer*, 41:272, 2004. **IF 3.94**
121. Lahortiga I, Agirre X, Belloni E, Vazquez I, Larrayoz MJ, Gasparini P, Lo Coco F, Pelicci PG, Calasanz MJ, Odero MD. Molecular characterization of a t(1;3)(p36;q21) in a patient with MDS. MEL1 is widely expressed in normal tissues, including bone marrow, and it is not overexpressed in the t(1;3) cells. *Oncogene*, 23:311, 2004. **IF 6.87**
122. Testa U, Riccioni R, Diverio D, Rossini A, Lo Coco F, Peschle C. Interleukin-3 receptor in acute leukemia. *Leukemia*, 18:219, 2004. **IF 6.61**
123. Tiacci E, Pileri S, Orleth A, Pacini R, Tabarrini A, Fringuelli F, Liso A, Diverio D, Lo Coco F, Fallini B. PAX expression in acute leukemias: higher B-lineage specificity than CD79a and selective association with t(8;21)-acute myelogenous leukemia. *Cancer Res*. 64:7399, 2004. **IF 7.62**
124. Belloni E, Trubia M, Gasparini P, Micucci C, Tapinassi C, Gonfalonieri S, Nuciforo P, Martino B, Lo Coco F, Pelicci PG, Di Fiore PP. 8p11 myeloproliferative syndrome with a novel t(7;8) translocation leading to fusion of the FGFR1 and TIF1 genes. *Genes Chromosomes Cancer*, 42:320-5, 2005. **IF 3.94**
125. Falini B, Mecucci C, Tiacci E, Alcalay M, Rosati R, Pasqualucci L, La Starza R, Diverio D, Colombo E, Santucci A, Bigerna B, Pacini R, Pucciarini A, Liso A, Vignetti M, Fazi P, Meani N, Pettrossi V, Saglio G, Mandelli F, Lo Coco F, Pelicci PG, Martelli MF. Cytoplasmic Nucleophosmin (NPM) in Acute Myelogenous Leukemia With A Normal karyotype. *N Engl J Med*, 352:254-266, 2005. **IF 44.02**
126. Ammatuna E, Noguera NI, Zangrilli D, Curzi P, Panetta P, Bencivenga P, Amadori S, Federici G, Lo Coco F. Rapid Detection of Nucleophosmin (NPM1) Mutations in Acute Myeloid Leukemia by Denaturing HPLC. *Clin Chem*, 51:2165-2167, 2005. **IF 7.72**
127. Alcalay M, Tiacci E, Bergomas R, Bigerna B, Venturini E, Minardi SP, Meani N, Diverio D, Bernard L, Tizzoni L, Volorio S, Luzi L, Colombo E, Lo Coco F, Mecucci C, Falini B, Pelicci PG. Acute myeloid leukemia bearing cytoplasmic nucleophosmin (NPMc+ AML) shows a distinct gene expression profile characterized by up-regulation of genes involved in stem cell maintenance. *BLOOD*, 2005:899-902, 2005. **IF 10.13**
128. Noguera NI, Ammatuna E, Zangrilli D, Lavorgna S, Divona M, Buccisano F, Amadori S, Mecucci C, Falini B, Lo Coco F. Simultaneous detection of NPM1 and FLT3-ITD mutations by capillary electrophoresis in acute myeloid leukemia. *Leukemia*, 19:1479-1482, 2005. **IF 6.61**
U.O. 54
129. De Felice L, Tatarelli C, Mascolo MG, Gregorj C, Agostini F, Fiorini R, Gelmetti V, Pascale S, Padula F, Petrucci MT, Arcese W, Nervi C. Histone deacetylase inhibitor valproic acid enhances the cytokine-induced expansion of human hematopoietic stem cells. *Cancer Res*, 65:1505-1513, 2005. **IF 7.62**
130. Vulcano F, Mattia G, Milazzo L, Pascuccio M, Macioce G, Giampaolo A, Hassan HJ. Engraftment in NOD/SCID mice of human CD34+ Cord Blood cells after thrombopoietin ex vivo expansion. *Vox Sanguinis*, 87:74, 2004. **IF 1.89**
U.O. 55
131. Adriani W, Leo D, Greco D, Rea M, Di Porzio U, Laviola G, Perrone-Capano C. Methylphenidate administration to adolescent rats determines plastic changes on reward-related behavior and striatal gene expression. *Neuropsychopharmacology*, 31:1946-56, 2006. (in press 2005). **IF 3.64**
132. Adriani W, Giannakopoulou D, Bokulic Z, Jernej B, Alleva E, Laviola G. Response to novelty, social and self-control behaviors, in rats exposed to neonatal anoxia; modulatory effects of an enriched environment. *Psychopharmacology (Berl)*, 184:155-65, 2006 (In press 2005). **IF 3.99**
133. Colucci-D'Amato L, Perrone-Capano C, Di Porzio U. Role of ERK in Neuronal Survival and Death. *Science STKE*, 2004:pe45, 2004. **IF 30.93**
134. Charlet-Berguerand N, Le Hir H, Incoronato M, Di Porzio U, Yu Y, Jing S, de Franciscis V, Thermes C. Expression of GFR α 1 receptor splicing variants with different biochemical properties is modulated during kidney development. *Cell Signal*, 16:1425-34, 2004. **IF 4.40**
135. Volpicelli F, Consales C, Caiazzo M, Colucci-D'Amato L, Perrone-Capano C, Di Porzio U. Enhancement of dopaminergic differentiation in proliferating midbrain neuroblasts by sonichedgehog and ascorbic acid. *Neural Plast*, 11:45-57 2004. **IF not available**
136. Volpicelli F, Perrone-Capano C, Da Pozzo P, Colucci-D'Amato L, Di Porzio U. Modulation of nurr1 gene expression in mesencephalic dopaminergic neurones. *J Neurochem*, 88:1283-94, 2004. **IF 4.60**
137. Baldessari D, Badaloni A, Longhi R, Zappavigna V, Consalez GG. MAB21L2, a vertebrate member of the Male-abnormal 21 family, modulates BMP signaling and interacts with SMAD1. *BMC Cell Biol*, 21:5:48, 2005. **IF 2.65**

U.O. 56

138. Bruno S, Gunetti M, Gammaitoni L, Dane A, Cavalloni G, Sanavio F, Fagioli F, Aglietta M, Piacibello W. In vitro and in vivo megakaryocyte differentiation of fresh and ex-vivo expanded cord blood cells: rapid and transient megakaryocyte reconstitution. *Haematologica*. 88:379-87, 2003. **IF 4.57**
139. Bruno S, Gunetti M, Gammaitoni L, Perissinotto E, Caione L, Sanavio F, Fagioli F, Aglietta M, Piacibello W. Fast but durable megakaryocyte repopulation and platelet production in NOD/SCID mice transplanted with ex-vivo expanded human cord blood CD34+ cells. *Stem Cells*. 22:135-43, 2004. **IF 6.09**
140. Sanchez M, Weissman IL, Pallavicini M, Valeri M, Guglielmelli P, Vannucchi AM, Migliaccio G, Migliaccio AR. Differential amplification of murine bipotent megakaryocytic/erythroid "progenitor" and "precursor" cells during recovery from acute and chronic erythroid stress. *Stem Cells*, 24:337-48, 2006 (On line 2005 Sep 6). **IF 6.09**
141. Vannucchi AM, Pancrazzi A, Guglielmelli P, Di Lollo S, Bogani C, Baroni G, Bianchi L, Migliaccio AR, Bosi A, Paoletti F. Abnormalities of GATA-1 in Megakaryocytes from Patients with Idiopathic Myelofibrosis. *Am J Pathol*, 167:849-858, 2005. **IF 5.80**

U.O. 57

142. Galli D, Innocenzi A, Staszewsky L, Zanetta L, Sampaolesi M, Bai A, Martinoli E, Carlo E, Balconi G, Fiordaliso F, Chimenti S, Cusella G, Dejana E, Cossu G, Latini R. Mesoangioblasts, Vessel-Associated Multipotent Stem Cells, Repair the Infarcted Heart by Multiple Cellular Mechanisms A Comparison With Bone Marrow Progenitors, Fibroblasts, and Endothelial Cells. *Arterioscler Thromb Vasc Biol*, 25:692-7, 2005. **IF 7.05**

U.O. 58

143. Fazi F, Rosa A, Fatica A, Gelmetti V, De Marchis ML, Nervi C, Bozzoni I. A mini-circuitry comprising microRNA-223 and transcription factors NFI-A and C/EBPa regulates human granulopoiesis. *Cell*, 123:819-831, 2005. **IF 29.43**
144. De Felice L, Tatarelli C, Mascolo MG, Gregorj C, Agostini F, Fiorini R, Gelmetti V, Pascale S, Padula F, Petrucci MT, Arcese W, Nervi C. "Histone deacetylase inhibitor valproic acid enhances the cytokine-induced expansion of human hematopoietic stem cells". *Cancer Res*, 65:1505-13, 2005. **IF 7.62**
145. Fazi F, Travaglini L, Carotti D, Palitti F, Diverio D, Alcalay M, McNamara S, Miller WHJr, Lo Coco F, Pelicci PG, Nervi C. Retinoic acid targets DNA-methyltransferases and histone deacetylases during APL blast differentiation in vitro and in vivo. *Oncogene*, 24:1820-30, 2005. **IF 6.87**
146. Racanicchi S, Maccherani C, Liberatore C, Billi M, Gelmetti V, Panigada M, Rizzo G, Nervi C, Grignani F. Targeting fusion protein/corepressor contact restores differentiation response in leukemia cells. *EMBO J*, 24:1232-42, 2005. **IF 10.05**
147. Cote S, McNamara S, Brambilla D, Bianchini A, Rizzo G, Del Rincon SV, Grignani F, Nervi C, Miller WHJr. Expression of SMRT{beta} promotes ligand-induced activation of mutated and wild-type retinoid receptors. *BLOOD*, 104:4226-4235, 2004. **IF 10.13**

U.O. 60

148. Ciulla MM, Giorgetti A, Lazzari L, Cortiana M, Silvestris I, Annoni G, De Asmundis C, Fiore AV, Montelatici E, Paliotti R, Magrini F, Rebulla P, Cortelezzi A. High-altitude trekking in the Himalayas increases the activity of circulating endothelial cells. *Am J Hematol*, 79:76-8, 2005. **IF 1.61**

U.O. 62

149. Pellegatta S, Tunici P, Poliani L, Dolcetta D, Cajola L, Colombelli C, Ciusani E, Di Donato S, Finocchiario G. The therapeutic potential of neural stem/progenitor cells in murine globoid cell leukodystrophy is conditioned by macrophage/microglia activation. *Neurobiol Dis*, 21:314-323, 2006. (On line 2005 Sep 28). **IF 4.05**
150. Tunici P, Pellegatta S, Finocchiario G. The potential of stem cells for the treatment of tumor and globoid cell leukodystrophy. *Cytotechnology*, 41:93-101, 2003. **IF 0.45**

U.O. 63

151. Maccario R, Podestà M, Moretta A, Cometa A, Comoli P, Montagna D, Daudt L, Ibatici A, Piaggio G, Pozzi S, Frassoni F, Locatelli F. Interaction of human mesenchymal stem cells with cells involved in alloantigen-specific immune response favors the differentiation of CD4+ T-cell subsets expressing a regulatory/suppressive phenotype. *Haematologica*, 90:516-25, 2005. **IF 4.57**
152. Bacigalupo A, Valle M, Podesta M, Pitto A, Zocchi E, De Flora A, Pozzi S, Luchetti S, Frassoni F, Van Lint MT, Piaggio G. T-cell suppression mediated by mesenchymal stem cells is deficient in patients with severe aplastic anemia. *Exp Hematol*, 33:819-27, 2005. **IF 4.02**
153. Zappia E, Casazza S, Pedemonte E, Benvenuto F, Bonanni I, Gerdoni E, Giunti D, Ceravolo A, Cazzanti F, Frassoni F, Mancardi G, Uccelli A. Mesenchymal stem cells ameliorate experimental autoimmune encephalomyelitis inducing T-cell anergy. *BLOOD*, 106:1755-61, 2005. **IF 10.13**
154. Maccario R, Moretta A, Cometa A, Montagna D, Comoli P, Locatelli F, Podestà M, Frassoni F,. Human mesenchymal stem cells and Cyclosporin-A exert a synergistic suppressive effect on in vitro activation

of alloantigen-specific cytotoxic lymphocytes. *Biol Blood Marrow Transplant (letter)*, 11:1031-2, 2005.

IF 3.56

U.O. 64

155. Rovida E, Lugli B, Barbetti V, Giuntoli S, Olivotto M, Dello Sbarba P. FAK is redistributed to focal complexes and mediates cell spreading in macrophages in response to M-CSF. *Biol Chem*, 386:919-929, 2005. **IF 2.58**
U.O. 65
156. Ricci-Vitiani L, Ricci-Vitiani L, Pedini F, Mollinari C, Condorelli G, Bonci D, Bez A, Colombo A, Parati E, Peschle C, De Maria R. Absence of caspase-8 and high expression of p53 protect primitive neural cells from cell death. *J Exp Med*, 200:1257-1266, 2004. **IF 13.97**
157. Botta R, Gao E, Stassi G, Bonci D, Pelosi E, Zwas D, Patti M, Colonna L, Baiocchi M, Coppola S, Xin Ma, Condorelli G, Peschle C. Heart infarct in NOD-SCID mice: therapeutic vasculogenesis by transplantation of human CD34+ cells and low dose CD34+ KDR+ cells. *FASEB J*, 18:1392-1394, 2004. **IF 7.06**
158. Madeddu P, Emanuelli C, Pelosi E, Salis MB, Cerio AM, Bonanno G, Patti M, Stassi G, Condorelli G, Peschle C. Transplantation of low dose CD34+KDR+ cells promotes vascular and muscular regeneration in ischemic limbs. *FASEB J*, 18:1737-1739, 2004. **IF 7.06**
159. Casella I, Feccia T, Chelucci C, Samoggia P, Castelli G, Guerriero R, Parolini I, Petrucci E, Pelosi E, Morsilli O, Gabbianelli M, Testa U, Peschle C. Autocrine- paracrine VEGF loops potenziare the maturation of megakaryocytic precursors through Flt1 receptor. *BLOOD*, 101:1316-1323, 2003. **IF 10.13**
160. Coppola S, Narciso L, Feccia T, Bonci D, Calabrò L, Morsilli O, Gabbianelli M, De Maria R, Testa U, Peschle C. Enforced expression of KDR receptor promotes proliferation, survival and megakaryocytic differentiation of TF1 progenitor cell line. *Cell Death Differ*, 13:61-74, 2006 (On line 2005 Jun 06). **IF 7.79**
161. Felli N, Fontana L, Pelosi E, Botta R, Bonci D, Facchiano F, Liuzzi F, Lulli V, Morsilli O, Santoro S, Valtieri M, Calin GA, Liu Chang-Gong, Sorrentino A, Croce CM, Peschle C. MicroRNAs 221 and 222 inhibit normal erythropoiesis and erythroleukemic cell growth via kit receptor downmodulation. *P Natl Acad Sci*, 102:18081-18086, 2005. **IF 10.23**
162. Zeuner A, Pedini F, Signore M, Testa U, Peschle C, Pelosi E, De Maria R. Stem cell factor protects erythroid precursor cells from chemotherapeutic agents via upregulation of Bcl-2 family proteins. *BLOOD*, 102:87-93, 2003. **IF 10.13**
U.O. 67
163. Zappia E, Casazza S, Pedemonte E, Benvenuto F, Bonanni I, Gerdoni E, Giunti D, Ceravolo A, Cazzanti F, Frassoni F, Mancardi G, Uccelli A. Mesenchymal stem cells ameliorate experimental autoimmune encephalomyelitis inducing T-cell anergy. *BLOOD*, 106:1755- 1761, 2005. **IF 10.13**
164. Corcione A, Benvenuto F, Ferretti E, Giunti D, Cappiello V, Cazzanti F, Risso M, Gualandi F, Mancardi GL, Pistoia V, Uccelli A. Human Mesenchymal stem cells modulate B cell functions. *BLOOD*, 107:367-72, 2006 (On line 2005 Sep 1). **IF 10.13**
165. Uccelli A, Zappia E, Benvenuto F, Frassoni F, Mancardi GL. Stem cells in inflammatory demyelinating disorders: a dual role for immunosuppression and neuroprotection. *Expert Opin Biol Ther*, 6:17-22, 2006 (In press 2005). **IF 2.55**
U.O. 68
166. Pellicano R, Fagoonee S, Palestro G, Rizzetto M, Ponzetto A. Intestinal metaplasia, dysplasia, gastric cancer and *Helicobacter pylori*: epidemiological observations. *Minerva Med*, 96:1-10, 2005. **IF not available**
167. Pellicano R, Fagoonee S, Palestro G, Rizzetto M, Figura N, Ponzetto A. The diagnosis of *Helicobacter pylori* infection: guidelines from the Maastricht 2-2000 Consensus Report. *Minerva Gastroenterol Dietol*, 50:125-33, 2004. **IF not available**
168. Ponzetto A, Gennero L, Cutufia M, Beltramo T, Enrietto M, Pescarmona P, Pugliese A. Effect of HCV infection on THP-1 monocytoid cells. *Cell Biochem Funct*, 23:347-52, 2005. **IF 1.36**
169. Pellicano R, Ponzetto A, Smedile A, Repici A, Rizzetto M. Gastro-oesophageal reflux disease and asthma: would be possible to improve therapy on the basis of what is now known? *Panminerva Med*, 46:135-40, 2004. **IF 0.95**
170. Pugliese A, Gennero L, Cutufia M, Enrietto M, Morra E, Pescarmona P, Ponzetto A. HCV infective virions can be carried by human platelets. *Cell Biochem Funct*, 22:353-8, 2004. **IF 1.36**
171. Pellicano R, Touscoz GA, Smedile A, Berrutti M, Saracco G, Repici A, Ponzetto A, Rizzetto M. Prevalence of non-organ-specific autoantibodies in patients suffering from duodenal ulcer with and without *Helicobacter pylori* infection. *Dig Dis Sci*, 49:395-8, 2004. **IF 1.39**
172. Pellicano R, Mazzaferro V, Grigioni WF, Cutufia MA, Fagoonee S, Silengo L, Rizzetto M, Ponzetto A. *Helicobacter* species sequences in liver samples from patients with and without hepatocellular carcinoma. *World J Gastroenterol*. 2004;10: 598-601. **IF 3.32**

173. Pinna D, Sampson-Johannes A, Clementi M, Poli G, Rossini S, Lin L, Vicenzi E. Amotosalen photochemical inactivation of severe acute respiratory syndrome coronavirus in human platelet concentrates. *Transfus Med*, 15:269-76, 2005. **IF 1.40**
174. Mancini N, Ossi CM, Perotti M, Carletti S, Gianni C, Paganoni G, Matusuka S, Guglielminetti M, Cavallero A, Burioni R, Rama P, Clementi M. Direct sequencing of *Scedosporium apiospermum* DNA in the diagnosis of a case of keratitis. *J Med Microbiol* 54:897-900, 2005. **IF 2.32**
U.O. 71
175. Colombo E, Giannelli S, Galli R, Tagliafico E, Foroni C, Tenedini E, Ferrari S, Ferrari S, Corte G, Vescovi A, Cossu G, Broccoli V. ES derived vs. neural stem cells: a comparative analysis of their developmental potential and molecular phenotype. *Stem Cells*, 24:825-34, 2006 (On line 2005 Dec 9). **IF 6.09**
U.O. 73
176. Frattini A, Blair HC, Sacco MG, Cerisoli F, Faggioli F, Mira Catò E, Pangrazio A, Musio A, Rucci F, Sobacchi C, Sharrow AC, Kalla SE, Buzzone MG, Colombo R, Magli MC, Vezzoni P, Villa A. Rescue of ATPa3-deficient Murine Malignant Osteopetrosis by Hematopoietic Stem Cell Transplantation In Utero. *Proc Natl Acad Sci USA*, 102:14629-14634, 2005. **IF 10.23**
U.O. 75
177. Givogri MI, de Planell M, Galbiati F, Superchi D, Gritti A, Vescovi A, de Vellis J, Bongarzone ER. Notch signaling in astrocytes and neuroblasts of the adult subventricular zone in health and after cortical injury. *Dev Neurosci*, 28:81-91, 2006. **IF 1.62**
178. Felling RJ, Snyder MJ, Romanko MJ, Rothstein RP, Ziegler AN, Givogri MI, Bongarzone ER, Levison SW. Neural stem/progenitor cells initiate a regenerative response to perinatal hypoxia/ischemia. *J Neurosci*, 26:4359-69, 2006. (In press 2005). **IF 7.51**
U.O. 77
179. Terrinoni A, Jolicoeur C, Richardson WD, Melino G, Raff M Roles of p63 and p73 during oligodendrocyte development Billion N. *Development*, 131:1211-1220, 2003. **IF 7.60**
180. Munarriz E, Barcaroli D, Stephanou A, Townsend PA, Maisse C, Terrinoni A, Neale MH, Martin SJ, Latchman DS, Knight RA, Melino G, De Laurenzi V. PIAS-1 is a checkpoint regulator which affects exit from G1 and G2 by sumoylation of p73. *Mol Cell Biol*, 24:10593-610, 2004. **IF 7.09**
181. Sayan EA, Paradisi A, Vojtesek B, Knight RA, Melino G, Candi E. New antibodies recognising p73; comparison with commercial antibodies. *Biochem Biophys Res Comm*, 330:186-93, 2005. **IF 3.0**
182. Ramadan S, Terrinoni A, Catani MV, Sayan AE, Knight RA, Mueller M, Krammer PH, Melino G, Candi E. p73 induces apoptosis by different mechanisms. *Biochem Biophys Res Comm*, 331:713-7, 2005. **IF 3.0**
183. Gressner O, Schilling T, Lorenz K, Schulze Schleithoff E, Koch A, Schulze-Bergkamen H, Lena MA, Candi E, Terrinoni A, Catani VM, Oren M, Melino G, Krammer PH, Stremmel W, Muller M. TAp63alpha induces apoptosis by activating signaling via death receptors and mitochondria. *EMBO J*, 24:2458-71, 2005. **IF 10.05**
U.O. 78
184. Profumo A, Turci M, Damonte G, Ferri F, Magatti D, Cardinali B, Cuniberti C, Rocco M. Kinetics of fibrinopeptide release by thrombin as a function of CaCl₂ concentration: different susceptibility of FPA and FPB and evidence for a fibrinogen isoform-specific effect at physiological Ca²⁺ concentration. *Biochemistry*, 42:12335-48, 2003. **IF 3.85**
185. Liu Y, Monticone M, Tonachini L, Mastrogiacomo M, Marigo V, Cancedda R, et al. URB expression in human bone marrow stromal cells and during mouse development. *Biochem Biophys Res Commun*, 322:497-507, 2004. **IF 3.0**
186. Monticone M, Liu Y, Tonachini L, Mastrogiacomo M, Parodi S, Quarto R, Cancedda R, Castagnola P. Gene expression profile of human bone marrow stromal cells determined by restriction fragment differential display analysis. *J Cell Biochem*, 92:733-44, 2004. **IF 3.59**
187. Mastrogiacomo M, Derubeis A, Cancedda R. Bone and Cartilage formation by skeletal muscle derived cells. *J Cell Physiol*, 204:594-603, 2005. **IF 4.36**
188. Profumo A, Cardinali B, Cuniberti C, Rocco M. Separation of human fibrinopeptides by capillary zone electrophoresis. *Electrophoresis*, 26:600-9, 2003. **IF 3.85**
189. Lemoli RM, Bertolini F, Cancedda R, De luca M, Del Santo A, Ferrari G, et al. Stem Cell plasticity: time for a reappraisal? *Haematologica*, 90:360-81, 2005. **IF 4.57**
190. Lemoli RM, Bertolini F, Cancedda R, De luca M, Del Santo A, Ferrari G, Ferrari S, Martino G, Mavilio F, Tura S. Stem cell plasticity: time for a reappraisal? *Haematologica*, 90:360-381, 2005. **IF 4.57**
U.O. 81
191. Sordi V, Maltosio ML, Marchesi F, Mercalli A, Giordano T, Belmonte N, Ferrari G, Leone B, Bertuzzi F, Zerbini G, Allavena P, Bonifacio E, Piemonti L. Bone marrow mesenchymal stem cells express a

restricted set of functionally active chemokine receptors capable of promoting migration to pancreatic islets. *BLOOD*, 106:419-27, 2005. **IF 10.13**

U.O. 82

192. Guerra L, Primavera G, Raskovic D, Pellegrini G, Molisano O, Bondanza S, Paterna P, Gabello T, Attori F, Piazza P, Luci A, De Luca M Erbium: YAG laser and cultured epidermis in the surgical therapy of stable vitiligo. *Arch Dermatol*, 139:1303-10, 2003. **IF 3.43**
 193. Guerra L, Primavera G, Raskovic D, Pellegrini G, Molisano O, Bondanza S, Kuhn S, Piazza P, Luci A, Attori F, De Luca M. Permanent repigmentation of piebaldism by erbium: YAG laser and autologous cultured epidermis. *Brit J Dermatol*, 150:715-21, 2004. **IF 2.98**
 194. Pellegrini G. Changing the cell source in cell therapy. *New Engl J Med*, 351:1170-1172, 2004. **IF 44.02**
 195. Pellegrini G, Dell'Ambra E, Paterna P, Molisano O, Traverso CE, Rama P, Lacal P, De Luca M. Telomerase activity is sufficient to bypass replicative senescence in human limbal and conjunctival but not corneal keratinocytes. *Eur J Cell Biol*, 83:691-700, 2004. **IF 2.20**
 196. Volpi N, Maccari F, Ferrari S, Luca MD, Pellegrini G. Separation of keratin-sulfate-derived disaccharides by high-performance liquid chromatography and postcolumn derivatization with 2-cyanoacetamide and fluorimetric detection. *Anal Biochem*, 342:200-205, 2005. **IF 2.67**
 197. Di Iorio E, Barbaro V, Ruzza A, Ponzin D, Pellegrini G, De Luca M. Isoforms of DeltaNp63 and the migration of ocular limbal cells in human corneal regeneration. *Proc Natl Acad Sci USA*, 102:9523-9528, 2005. **IF 10.23**
 198. Ferrari S, Pellegrini G, Mavilio F, De Luca M. Gene Therapy approaches for epidermolysis bullosa. *Clinics Dermatol*, 23:430-436, 2005. **IF 1.11**
 199. De Luca M, Pellegrini G, Green H. Regeneration of squamous epithelia from stem cells of cultured grafts. *Regen Med*, 1:45-57, 2006. (In press 2005). **IF not available**
 200. Ferrari S, Pellegrini G, Mavilio F, De Luca M. Towards a gene therapy clinical trial for epidermolysisbullosa. *Rev Rec Clin Trial*, 1:155-163, 2006. (In press 2005) **IF not available**
- #### **U.O. 83**
201. Guerra L, Primavera G, Raskovic D, Pellegrini G, Molisano O, Bondanza S, Paterna P, Gabello T, Attori F, Piazza P, Luci A, De Luca M Erbium: YAG laser and cultured epidermis in the surgical therapy of stable vitiligo. *Arch Dermatol*, 139:1303-10, 2003. **IF 3.43**
 202. Quast T, Wehner S, Kirfel G, Jaeger K, De Luca M, Herzog V. sAPP as a regulator of dendrite motility and melanin release in epidermal melanocytes and melanoma cells. *FASEB J*, 17:1739-1741, 2003. **IF 7.06**
 203. Abruzzese C, Kuhun U, Molina F, Rama P, De Luca M. Novel mutations in the CHST6 gene causing macular cornea dystrophy. *Clin Genet*, 65:120-125, 2004. **IF 3.28**
 204. Guerra L, Primavera G, Raskovic D, Pellegrini G, Molisano O, Bondanza S, Kuhn S, Piazza P, Luci A, Attori F, De Luca M. Permanent repigmentation of piebaldism by erbium: YAG laser and autologous cultured epidermis. *Brit J Dermatol*, 150:715-21, 2004. **IF 2.98**
 205. Ferrari S, Pellegrini G, Mavilio F, De Luca M. Gene therapy approaches for epidermolysis bullosa. *Clinics Dermatol*, 23:430-436, 2005. **IF 1.11**
 206. Pellegrini G, Dell'Ambra E, Paterna P, Molisano O, Traverso CE, Rama P, Lacal P, De Luca M. Telomerase activity is sufficient to bypass replicative senescence in human limbal and conjunctival but not corneal keratinocytes. *Eur J Cell Biol*, 83:691-700, 2004. **IF 2.20**
 207. Di Iorio E, Barbaro V, Ruzza A, Ponzin D, Pellegrini G, De Luca M. Isoforms of DeltaNp63 and the ocular limbal cells in human corneal regeneration. *Proc Natl Acad Sci USA*, 102:9523-9528, 2005. **IF 10.23**
 208. De Luca M, Pellegrini G, Green H. Regeneration of squamous epithelia from stem cells of cultured grafts. *Regen Med*, 1:45-57, 2006. (In press 2005). **IF not available**
 209. Ferrari S, Pellegrini G, Mavilio F, De Luca M. Towards a gene therapy clinical trial for epidermolysisbullosa. *Rev Rec Clin Trial*, 1:155-163, 2006. (In press 2005). **IF not available**
- #### **U.O. 84**
210. De Angelis L, Zhao J, Andreucci J, Olson EN, Cossu G, MC Dermott JC. Regulation of vertebrate myotome development by the p38 MAP kinase-MEF2 signaling pathway. *Dev Biol*, 283:171-9, 2005. **IF 5.23**
 211. Tagliafico E, Brunelli S, Bergamaschi A, De Angelis L, Scarmigli R, Galli D, Battini R, Bianco P, Ferrari S, Cossu G, Ferrari G. TGFbeta/BMP activate the smooth muscle/bone differentiation programs in mesoangioblasts. *J Cell Sci*, 117:4377-88, 2004 **IF 6.54**
 212. Grassi F, Pagani F, Spinelli G, De Angelis L, Cossu G, Eusebi F. Fusion-independent expression of functional ACh receptors in mouse mesoangioblast stem cells contacting muscle cells. *J Physiol*, 560: 479-89, 2004. **IF 4.27**
 213. Klinger FG, Scaldaferrri ML, Di Carlo A, Baiocchi M, Coletta M, Cossu G, De Felici M. Myogenic potential of mouse primordial germ cells. *Int J Dev Biol*, 47:303-5, 2003. **IF 2.05**

U.O. 85

214. Croci S, Strippoli P, Bonsi L, Bagnara GP, Guizzanti G, Sartini R, Tonelli R, Messina C, Pierdomenico L, Lollini PG. Expression of t cell receptor alpha gene (TCRA) in human rhabdomyosarcoma and other muscolo-skeletal sarcomas. *Gene*, 353:16-22, 2005. **IF 2.69**
215. Bonsi L, Pierdomenico L, Biscardi M, Marchionni C, Gavazzi S, Fossati V, Ghianassi B, Alviano F, Rondelli D, Franchina M, Bagnara GP, Grossi A. Constitutive and Stimulated Production of VEGF by Human Megakaryoblastic Cell Lines. Effect on Proliferation and Signaling Pathway. *Int J Immunopathology Pharmacol*, 18:445-455, 2005. **IF 3.42**
216. Pierdomenico L, Bonsi L, Calvitti M, Rondelli D, Arpinati M, Chirumbolo G, Becchetti E, Marchionni C, Alviano F, Fossati V, Staffolani N, Franchina M, Grossi A, Bagnara GP. Multipotent Mesenchymal Stem Cells with immunosuppressive activity can be easily isolated from Dental Pulp. *Transplantation*, 80:836-842, 2005. **IF 3.88**
217. Mannello F, Tonti GA, Bagnara GP, Papa S. Role and function of matrix metalloproteinases in the differentiation and biological characterization of mesenchymal stem cells. *Stem Cells*, 24:475-81, 2006. (On line 2005 Sep 8). **IF 6.09**

U.O. 86

218. De Palma M, Venneri MA, Galli R, Sergi LS, Politi LS, Sampaolesi M, Naldini L. Tie2 identifies a hematopoietic lineage of proangiogenic monocytes required for tumor vessel formation and a mesenchymal population of pericyte progenitors. *Cancer Cell*, 8:211-226, 2005. **IF 18.73**
219. Galli R, Binda E, Orfanelli U, Cipelletti B, Gritti A, De Vitis S, Fiocco R, Foroni C, Dimeco F, Vescovi A. Isolation and characterization of tumorigenic, stem-like neural precursors from human glioblastoma. *Cancer Res*, 64:7011-21, 2004. **IF 7.62**

U.O. 92

220. Di Giacomo V, Matteucci A, Stellacci E, Battistini A, Di Baldassarre A, Capitani S, Alfani E, Migliaccio AR, Cocco L, Migliaccio G. Expression of signal transduction proteins during the differentiation of primary human erythroblasts. *J Cell Physiol*, 202:831-8, 2006. (On line 2004 Sep 13). **IF 4.36**
221. Tabellini G, Billi AM, Fala F, Cappellini A, Evagelisti C, Manzoli L, Cocco L, Martelli AM. Nuclear diacylglycerol kinase-theta is activated in response to nerve growth factor stimulation of PC12 cells. *Cell Signal*, 16:1263-71, 2004. **IF 4.40**
222. Mirandola P, Ponti C, Gobbi G, Sponzilli I, Vaccarezza M, Cocco L, Zauli G, Secchiero P, Manzoli FA, Vitale M. Activated human NK and CD8+ T cells express both TNF-related apoptosis-inducing ligand (TRAIL) and TRAIL receptors but are resistant to TRAIL-mediated cytotoxicity. *BLOOD*, 104:2418-24, 2004. **IF 10.13**
223. Martelli AM, Manzoli L, Cocco L. Nuclear inositides: facts and perspectives. *Pharmacol Ther*, 101:47-64, 2004. **IF 8.36**
224. Fiume R, Faenza I, Matteucci A, Astolfi A, Vitale M, Martelli AM, Cocco L. Nuclear phospholipase C beta1 (PLCbeta1) affects CD24 expression in murine erythroleukemia cells. *J Biol Chem*, 280:24221-6, 2005. **IF 5.85**
225. Manzoli L, Martelli AM, Billi AM, Faenza I, Fiume R, Cocco L. Nuclear phospholipase C: involvement in signal transduction. *Prog Lipid Res*, 44:185-206, 2005. **IF 11.37**
226. Cocco L, Manzoli L, Palka G, Martelli AM. Nuclear phospholipase C beta1, regulation of the cell cycle and progression of acute myeloid leukemia. *Adv Enzyme Regul*, 45:126-35, 2005. **IF 1.59**
227. Mirandola P, Gobbi G, Ponti C, Sponzilli I, Cocco L, Vitale M. PKC{epsilon} controls the protection against TRAIL in erythroid progenitors. *BLOOD*, 107:508-13, 2006. (On line 2005 Sep 15). **IF 10.13**
228. Cappellini A, Mantovani I, Tazzari PL, Grafone T, Martinelli G, Cocco L, Martelli AM. Application of flow cytometry to molecular medicine: detection of tumor necrosis factor-related apoptosis-inducing ligand receptors in acute myeloid leukaemia blasts. *Int J Mol Med*, 16:1041-8, 2005. **IF 2.09**
229. Mirandola P, Sponzilli I, Gobbi G, Marmiroli S, Rinaldi L, Binazzi R, Piccari GG, Ramazzotti G, Gaboardi GC, Cocco L, Vitale M. Anticancer agents sensitize osteosarcoma cells to TNF-related apoptosis-inducing ligand downmodulating IAP family proteins. *Int J Oncol*, 28:127-33, 2006. **IF 2.68**

U.O. 93

230. Sordi V, Malosio ML, Marchesi F, Percalli A, Melzi R, Giordano T, Belmonte N, Ferrari G, Leone BE, Bertuzzi F, Zerbini G, Allavena P, Bonifacio E, Piemonti L. Bone marrow mesenchymal stem cells express a restricted set of functionally active chemokine receptors capable of promoting migration to pancreatic islets. *BLOOD*, 106: 419-27, 2005. **IF 10.13**

U.O. 95

231. Droetto S, Viale A, Primo L, Jordaney N, Bruno S, Pagano M, Placibello W, Bussolino F, Aglietta M. Vasculogenic potential of long term repopulating cord blood progenitors. *FASEB J*, 18:1273-1275, 2004. **IF 7.06**

U.O. 98

232. Secchiero P, Milani D, Gonelli A, Melloni E, Campioni D, Gibellini D, Capitani S, Zauli G. Tumor necrosis factor-related apoptosis-inducing ligand (TRAIL) and tumor necrosis factor- α (TNF- α)

- promote the NF- κ B-dependent maturation of both normal and leukemic myeloid cells. *J Leukocyte Biol*, 74:223-232, 2003. **IF 4.63**
233. Secchiero P, Melloni E, Heikinheimo M, Mannisto S, Di Pietro R, Iacone A, Zauli G. TRAIL regulates normal erythroid maturation through an ERK-dependent pathway. *BLOOD*, 103: 517-522, 2004. **IF 10.13**
 234. Marchisio M, Grimley PM, Di Baldassarre A, Santavenere E, Miscia S. Novel shift of Jak/Stat signalling characterizes the protective effect of aurintricarboxylic acid (ATA) from tumor necrosis factor-alpha toxicity in human B lymphocytes. *Int J Immunopathol Pharmacol*, 17:5-14, 2004. **IF 3.42**
 235. Zauli G, Rimondi E, Nicolini V, Melloni E, Celeghini C, Secchiero P. TNF-related apoptosis inducing ligand (TRAIL) blocks osteoclastic differentiation induced by RANKL+M-CSF. *BLOOD*, 104:2044-2050, 2004. **IF 10.13**
 236. Rocca B, Secchiero P, Celeghini C, Ranelletti FO, Ciabattini G, Maggiano N., Habib A, Ricerca BM, Barbarotto E, Patrono C, and Zauli G. Modulation of the expression and activity of cyclooxygenases in normal and accelerated erythropoiesis. *Exp Hematol*, 32: 925-934, 2004. **IF 4.02**
 237. Marchisio M, Brugnoli F, Santavenere E, Paludi M, Ciccocioppo F, Miscia S. Mitigation of tumor necrosis factor alpha cytotoxicity by aurintricarboxylic acid in human peripheral B lymphocytes. *Biochem Pharmacol*, 66:1973-9, 2005. **IF 3.62**
 238. Marchisio M, Santavenere E, Paludi M, Gaspari AR, Lanuti P, Bascelli A, Ercolino E, Di Baldassarre A, Miscia S. Erythroid cell differentiation is characterized by Nuclear Matrix localization and phosphorylation of Protein Kinases C (PKC) alpha, delta and zeta. *J Cell Physiol*, 205:32-36, 2005. **IF 4.36**
 239. Marchisio M, Bertagnolo V, Lanuti P, Gaspari AR, Paludi M, Ciccocioppo F, Ercolino E, Bascelli A, Castaldi A, Miscia S. Nuclear Protein Kinase C- δ : a possible check-point of cell cycle progression. *Int J Immunopathol Pharmacol*, 19:287-91, 2006. (In press 2005). **IF 3.42**
 240. Lanuti P, Marchisio M, Cantilena S, Paludi M, Bascelli A, Gaspari AR, Grifone G, Centurione MA, Papa S, Di Pietro R, Cataldi A, Miscia S, Bertagnolo V. A flow cytometry procedure for simultaneous characterization of cell DNA content and expression of intracellular PKC zeta. *J Immunol Methods*, 315:37-48, 2006. (in press 2005). **IF 2.57**
 241. Campioni D, Secchiero P, Corallini F, Melloni E, Capitani S, Lanza F, Zauli G. Evidence for a role of TNF-related apoptosis inducing ligand (TRAIL) in the anemia of myelodysplastic syndromes. *Am J Pathol*, 166:557-563, 2005. **IF 5.80**
 242. Melloni E, Secchiero P, Celeghini C, Campioni D, Grill V, Guidotti L, Zauli G. Functional expression of TRAIL and TRAIL-R2 during human megakaryocytic development. *J Cell Physiol*, 204:975-982, 2005. **IF 4.36**
U.O. 106
 243. Barbui AM, Borleri G, Conti E, Ciocca A, Salvi A, Micò C, Introna M, Rambaldi A. Clinical grade expansion of CD45RA, CD45RO and CD62L positive T cell lines from HLA compatible donors: high cytotoxic potential against AML and ALL cells. *Exp Hematol*, 34: 475-85, 2006. (In press 2005). **IF 4.02**
U.O. 107
 244. Perera M, Merlo GR, Verardo S, Paleari L, Corte G, Levi G. Defective neurogenesis in the absence of Dlx5. *Mol Cell Neurosci*, 25:153-161, 2004. **IF 4.64**
U.O. 108
 245. Mui SH, Kim JW, Lemke G, Bertuzzi S. Vax genes ventralize the embryonic eye. *Gene Dev*, 15:1249-1259, 2005. **IF 15.61**
 246. Soria JM, Taglialetela P, Gil-Perotin S, Galli R, Gritti A, Garcia Verdugo JM, Bertuzzi S. Defective postnatal neurogenesis and disorganization of the rostral migratory stream in absence of the Vax1 homeobox gene. *J Neurosci*, 24: 11171-81, 2004. **IF 7.51**
U.O. 110
 247. Giordano R, Giorgetti A, Borsotti C, Lazzari L, Rossi E, Torretta L, Lambertenghi Deliliers G, Soligo D, Rebulla P. GMP purification of CD133+ cells from bone marrow and mobilized peripheral blood for intracoronary administration in acute myocardial infarction. *Bone Marrow Transplant*, 35:P423, 2005. **IF 2.64**
U.O. 111
 248. Basta G, Racanicchi L, Mancuso F, Guido L, Macchiarulo G, Luca G, Calabrese G, Brunetti P, Calafiore R. Neonatal pig pancreatic duct-derived insulin-producing cells: preliminary in vitro studies. *Transplant Proc*, 36:609-11, 2004. **IF 0.80**
 249. Basta G, Racanicchi L, Mancuso F, Guido L, Luca G, Macchiarulo G, Brunetti P, Calafiore R. Transdifferentiation molecular pathways of neonatal pig pancreatic duct cells into endocrine cell phenotypes. *Transplant Proc*, 36:2857-63, 2004. **IF 0.80**
 250. Guido L, Basta G, Racanicchi L, Mancuso F, Luca G, Macchiarulo G, Brunetti P, Calafiore R. Short-term stimulation studies on neonatal pig pancreatic duct-derived cell monolayers. *Transplant Proc*, 37:2715-8, 2005. **IF 0.80**

U.O. 112

251. Droetto S, Viale A, Primo L, Jordaney N, Bruno S, Pagano M, Piacibello W, Bussolino F, Aglietta M. Vasculogenic potential of long term repopulating cord blood progenitors. *FASEB J*, 18:1273-1275, 2004. **IF 7.06**
252. Conrotto P, Valdembrì D, Corso S, Serini G, Tamagnone L, Comoglio PM, Bussolino F, Giordano S. Sema4D induces angiogenesis through Met recruitment by Plexin B1. *BLOOD*, 105:4321-4329, 2005. **IF 10.13**
253. Serini G, Valdembrì D, Bussolino F. Integrins and angiogenesis: a sticky business. *Exp Cell Res*, 312:651-8, 2006. (In press 2005). **IF 4.15**

U.O. 114

254. Ricci-Vitiani L, Pedini F, Mollinari C, Condorelli G, Bonci D, Bez A, Colombo A, Parati E, Peschle C, De Maria R. Absence of caspase 8 and high expression of PED protect primitive neural cells from cell death. *J Exp Med*, 200:1257-66, 2004. **IF 13.97**
255. Di Giorgi-Gerevini V, Melchiorri D, Battaglia G, Ricci-Vitiani L, Ciceroni C, Busceti CL, Biagioni F, Iacovelli L, Canudas AM, Parati E, De Maria R, Nicoletti F. Endogenous activation of metabotropic glutamate receptors supports the proliferation and survival of neural progenitor cells. *Cell Death Differ*, 12:1124-33, 2005. **IF 7.79**
256. Bez A, Corsini E, Curti D, Biggiogera M, Colombo A, Nicosia RF, Pagano SF, Parati EA. Neurosphere and neurosphere-forming cells: morphological and ultrastructural characterization. *Brain Res*, 993:18-29, 2003. **IF 2.30**
257. Pallini R, Ricci Vitiani L, Bez A, Casalbore P, Facchiano F, Di Giorgi Gerevini V, Falchetti ML, Fernandez E, Maira G, Peschle C, Parati E. Homologous Transplantation of Neural Stem Cells to the Injured Spinal Cord of Mice. *J Neurosurg*, 57:1014-25, 2005. **IF 2.59**

U.O. 117

258. Zuccato C, Conti L, Reitano E, Tartari M, Cattaneo E. The function of the neuronal proteins Shc and huntingtin in stem cells and neurons: pharmacologic exploitation for human brain diseases. *Ann NY Acad Sci*, 1049:39-50, 2005. **IF 1.97**
259. Conti L, Cattaneo E. Controlling neural stem cell division within the adult subventricular zone: an APpealing job. *Trends Neurosci*, 28: 57-59, 2005. **IF 14.33**

U.O. 118

260. Pluchino S, Quattrini A, Brambilla E, Gritti A, Salani G, Dina G, Galli R, Del Carro U, Amadio S, Bergami A, Furlan R, Comi G, Vescovi AL, Martino G. Injection of adult neurospheres induces recovery in a chronic model of multiple sclerosis. *Nature*, 422:688-94, 2003. **IF 29.27**
261. Pluchino S, Zanotti L, Rossi B, Brambilla E, Ottoboni L, Salani G, Martinello M, Cattalani A, Bergami A, Furlan R, Comi G, Constantin G, Martino G. Neurosphere-derived multipotent precursors promote neuroprotection by an immunomodulatory mechanism. *Nature*, 436:266-71, 2005. **IF 29.27**

U.O. 119

262. Aiuti A. Gene therapy for adenosine-deaminase-deficient severe combined immunodeficiency. *Best Pract Res Clin Haematol*, 17:505-16, 2004 (review). **IF 3.11**
263. Ficara F, Superchi DB, Hernandez RJ, Mocchetti C, Carballido-Perrig N, Andolfi G, Deola S, Colombo A, Bordignon C, Carballido JM, Roncarolo MG, Aiuti A. IL-3 or IL-7 increase ex vivo gene transfer efficiency in ADA-SCID BM CD34+ cells while maintaining in vivo lymphoid potential. *Mol Ther*, 10:1096-108, 2004. **IF 5.44**
264. Dupre' L, Trifari S, Follenzi A, Marangoni F, Lain De Lera T, Bernad A, Martino S, Tsuchiya S, Bordignon C, Naldini L, Aiuti A, Roncarolo MG. Lentiviral vector-mediated gene transfer in T cells from Wiskott-Aldrich syndrome patients leads to functional correction. *Mol Ther*, 10:903-915, 2004. **IF 5.44**

U.O. 122

265. Deola S, Scaramuzza S, Birolo RS, Carballido-Perrig N, Ficara F, Mocchetti C, Dando J, Carballido JM, Bordignon C, Roncarolo MG, Bregni M, Aiuti A. Mobilized blood CD34+ cells transduced and selected with a clinically applicable protocol reconstitute lymphopoiesis in SCID-Hu mice. *Hum Gene Ther*, 15:305-311, 2004. **IF 4.08**
266. Dando JS, Ficara F, Deola S, Roncarolo MG, Bordignon C, Aiuti A. Efficient gene transfer into primitive hematopoietic progenitors using a bone marrow microenvironment cell line engineered to produce retroviral vectors. *Haematologica*, 89, 462-470, 2004. **IF 4.57**
267. Aiuti A, Ficara F, Cattaneo F, Bordignon C, Roncarolo MG. Gene therapy for adenosine deaminase deficiency. *Curr Opin Allergy Clin Immunol*, 3:461-6, 2003. (Review) **IF not available**
268. De Palma M, Montini M, Santoni De Sio FR, Benedicenti F, Gentile A, Medico E, Naldini L. Promoter Trapping Reveals Significant Differences in Integration Site Selection between MLV and HIV Vectors in Primary Hematopoietic Cells. *BLOOD*, 105:2307-15, 2005. **IF 10.13**

U.O. 125

269. Quaranta MT, Spinello I, Testa U, Mariani G, Diverio D, Foà R, Peschle C, Labbaye C. PLZF-mediated control on VLA-4 expression in normal and leukemic myeloid cells. *Oncogene*, 25:399-408, 2006 (In press 2005). **IF 6.87**
270. Chiaretti S, Li X, Gentleman R, Vitale A, Vignetti M, Mandelli F, Ritz J, Foà R. Gene expression profile of adult T-cell acute lymphocytic leukemia identifies distinct subsets of patients with different response to therapy and survival. *BLOOD*, 103:2771-8, 2004. **IF 10.13**
271. Chiaretti S, Li X, Gentleman R, Vitale A, Wang KS, Mandelli F, Foà R, Ritz J. Gene expression profiles of B-lineage adult acute lymphocytic leukemia reveal genetic patterns that identify lineage derivation and distinct mechanisms of transformation. *Clin Cancer Res*, 11:7209-19, 2005. **IF 5.72**
272. Torelli GF, Guarini A, Porzia A, Chiaretti S, Tatarelli C, Diverio D, Maggio R, Vitale A, Ritz J, Foà R. FLT3 inhibition in t(4;11)+ adult acute lymphoid leukaemia. *Br J Haematol*, 130:43-50, 2005. **IF 4.08**

U.O. 126

273. Marconi P, Zucchini S, Berto E, Bozac A, Paradiso B, Bregola G, Grassi C, Volpi I, Argnani R, Marzola A, Manservigi R, Simonato M. Effects of defective herpes simplex vectors expressing neurotrophic factors on the proliferation and differentiation of nervous cells in vivo. *Gene Ther*, 12:559, 2005. **IF 4.84**
274. Lauterbach H, Ried C, Epstein AL, Marconi P, Brocker T. Reduced immune responses after vaccination with a recombinant herpes simplex virus type 1 vector in the presence of antiviral immunity. *J Gen Virol*, 86:2401, 2005. **IF 3.01**

U.O. 127

275. Orsini F, Migliaccio E, Moroni M, Contursi C, Raker VA, Piccini D, Martin-Padura I, Pelliccia G, Trinei M, Bono M, Puri C, Tacchetti C, Ferrini M, Mannucci R, Nicoletti I, Lanfrancone L, Giorgio M, Pelicci PG. The life span determinant p66Shc localizes to mitochondria where it associates with mtHsp70 and regulates trans-membrane potential. *J Biol Chem*, 274:25689-95, 2004. **IF 5.85**
276. Giorgio M, Migliaccio E, Orsini F, Paolucci D, Moroni M, Contursi C, Pelliccia G, Luzi L, Minucci, Marcaccio M, Pinton P, Rizzuto R, Bernardi P, Paolucci F, Pelicci PG. Electron transfer between cytochrome c and p66Shc generates reactive oxygen species that trigger mitochondrial apoptosis. *Cell*, 29:221-33, 2005. **IF 29.43**
277. Offman J, Gascoigne K, Bristow F, Macpherson P, Bignami M, Casorelli I, Leone G, Pagano L, Sica S, Halil O, Cummins D, Banner NR, Karran P. Repeated sequences in CASPASE-5 and FANCD2 but not NF1 are targets for mutation in microsatellite-unstable acute leukemia/myelodysplastic syndrome. *Molecular Cancer Res*, 3:251-60, 2005. **IF 5.42**
278. Meccia E, Bottero L, Felicetti F, Peschle C, Colombo MP, Carè A. HOXB7 expression is regulated by the transcription factors NF-Y, YY1, Sp1 and USF-1. *Biochim Biophys Acta*, 1626:1-9, 2003. **IF 2.51**
279. Montesoro E, Castelli G, Morsilli O, Nisini R, Stafsnes MH, Carè A, Peschle C, Chelucci C. Unilineage monocytopenia in hematopoietic progenitor culture: switching cytokine treatment at all Mo developmental stages induces differentiation into dendritic cells. *Cell Death Diff*, 1-10, 2005. **IF 7.79**

U.O. 130

280. De Rosa R, Ancheta Garcia A, Braschi C, Capsoni S, Maffei L, Berardi N, Cattaneo A. Intranasal administration of nerve growth factor(NGF) rescues recognition memory deficits in AD11 anti-NGF transgenic mice *Proc Natl Acad Sci USA* 102:3811-6, 2005. **IF 10.23**
281. Sampaulesi M, Torrente Sampaulesi M, Torrente Y, Innocenzi A, Tonlorenzi R, D'Antona G, Pellegrino MA, Barresi R, Bresolin N, Cusella De Angelis MG, Campbell KP, Bottinelli R, Cossu G. Cell therapy of -sarcoglycan null dystrophic mice through intra-arterial delivery of mesoangioblasts. *Science*, 301:487-492, 2003. **IF 30.93**

U.O. 132

282. Dupont S, Zacchigna L, Cordenonsi M, Soligo S, Adorno M, Rugge M, Piccolo S. Germ layer specification and control of cell growth by Ectoderm, a Smad4 ubiquitin ligase. *Cell*, 121: 87-99, 2004. **IF 29.43**
283. Dupont S, Zacchigna L, Adorno M, Soligo S, Volpin D, Piccolo S, Cordenonsi M. Convergence of p53 and TGF-beta signaling networks. *Cancer Lett*, 213:129-38, 2004. **IF 3.05**
284. Zacchigna L, Vecchione C, Notte A, Cordenonsi M, Dupont S, Maretto S, Cifelli G, Ferrari A, Maffei A, Fabbro C, Braghetta P, Marino G, Selvetella G, Aretini A, Colonnese C, Bettarini U, Russo G, Soligo S, Adorno M, Bonaldo P, Volpin D, Piccolo S, Lembo G, Bressan GM. Emilin1 links TGF-beta maturation to blood pressure homeostasis. *Cell*, 124:929-42, 2006. (in press 2005). **IF 29.43**

U.O. 135

285. Facchiano F, Facchiano A, Russo K, Mennella C, Ragone R, Ribatti D, Capogrossi MC, Fogliano V. Short-Term Sugar Exposure Significantly Modifies FGF-2 Structure and Angiogenic Functions: Pathophysiological Implications. *Ann NY Acad Sci* 1043: 912, 2005. **IF 1.97**

U.O. 136

286. Kuznetsov SA, Riminucci M, Ziran N, Tsutsui TW, Corsi A, Calvi L, Kronenberg HM, Schipani E, Gehron Robey P, Bianco P. The interplay of osteogenesis and hematopoiesis: Expression of a constitutively active PTH/PTHrP receptor in osteogenic cells perturbs the establishment of hematopoiesis in bone and of skeletal stem cells in the bone marrow. *J Cell Biol*, 167:1113-1122, 2004. **IF 10.96**
287. Karadag A, Riminucci M, Bianco P, Cherman N, Kuznetsov SA, Nguyen N, Collins MT, Robey PG, Fisher LW. A novel technique based on a PNA hybridization probe and FRET principle for quantification of mutant genotype in fibrous dysplasia/McCune-Albright syndrome. *Nucleic Acids Res* 32:e63, 2004. **IF 7.55**
288. Tagliafico E, Brunelli S, Bergamaschi A, De angelis L, Scardigli R, Galli D, Battini R, Bianco P, Ferrari S, Cossu G, Ferrari S: TGF-beta/BMP activate the smooth muscle/bone differentiation programs in mesoangioblasts. *J Cell Sci*, 117:4377-4388, 2004. **IF 6.54**
289. Mastrogiacomo M, Corsi A, Francioso E, Di Comite M, Monetti F, Scaglione S, Favia A, Crovace A, Bianco P, Cancedda R: Reconstruction of extensive long-bone defects in sheep using resorbable bioceramics based on Silicon Stabilized Tricalcium Phosphate (Si-TCP). *Tissue Engineering*, 12:1261-73, 2006. (in press 2005). **IF 2.89**
290. Bianco P, Kuznetsov SA, Riminucci M, Gehron Robey P. Post natal skeletal stem cells. *Methods in Enzymol*, 419:117-148, 2006. (in press 2005). **IF1.70**