

(SEIEVA) – Pubblicazioni Epatite – Anni 1984-2008

107. Mele A., Tosti M.E., Mariano A., Pizzuti R., Ferro A., Borrini B., et al. Acute hepatitis B 14 years after the implementation of the universal vaccination in Italy: areas of improvement and emerging challenges. *Clinical Infection Diseases* 2008; 46:868-875
106. Stroffolini T., Coppola R., Carvelli C., D'Angelo T., De Masi S., Maffei C., et al. Increasing hepatitis B vaccination coverage among healthcare workers in Italy 10 years apart. *Digestive and liver Disease* 2008; 40(4): 275-277.
105. Tosti M.E., Mariano A., Spada E., Pizzuti R., Gallo G., Ragni P., et al. Incidence od parente rally transmitted acute viral hepatitis among healthcare workers in Italy. *Infect Control Hosp Epidemiol* 2007; 28(5): 629-632.
104. Mele A., Mariano A., Tosti ME., Stroffolini T., Pizzuti R., Gallo G., et al. Acute Hepatitis Delta virus infection in Italy: Incidence and risk factors after the introduction of the Universal Anti-Hepatitis B vaccination campaign. *Clinical Infection Disease* 2007; 44(3): 17-24.
103. Mele A., Bianco E. Mariano A., Sagliocca L. et al. Expert consensus conference. The screening for hepatitis C virus infection in adults in Italy, May 5-6, 2005. *Digestive and Liver Disease* 2006; 38: 445-451.
102. Zanetti A.R., Mariano A., Romanò L., D'Amelio R., Chironna M., Coppola RC., et al. Long-term immunoginicity of epatiti B vaccination and policy for booster: an Italian multicentre study. *The Lancet* 2005; 366: 1379-1384.
101. Spada E., Genovese D., Tosti ME., Mariano A., Cuccuini M., Proietti L., et al. An Outbreak of epatiti A virus infection with a high case-fatality rate among injecting drug users. *J. Hepatol* 2005; 43:958-964.
100. Stroffolini T. The changing pattern of hepatitis B virus infection over the past three decades in Italy. *Digestive and Liver Disease*. 2005;(37):622-627.
99. Pendino GM. Mariano A., Surace P., Caserta CA., Fiorillo MT., Amante A., Bruno S., Mangano C., Polito I., Amato F., Cotechini R., Stroffolini T., Mele A., and the ACE Collaborative Group. Prevalence and etiology of altered liver tests: A populat-Based survey in a mediterranean town. *Hepatology*. 2005: 41:1151-1159.
98. Sagnelli E., Stroffolini T., Mele A., Almasio P., Coppola N., Ferrigno L., Scolastico C., Onofrio M., Imparato M., Filippini P., and operative units. The importance of HCV on the burden of chronic liver disease in Italy: a multicenter prevalence study of 9,997 cases. *J. Medical Virology*. 2005:75:522-527.
97. Sagliocca L., Bianco E., Amoroso P., Quarto M., Richichi I., Tosti ME., Carannante N., Chironna M., Chiriacò P., Di Bari G., Lopalco P., Resta F., Santantonio T., Tantimonaco G., Mele A. Fleasibility of vaccination in preventing secondary cases of hepatitis A virus infection. *Vaccine*. 2005; 23: 910-914.
96. Fitzsimons D., Francois G., Bonanni P., Mele A., Zanetti A., Stroffolini T., Crovari P., VanDamme P. Prevention of viral hepatitis in Italy. *Vaccine* 2004; 22: 4092-4096.
95. Mariano A., Mele A., Tosti ME., Parlato A., Gallo G., Ragni P., Zotti C., Lopalco P., PompaMG., Graziani G., and Stroffolini T. SEIEVA collaborating group. Role of beauty treatment in thespread of parenterally transmitted hepatitis viruses in Italy. *Journal of Medical Virology*. 2004;74:216-220.
94. Spada E., Sagliocca E., Sourdis J., Garbuglia AR.; Poggi V., De Fusco C., Mele A. Use of theMinimum Spanning tree model for molecular Epidemiological Investigation of a nosocomialoutbreak of hepatitis C virus infection. *J. Clinical Microbiology*. 2004
93. Spada E., Mele A., Berton A., Ruggeri L., Ferrigno L., Garbuglia AR., Perrone MP., Girelli G.,Del Porto P., Piccolella E., Mondelli MU., Amoroso P., Cortese R., Nicosia A., Vitelli A., Folgori A.on behalf of the Acute Hepatitis C Italian Study Group. Multispecific T cell response and negativeHCV infection are early prognostic factors of spontaneous clearance. *GUT*. 2004; 53:1673-1681.

92. Fattovich G., Stroffolini T., Zagni I., Donato F. Hepatocellular Carcinoma in Cirrhosis:Incidence and Risk factors. *Gastroenterology*. 2004; 127:S35-S50.
91. Bianco E., De Masi S., Mele A., Jefferson T. Effectiveness of immune globulins in preventing infectious hepatitis and hepatitis A: a systematic review. *Digest and Liver Disease* 2004; 36:834-842.
90. Stroffolini T., Sagnelli E., Mele A., Craxì A., Almasio P., Italian Hospitals CollaboratingGruoups. The aetiology of chronic hepatitis in Italy: results from a multicentre national study.*Digest and Liver Disease*. 2004; (36):829-833.
89. Stroffolini T., Mariano A., Iantosca G. Reported risk factors are useless in detecting HCVpositivesubjecls in the general population . *Digestive and Liver Disease*. 2004; 36:547-550.
88. Bianco E., Marcucci F., Mele A., Musto P., Cotichini R., Sanpaolo MG., Iannitto E., De RenzoA., Martino B., Specchia G., Pagano L. Rapicetta M., Mandelli F., Pulsoni A. Prevalence ofHepatitis C virus infection in lymphoproliferative diseases: an italian multicenter case-controlstudy. *Haematologica* 2004; 89(1): 70-76.
87. Stroffolini T., Sagnelli E., Almasio P., Ferrigno L., Craxì A., Mele A., on behalf of the Italianhospitals collaborating groups. Characteristics of liver cirrhosis in Italy: results from amulticenter national study. *Digest Liver Dis.* 2004; 36:56-60.
86. Amoroso P., Buonocore S., Lettieri G., Pierri P., Mele A. The Clinical Profile of Acute HepatitisA. Infection: is it really so severe?. (Lettera). *Hepatology*. 2004; 572.
85. Gaeta GB., Stornaiuolo G., Precone DF., Lobello S., Chiaramonte M., Stroffolini T., ColucciG., Rizzetto M., Epidemiological and clinical burden of chronic hepatitis B virus/hepatitis C virusinfection. A multicenter Italian study. *J. Hepatol.* 2003; 39:1036-1041.
84. Stroffolini T., Bianco E., Szklo A., Bernacchia R., Bove C Colucci M., Coppola RC., D'ArgenioP., Lopalco A., Parlato A., Ragni P., Simonetti A., and Mele A. Zotti C. Factors affecting thecompliance of the antenal hepatitis B screening programme in Italy, *Vaccine* 2003; 21:1246-1249.
83. Mele A., Tosti ME., Spada E., Kondili L., Marzolini F. SEIEVA: Sistema EpidemiologicoIntegrato dell'Epatite Virale Acuta. *Rapporto 2000-2001. Rapporti ISTISAN-03/23.*
82. Mele A., Pulsoni A., Bianco E., Musto P., Szklo A., Sanpaolo G., Iannitto E., De Renzo A.,Martino B., and et al. Hepatitis C virus and B-cell non Hodgkin Lymphomas an Italian multicentrecase-control study. *Blood* 2003; 102(3):996-999.
81. Mele A. and Jefferson T. The use of hepatitis A vaccine in Italy-evidence-basedrecommendations from an expert panel(Editorial). *Vaccine* 2003;21:2223.
80. D'Argenio P, Adamo B., Cirrincione R., and Gallo G. The role of vaccine in controllinghepatitis A epidemics. *Vaccine* 2003; (21): 2246-2249.
79. Bianco E., Stroffolini T., Spada E., Szklo A., Marzolini F., Ragni P., Gallo G., Parlato A.,Sangalli M., Lo palco PL. , Zotti C., Mele A., and SEIEVA collaborating group. Case fatality rate ofacute viral hepatitis in Italy, 1995-2000: an update. *Digestive and Liver Disease*. 2003; (35):404-408.
78. Rosmini F., Morisco F. and the study group. Reliability of measurements of serum alaninetransaminase activity and the impact on the cut-off value for the selection of blood donors.*Haematologica* 87(5):559-560, 2002.
77. Kondili L., Chionne P., Costantino A., Villano U., La Noce C., and Mele A., Giampaoli S.,Rapicetta M., Pannozzo P. Infection rate and spontaneous seroreversion of anti-hepatitis C virusduring the natural corse of hepatitis C virus infection in the general population. *Gut* 50(5):693-696,2002.
76. Morisco F. RF, and the study group. Reliability of measurements of serum alaninetransaminase activity and the impact on the cut-off value for the selection of blood donors.*Haematologica* 2002;87:559-560.
75. Mele A. and Spada E. Epidemiologia delle infezioni acute da virus epatici a trasmissioneparenterale. 00/32, 141-147. 2002. Roma, Istituto Superiore di Sanità.

74. Mele A., Stroffolini T., Zanetti A.R. Hepatitis B in Italy: Were we are ten years after theintroduction of mass vaccination. *Journal of Medical Virology* 2002; 67:440-3.
73. De Stefano R., Stroffolini T., Ferraro D., Usticano A., Valenza L.M., Montalbano L. et al. Endemic hepatitis C virus infection in a Sicilian town: further evidence for iatrogenictransmission. *Journal of Medical Virology* 2002;67:339-44.
72. Cirrincione R., Taliani G., Mele A., Caporaso N. Quality of life assessment in Chronic liverdisease. *Hepato-Gastroenterology* 2002; 49:813-6.
71. Ciccozzi M., Tosti M.E., Gallo G., Ragni P., Zotti C., Lopalco PL. Et al Risk of hepatitis Ainflection following travel. *Journal of Viral hepatitis* 2002;9:460-5.
70. Tosti ME., Solinas S., Prati D., Salvaneschi L., Manca M., Francesconi M., Ciuffrida M., GirelliM., Mele A. An estimate of the current risk of transmitting blood-borne infections through bloodtransfusion in Italy. *British Journal of Haematology* 2002; 116:1-5.
69. Petrosillo N., Gilli P., Serraino D., Dentico P., Mele A., Ragni P., Puro V., Casalino C., IppolitoG. Prevalence of infected patients and understaffing have a role in hepatitis C virus transmissionin dialysis. *Am. J. Kidney Dis.* 2001; 37 (5) 1004-1010.
68. Mele A., Tancredi F., Romanò L., Giuseppone A., Colucci M., Sangiuolo A., Lecce R., AdamoB., Tosti ME., Taliani G., Zanetti A. Effectiveness of hepatitis B vaccination in babies born toHbsAg-positive mothers in Italy. *Journal Infectious Diseases* 2001; 184: 905-8.
67. Mele A., Spada E., Sagliocca L., Ragni P., Tosti ME., Gallo G., Moiraghi A., Ballocchini E.,Sangalli M., Lopalco PL., Stroffolini T. Risk of parenterally transmitted hepatitis followingexposure to surgery or other invasive procedures: results from the hepatitis surveillance systemin Italy. *J. Hepatol* 2001; (35) 284-289.
66. Spada E., Mele A., Ciccozzi M., Tosti ME., Bianco E., Szklo A., Ragni P., Gallo G., BallocchiniE., Sangalli M., Lopalco PL., Moiraghi A., Stroffolini T., and SEIEVA collaborating group. Changingepidemioligy of parenterally transmitted viral hepatitis: results from the hepatitis surveillancesystem in Italy. *Digestive and Liver Disease* 2001; (33) 778-784.
65. Stroffolini T. Mele A., Sagliocca L. Vaccination policy against hepatitis A in Italy. *Vaccine*2001; 19:2404-2406.
64. Gaeta GB., Stroffolini T., Chiaramonte M. et al. Hepatitis Delta in Italy: a vanishing disease. *Hepatology* 2000; 32:824-7.
63. Stroffolini T., Mele A., Tosti ME., Gallo G., Ballocchini E., Ragni P., Santonastasi F., MarzoliniA., Ciccozzi M., Moiraghi A. The impact of hepatitis B mass immunization campaign on theincidence of and risk factor for hepatitis B in Italy. *J. Hepatol.* 2000; 33(6): 980-5.
62. Maio G., D'argenio P., Stroffolini T., Bozza A., Sacco L., Tosti ME., Intorgia M., Fossi E.,D'Alessio G., Anesti L.A., Rapicetta M., Mele A. and collaborating group. Hepatitis C virusinfection and alanine transaminase levels in the general population: a survey in a southernItalian town. *J. Hepatol.* 2000; 33(1)116-120.
61. Mele A., Tosti ME., Marzolini A., Moiraghi A., Ragni P., Gallo G., Ballocchini E., SantonastasiF., Stroffolini T., and SEIEVA collaborating group. Prevention of hepatitis C in Italy: lessons fromsurveillance of type specific acute viral hepatitis. *J. Viral. Hepatitis* 2000; (7) 1:30-35.
60. Corona R., Stroffolini T., Giglio A., Cotichini R., Tosti ME., Prignano G., Di Carlo A., Maini A.,Mele A. Lack of evidence for increased risk of hepatitis A infection in homosexual men. *EpidemiolInfect.* 1999; 123(1) 89-93.
59. Croci L., Ciccozzi M., De Medici D., Di Pasquale S., Fiore A., Mele A. and. Toti L. Inactivationof hepatitis A virus in heat-treated mussels. *J. Applied Microbiology* 1999; 87:884-888.

- 58.Gaeta GB., Stroffolini T., Taliani G., Ippolito FM., Giusti G., De Bac C. Surgical procedures asa major risk factor for chronic hepatitis C virus infection in Italy: evidence from a case-controlstudy. Int. J. Infect. Dis. 1999; 3(4):207-210.
- 57.Mele A., Stroffolini T., Sagliocca L., Amoroso P. Hepatitis A vaccine for secondary hepatitis Ainflection. Lancet 1999; 354(9175) 342-3.
- 56.Tosti ME., Traversa G., Bianco E., Mele A. Multiple sclerosis and vaccination against hepatitisB: analysis of risk benefit profile. Ital. J. Gastroenterol Hepatol. 1999; 31:388-391.
- 55.Mele A., Ciccozzi M. Consumo di frutti di mare e conoscenza del rischio di epatite A. Napoli,1997 L'Igiene Moderna 1999; 111:299-307.
- 54.Mele A., Stroffolini T., Tosti ME., Corona R., Santonastasi F., Gallo G., Ragni P., Ballocchini E.,Bernacchia R., Moiraghi A. Heterosexual transmission of hepatitis C in Italy. J Med Virol 1999;57:111-113.
- 53.Sagliocca L.,Amoroso P., Stroffolini T., Adamo B., Tosti ME., Gennaro L., Buonocore S., PierriP., Mele A. Efficacy of hepatitis A vaccine in prevention of secondary hepatitis A: a randomizedtrial. Lancet 1999; 353:1136-1139.
- 52.Stroffolini T., Petrosillo N., Ippolito G., Lopalco A., Sagliocca L., Adamo B., Iannotti MP., RicciBitti P., Marzolini A., Forastiere F., Mele A. Hepatitis B. vaccination coverage among healthcareworkers in Italy. Infect. Cont. Hosp. Ep. 1998; 19(10) 789-791.
- 51.Caporaso N., Ascione A., Stroffolini T. Spread of hepatitis C virus infection within families. J.Vir. Hep. 1998; 5:67-72.
- 50.Ciccozzi M., Stroffolini T., Tosti ME., Marzolini A., Mele A. An update on post-transfusionhepatitis in Italy. Ital. J. Gastroenterol Hepatology 1998; 30:665.
- 49.Kondili L., Tosti ME., Szklo M., Costantino A., Cotichini R., Resuli B., Rapicetta M., Mele A.The relationships of chronic hepatitis and cirrhosis to alcohol intake, hepatitis B and C, and Deltavirus infection: a case-control study in Albania. Epidemiol. Infect. 1998; 121:391-395.
48. GuadagninoV., Stroffolini T., Foca'A., Caroleo B.,Loiacono L., Giancotti A., Menniti-Ippolito F.,Piazza m. Hepatitis C virus infection in family setting- European Journal of Epidemiology 1998;14:229-232.
47. Mele A., Tosti ME., Stroffolini T. Hepatitis associated with hepatitis A superinfection inpatients with chronic hepatitis C. N. Engl. J. Med. 1998;338:(24)1771,1998
46. Adamo B., Stroffolini T., Sagliocca L., Simonetti A., Iadanza F., Fossi E., Tancredi F., Mele A.Ad hoc survey of hepatitis B vaccination campaign in newborns of HBsAg positive mothers and in12-year old subjects in southern Italy. Vaccine. 1998;16(8) 775-777.
45. Amoroso P., Rapicetta M., Tosti ME., Mele A., Spada E., Buonocore S., Lettieri G., Pierri P.,Chionne P., Ciccaglione AR., Sagliocca L. Correlation between virus genotype and chronic rate inacute hepatitis C. Journal of Hepatology. 1998;28:939-944.
44. Stroffolini T., Fiume A., Fatale G., Regni F., Ciccozzi M., Marzolini A., Mele A. Hepatitis Cvirus genotypes among intravenous drug users in Italy. Hepatology Research 1997;(9):20-27.
43. Corona R., Caprilli F., Tosti M.E., Gentili G., Franco E., Zaratti L., Palamara G., Giglio A.,Prignano G., Stroffolini T., Pasquini P., Mele A. Risk factors for hepatitis C virus infection amongnon intravenous drug using heterosexuals attending a sexually transmitted disease clinic in Italy.International Journal of Infectious Diseases 1997;2:(1)4-8.
42. Stroffolini T., Corona R., Giglio A., Gentili G., Caprilli F., Prignano G.,Tosti M.E., Pasquini P.,Mele A. Risk factors for hepatitis B virus infection among homosexual men attending a sexuallytransmitted disease clinic in Italy. Microbiologica 1997;20:333-338.

41. Mele A., Stroffolini T., Palumbo F., Gallo G., Ragni P., Balocchini E., Tosti M.E., Corona R., Marzolini A., Moiraghi A. and the SEIEVA Collaborating Group. Incidence of and risk factors for hepatitis A in Italy: public health indications from a 10-year surveillance. *Journal of Hepatology*. 1997;26:743-747.
40. Sagliocca L., Stroffolini T., Amoroso P., Manzillo G., Ferrigno L., Converti F., Palumbo F., Izzo E., Mele A. Risk factors for acute hepatitis B: a case control study. *Journal of Viral Hepatitis*. 1997;4:63-66.
39. Stroffolini T., Fiume A., Fatale G., Regni F., Ciccozzi M., Marzolini A., Mele A. Hepatitis C virus genotypes among intravenous drug users in Italy. *Hepatology Research*. 1997;(9):20-27.
38. Corona R., Caprilli F., Tosti M.E., Gentili G., Franco E., Zaratti L., Palamara G., Giglio A., Prignano G., Stroffolini T., Pasquini P., Mele A. Risk factors for hepatitis C virus infection among non intravenous drug using heterosexuals attending a sexually transmitted disease clinic in Italy. *International Journal of Infectious Diseases*. 1997;2:(1)4-8.
37. Stroffolini T., Corona R., Giglio A., Gentili G., Caprilli F., Prignano G., Tosti M.E., Pasquini P., Mele A. Risk factors for hepatitis B virus infection among homosexual men attending a sexually transmitted disease clinic in Italy. *Microbiologica*. 1997;20:333-338.
36. Mele A., Stroffolini T., Palumbo F., Gallo G., Ragni P., Balocchini E., Tosti M.E., Corona R., Marzolini A., Moiraghi A. and the SEIEVA Collaborating Group. Incidence of and risk factors for hepatitis A in Italy: public health indications from a 10-year surveillance. *Journal of Hepatology*. 1997;26:743-747.
35. Stroffolini T., Cialdea L., Tosti M.E., Grandolfo M., Mele A., and SEIEVA collaborating group. Vaccination campaign against hepatitis B for 12 year old subjects in Italy. *Vaccine*. 1997;15:(5)583-585.
34. Sagliocca L., Stroffolini T., Amoroso P., Manzillo G., Ferrigno L., Converti F., Palumbo F., Izzo E., Mele A. Risk factors for acute hepatitis B: a case control study. *Journal of Viral Hepatitis*. 1997;4:63-66.
33. Stroffolini T., Ragni P., Moiraghi A., Balocchini E., Santonastasi F., Gallo G., Marzolini A., Mele A. Case fatality rate of acute viral hepatitis in Italy. results from a ten years surveillance. *Scandinavian Journal of Infectious Diseases*. 1997;29:87-89.
32. Corona R., Caprilli F., Giglio A., Stroffolini T., Tosti M.E., Gentili G., Prignano G., Pasquini P., Mele A. Risk factors for hepatitis B virus infection among heterosexuals attending a sexually transmitted disease clinic in Italy: role of genital ulcerative diseases. *Journal of Medical Virology*. 1996;48:262-266.
31. Gentile G., Mele A., Monarca B., Vitale A., Pulsoni A., Visani G., Castelli G., Rapicetta M., Verani P., Martino P., Mandelli F. Hepatitis B and C Viruses, Human T-Cell lymphotropic virus types I and II, and leukemias. A case control study. *Cancer Epidemiology Biomarkers Prevention*. 1996;5:227-230.
30. Almasio P., Mele A. et al. Workshop Consensus Conference. Anti-hepatitis A virus (HAV)vaccination: guidelines for an immunization strategy in Italy. *Italian J. Gastroenterol*. 1996;28:(3)181-184.
29. Stroffolini T., Marzolini A., Palumbo F., Novaco F., Moiraghi A., Balocchini E., Bernacchia R., Corona R., Mele A. Incidence of non-A, non-B and HCV positive hepatitis cases in healthcareworkers in Italy. *Journal of Hospital Infection*. 1996;33:131-137.
28. Zanetti A.R., Tanzi E., Romanò L., Mele A. Epidemiology and prevention of hepatitis type C in Italy. *Research in Virology*. 1995;146(4):239-310.
27. Sagliocca L., Mele A., Ferrigno L., Palumbo F., Converti F., Tosti M.E., Amoroso P., Manzillo G., and hepatitis collaborating group. Case-control study on risk factors for hepatitis A: Naples 1990-1991. *It. J. of Gastroenterology*. 1995;27:181-184.
26. Mangione R., Stroffolini T., Tosti M.E., Fragapani D., Mele A. Delayed third hepatitis B vaccine dose and immune response. *The Lancet*. 1995;345:1111-2.
25. D'Amelio R., Stroffolini T., Matricardi PM., Nisini R., Tosti ME., Trematerra M., Villano U., Rapicetta M., Mele A. Low prevalence of anti-HCV antibodies among Italian Air Force Recruits. *Scandinavian Journal of Infectious Diseases*. 1995;27:12-14.

24. Mele A., Stroffolini T., Catapano R., Palumbo F., Moiraghi A., Novaco F. Incidence oftransfusion associated B and non-A,non-B hepatitis in Italy. British Medical Journal1995;311:846-847.
23. Mele A., Corona R., Tosti M.A., Palumbo F., Moiraghi A., Novaco F., Galanti C., BernacchiaR., Ferraro P. Beauty treatment and risk of parenterally transmitted hepatitis: Results from theHepatitis Surveillance System in Italy. Scand. Journal Infectious Diseases 1995;27:441-44.
22. Stroffolini T., Catapano R., Marzolini A., Mele A. and Seieva collaborating group.Hospitalization rate and mean days of hospitalization of notified viral hepatitis cases in Italy. Ital.Journal Gastroenterol. 1995;27:80-82
21. Corona R., Gandolfi C., Ferrigno L., Ciaralli F., Martelli A., Galanti C., Moiraghi A., PalumboF., Novaco F., Stazi MA., Mele A. Hepatitis B in children in Italy:incidence and risk factors. Eur. J.Epidemiol. 1994;10:219-222.
20. Mele A., Catapano R., Cialdea L., Piscanc A., Mladen AS, Kresevic L. Outbreak of hepatitis Ain Trieste (Italy). Journal of Public Health Medicine. 1994;16(2):242-244.
19. Mannucci PM., Santagostino E., Di Bona E., Gentili G., Ghirardini A., Gringeri A., SchiavoniM., Mele A. The outbreak of hepatitis A in patients with hemophilia: Fact and Fancies. VoxSanguinis. 1994;67(sup.1):31-35
18. Cialdea L., Mele A., Stroffolini T., Novaco F., Galanti C., Catapano R., Ferraro P., Moiraghi A.,Marzolini A. Acute hepatitis B in households of chronic carriers. Vaccine. 1994;12(12):1150-51
17. Mele A., Sagliocca L., Manzillo G., Converti F., Amoroso P., Stazi MA., Ferrigno L., RapicettaM., Franco E., Adamo B., Palumbo F., Sbreglia C., Panà A., Pasquini P. and SEIEVA collaboratinggroup. Risk factors for acute NonA,NonB hepatitis and their relationship to antibodies forhepatitis C virus: a case control study. American Journal of Public Health. 1994;84(10):1640-43.
16. Stroffolini T., Palumbo F., Galanti C., Moiraghi A., Novaco F., Corona R., Marzolini A., Mele A. Hepatitis B in Health workers in Italy. Public Health. 1994;108:433-437.
15. Mannucci PM., Gdovin S., Gringeri A., Colombo M., Mele A., Schinaia N., Ciavarella N.,Emerson SU., Purcell RH., and Italian Collaborating Group. Transmission of hepatitis A topatients with hemophilia by factor VIII concentrates treated with organic solvent and detergentto inactivate viruses. Annals of Internal Medicine. 1994;120(1):1-7.
14. Stroffolini T., Ferrigno L., Cialdea L., Catapano R., Palumbo F., Novaco F., Moiraghi A.,Galanti C., Bernacchia R., Mele A. and SEIEVA collaborating group. Incidence and risk factors ofacute Delta hepatitis in Italy:results from a national surveillance system. Journal Hepatology.1994;21:1123-1126.
13. Plaitano S., Sagliocca L., Mele A., Bove C., Protano D., Adamo B., Palumbo F., Cauletti M.,Franco E., Pasquini P. Hepatitis B mass immunization of adolescents: a pilot study in acommunity. Eur. J. Epidemiol. 1993;9:307-310.
12. D'Amelio R., Matricardi PM., Biselli R., Stroffolini T., Mele A., Spada E., Chionne P., RapicettaM., Ferrigno L., Pasquini P. Changing Epidemiology of Hepatitis B in Italy: Public HealthImplications. American Journal of Epidemiology. 1992;135:1012-1018.
11. Mele A., Pasquini P., Panà A. Hepatitis A in Italy: epidemiology and suggestions for control.Ital. J. Gastroenterol. 1991;23:341-343.
10. Corona R., Prignano G., Mele A., Gentili G., Caprilli F., Franco E., Ferrigno L., Giglio A., TittiF., Bruno C., Verani P., Pasquini P. Heterosexual and homosexual transmission of hepatitis Cvirus: relation with hepatitis B virus and human immunodeficiency virus type 1. Epidemiol. Infect1991;107:667-672.
9. Mele A., Sagliocca L., Palumbo F., Stazi MA., Rosmini F., Ferrigno L., Corona R., Osborn J., GILLON., Pasquini P. Travel associated hepatitis A: effect of place of residence and Country visited.Journal of Public Health Medicine. 1991;13:256-259.

8. Mele A., Stazi MA., Corona R., Ferrigno L., Sagliocca L., Palumbo P., Falasca P., Galanti C., Moiraghi A., Rosmini F., Gill ON., Pasquini P. And SEIEVA Collaborating Group. Decline of incidence of A, B, and nonA, nonB, hepatitis in Italy. Results of four years surveillance (1985-1988). *The It. J. Gastroenterol.* 1990;22:274-280.
7. Mele A., Stazi MA., Gill ON., Pasquini P., and SEIEVA collaborating group. Prevention of hepatitis B in Italy: lessons from surveillance of type-specific acute viral hepatitis. *Epidemiol. Infect.* 1990;104:135-141.
6. Mele A., Rastelli MG., Gill ON., Di Bisceglie D., Rosmini F., Pardelli G., Valtriani C., Patriarchi PL. Recurrent epidemic hepatitis A associated with consumption of raw shellfish, probably controlled through public health measures. *Am. J. Epidemiol.* 1989;130:540-546.
5. D'Argenio P., Esposito D., Mele A., Ortolani G., Adamo B., Rapicetta M., Forte P., Pisani A., Soldo L., Sarrecchia B., Stroffolini T., Pasquini P. Decline in the exposure to hepatitis A and B infections in children in Naples, Italy. *Public Health.* 1989;103:385-389.
4. Stroffolini T., Pasquini P., Mele A., and the Collaborating Group for vaccination against hepatitis B in Italy. A nationwide vaccination programme in Italy against hepatitis B virus infection in infants of hepatitis B surface antigen-carrier mothers. *Vaccine.* 1989;7:152-154.
3. Sagliocca L., Mele A., Gill ON., Cappeta G. A village outbreak of hepatitis A: acquaintance network and inapparent pre-school transmission compared. *Eur. J. Epidemiol.* 1988;4:470-472.
2. Stroffolini T., Pasquini P., Mele A. and collaborating group for vaccination against hepatitis B in Italy. HBsAg carriers among pregnant women in Italy: result from screening during a vaccination campaign against hepatitis B. *Public Health.* 1988;102:329-333.
1. Mele A., Rosmini F., Zampieri A., Gill O.N. and SEIEVA collaborating group. Integrated epidemiological system for acute viral hepatitis in Italy (SEIEVA): description and preliminary results. *Eur. J. Epidemiol.* 1986;4:300-304.