

RICERCA ITALIANA - EPIDEMIOLOGIA E MONITORAGGIO BIOLOGICO

Pubblicazioni dal 2008 al 2011

2008

- Abballe A, Ballard TJ, Dellatte E, di Domenico A, Ferri F, Fulgenzi AR, Grisanti G, Iacovella N, Ingelido AM, Malisch R, Miniero R, Porpora MG, Risica S, Ziemacki G, De Felip E. (2008) Persistent environmental contaminants in human milk: concentrations and time trends in Italy. *Chemosphere*. 73(1 Suppl):S220-7.
- Ademollo N, Ferrara F, Delise M, Fabietti F, Funari E. (2008) Nonylphenol and octylphenol in human breast milk. *Environ Int*. 34(7):984-7.
- Baccarelli A, Giacomini SM, Corbetta C, Landi MT, Bonzini M, Consonni D, Grillo P, Patterson DG, Pesatori AC, Bertazzi PA. (2008) Neonatal thyroid function in Seveso 25 years after maternal exposure to dioxin. *PLoS Med*. 5(7):e161.
- Bonde JP, Toft G, Rylander L, Rignell-Hydbom A, Giwercman A, Spano M, Manicardi GC, Bizzaro D, Ludwicki JK, Zvyzday V, Bonefeld-Jørgensen EC, Pedersen HS, Jönsson BA, Thulstrup AM; INUENDO. (2008) Fertility and markers of male reproductive function in Inuit and European populations spanning large contrasts in blood levels of persistent organochlorines. *Environ Health Perspect*. 116(3):269-77.
- Clementi M, Tiboni GM, Causin R, La Rocca C, Maranghi F, Raffagnato F, Tenconi R. (2008) Pesticides and fertility: An epidemiological study in Northeast Italy and review of the literature. *Reprod Toxicol*. 26(1):13-8.
- Consonni D, Pesatori AC, Zocchetti C, Sindaco R, D'Oro LC, Rubagotti M, Bertazzi PA. (2008) Mortality in a Population Exposed to Dioxin after the Seveso, Italy, Accident in 1976: 25 Years of Follow-Up. *Am J Epidemiol*. 167(7):847-58.
- De Felip E, Abballe A, Casalino F, di Domenico A, Domenici P, Iacovella N, Ingelido AM, Pretolani E, Spagnesi M. (2008) Serum levels of PCDDs, PCDFs and PCBs in non-occupationally exposed population groups living near two incineration plants in Tuscany, Italy. *Chemosphere*. 72(1):25-33.
- Donato F, Zani C, Magoni M, Gelatti U, Covolo L, Orizio G, Speziani F, Indelicato A, Scarcella C, Bergonzi R, Apostoli P. (2008) Polychlorinated biphenyls and thyroid hormone serum concentrations among people living in a highly polluted area: a cross-sectional population-based study. *Environ Res*. 108(3):380-6.
- Fochi I, Brambilla G, De Filippis SP, De Luca S, Diletti G, Fulgenzi A, Gallo P, Iacovella N, Scortichini G, Serpe L, Vinci F, di Domenico A. (2008) Modeling of DR CALUX bioassay response to screen PCDDs, PCDFs, and dioxin-like PCBs in farm milk from dairy herds. *Regul Toxicol Pharmacol*. 50(3):366-75.
- Giordano F, Carbone P, Nori F, Mantovani A, Taruscio D, Figà-Talamanca I. (2008) Maternal diet and the risk of hypospadias and cryptorchidism in the offspring. *Paediatric and Perinatal Epidemiology*. 22:249-260.
- Latini G, Wittassek M, Del Vecchio A, Presta G, De Felice C, Angerer J. (2008) Lactational exposure to phthalates in Southern Italy. *Environ Int*. 35(2):236-9.
- Mariottini M, Corsi I, Della Torre C, Caruso T, Bianchini A, Nesi I, Focardi S. (2008) Biomonitoring of polybrominated diphenyl ether (PBDE) pollution: a field study. *Comp Biochem Physiol C Toxicol Pharmacol*. 148(1):80-6.
- Massart F, Meucci V, Saggese G, Soldani G. (2008) High growth rate of girls with precocious puberty exposed to estrogenic mycotoxins. *J Pediatr*. 152(5):690-5.
- Mocarelli P, Gerthoux PM, Patterson DG, Milani S, Limonta G, Bertona M, Signorini S, Tramacere P, Colombo L, Crespi C, Brambilla P, Sarto C, Carreri V, Sampson EJ, Turner WE, Needham LL. (2008) Dioxin Exposure, from Infancy through Puberty, Produces Endocrine Disruption and Affects Human Semen Quality. *Environ Health Perspect*. 116(1):70-7.

- Palermo FA, Mosconi G, Angeletti M, Polzonetti-Magni AM. (2008) Assessment of water pollution in the Tronto River (Italy) by applying useful biomarkers in the fish model *Carassius auratus*. *Arch Environ Contam Toxicol*. 55(2):295-304.
- Pesatori A, Baccarelli A, Consonni D, Lania A, Beck-Peccoz P, Bertazzi P, Spada A. (2008) Aryl hydrocarbon receptor interacting protein and pituitary adenomas: a population-based study on subjects exposed to dioxin after the Seveso, Italy, accident. *Eur J Endocrinol*. 159(6):699-703.
- Rocca CL, Alivernini S, Badiali M, Cornoldi A, Iacovella N, Silvestroni L, Spera G, Turrio-Baldassarri L. (2008) TEQ(S) and body burden for PCDDs, PCDFs, and dioxin-like PCBs in human adipose tissue. *Chemosphere*. 73(1):92-6.
- Rusiecki JA, Baccarelli A, Bollati V, Tarantini L, Moore LE, Bonefeld-Jorgensen EC. (2008) Global DNA hypomethylation is associated with high serum-persistent organic pollutants in Greenlandic Inuit. *Environ Health Perspect*. 116(11):1547-52.
- Santini F, Mantovani A, Cristaudo A, Rago T, Marsili A, Buselli R, Mignani A, Ceccarini G, Bastillo R, Taddei D, Ricco I, Vitti P, Pinchera A. (2008) Thyroid function and exposure to styrene. *Thyroid*. 18(10):1065-9.
- Turrio-Baldassarri L, Abate V, Battistelli CL, Carasi S, Casella M, Iacovella N, Indelicato A, Rocca CL, Scarcella C, Alivernini S. (2008) PCDD/F and PCB in human serum of differently exposed population groups of an Italian city. *Chemosphere*. 73(1 Suppl):S228-34.
- Viganò L, Benfenati E, van Cauwenberge A, Eidem JK, Erratico C, Goksøyr A, Kloas W, Maggioni S, Mandich A, Urbatzka R. (2008) Estrogenicity profile and estrogenic compounds determined in river sediments by chemical analysis, ELISA and yeast assays. *Chemosphere*. 2008 Oct;73(7):1078-89.
- Viganò L, Roscioli C, Erratico C, Guzzella L. (2008) Polybrominated diphenyl ethers (PBDEs) and polychlorinated biphenyls (PCBs) in 0+ juvenile cyprinids and sediments of the Po River. *Arch Environ Contam Toxicol*. 2008 Aug;55(2):282-94.

2009

- Cobellis L, Colacurci N, Trabucco E, Carpentiero C, Grumetto L. (2009) Measurement of bisphenol A and bisphenol B levels in human blood sera from healthy and endometriotic women. *Biomed Chromatogr*. 23(11):1186-90.
- Coccini T, Manzo L, Debes F, Steuerwald U, Weihe P, Grandjean P. (2009) No changes in lymphocyte muscarinic receptors and platelet monoamine oxidase-B examined as surrogate central nervous system biomarkers in a Faroese children cohort prenatally exposed to methylmercury and polychlorinated biphenyls. *Biomarkers*. 14(2):67-76.
- de Jager C, Aneck-Hahn NH, Bornman MS, Farias P, Leter G, Eleuteri P, Rescia M, Spanò M. (2009) Sperm chromatin integrity in DDT-exposed young men living in a malaria area in the Limpopo Province, South Africa. *Hum Reprod*. 24(10):2429-38.
- De Maria R, Divari S, Gorla M, Bollo E, Cannizzo FT, Olivero M, Barbarino G, Biolatti B. (2009) 17beta-oestradiol-induced gene expression in cattle prostate: biomarkers to detect illegal use of growth promoters. *Vet Rec*. 164(15):459-64.
- Divari S, De Maria R, Cannizzo FT, Spada F, Mulasso C, Bovee TF, Capra P, Leporati M, Biolatti B. (2009) A RIKILT yeast estrogen bioassay (REA) for estrogen residue detection in urine of calves experimentally treated with 17beta-estradiol. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess*. 16:1-10.
- Latini G, De Felice C, Del Vecchio A, Barducci A, Ferri M, Chiellini F. (2009) Di-(2-ethylhexyl)phthalate leakage and color changes in endotracheal tubes after application in high-risk newborns. *Neonatology*. 95(4):317-23.
- Latini G, Marcovecchio ML, Del Vecchio A, Gallo F, Bertino E, Chiarelli F. (2009) Influence of environment on insulin sensitivity. *Environ Int*. 35(6):987-93.
- Liscio C, Magi E, Di Carro M, Suter MJ, Vermeirssen EL. (2009) Combining passive samplers and biomonitors to evaluate endocrine disrupting compounds in a wastewater treatment plant by LC/MS/MS and bioassay analyses. *Environ Pollut*. 157(10):2716-21.

- Locatello L, Matozzo V, Marin MG. (2009) Biomarker responses in the crab *Carcinus aestuarii* to assess environmental pollution in the Lagoon of Venice (Italy). *Ecotoxicology*. 18(7):869-77.
- Papetti P, Rossi G. (2009) Heavy metals in the fishery products of low Lazio and the use of metallothionein as a biomarker of contamination. *Environ Monit Assess*. 159(1-4):589-98.
- Pellegriti G, De Vathaire F, Scollo C, Attard M, Giordano C, Arena S, Dardanoni G, Frasca F, Malandrino P, Vermiglio F, Previtera DM, D'Azzò G, Trimarchi F, Vigneri R. (2009) Papillary thyroid cancer incidence in the volcanic area of Sicily. *J Natl Cancer Inst*. 101(22):1575-1583.
- Porpora MG, Medda E, Abballe A, Bolli S, De Angelis I, di Domenico A, Ferro A, Ingelido AM, Maggi A, Panici PB, De Felip E. (2009) Endometriosis and organochlorinated environmental pollutants: a case-control study on Italian women of reproductive age. *Environ Health Perspect*. 117(7):1070-5.
- Schiavone A, Corsolini S, Kannan K, Tao L, Trivelpiece W, Torres D Jr, Focardi S. (2009) Perfluorinated contaminants in fur seal pups and penguin eggs from South Shetland, Antarctica. *Sci Total Environ*. 407(12):3899-904.
- Storelli MM, Losada S, Marcotrigiano GO, Roosens L, Barone G, Neels H, Covaci A. (2009) Polychlorinated biphenyl and organochlorine pesticide contamination signatures in deep-sea fish from the Mediterranean Sea. *Environ Res*. 109(7):851-6.
- Trocino A, Majolini D, Xiccato G. (2009) PCBs contamination in farmed European sea bass from different Italian rearing systems. *Chemosphere*. 76(2):250-4.
- Viganò L, Roscioli C, Erratico C, Guzzella L, Farkas A (2009) Polybrominated diphenyl ethers (PBDEs) in gammarids, caddisflies, and bed sediments of the lowland River Po. *Bull Environ Contam Toxicol*. 2009 Feb;82(2):200-5.
- Vinceti M, Malagoli C, Fabbi S, Teggi S, Rodolfi R, Garavelli L, Astolfi G, Rivieri F. (2009) Risk of congenital anomalies around a municipal solid waste incinerator: a GIS-based case-control study. *Int J Health Geogr*. 10;8:8.

2010

- Coccini T, Roda E, Sarigiannis DA, Manzo L. (2010) Assessing health effects of environmental contaminants by molecular markers. Studies on methylmercury and polychlorinated biphenyls as examples of translational research in environmental toxicology. *G Ital Med Lav Ergon*. 32(1):5-12.
- Eskenazi B, Warner M, Marks AR, Samuels S, Needham L, Brambilla P, Mocarelli P. Serum dioxin concentrations and time to pregnancy. *Epidemiology*. 2010 Mar;21(2):224-31. PubMed PMID: 20124903.
- Frazzoli C, Orisakwe OE, Dragone R, Mantovani A. (2010) Diagnostic health risk assessment of electronic waste on the general population in developing countries' scenarios. *Environmental Impact Assessment*. 30, 388-99.
- Galloway T, Cipelli R, Guralnick J, Ferrucci L, Bandinelli S, Corsi AM, Money C, McCormack P, Melzer D. (2010) Daily Bisphenol A Excretion and Associations with Sex Hormone Concentrations: Results from the InCHIANTI Adult Population Study. *Environ Health Perspect*. 2010 Aug 25. [Epub ahead of print]
- Giordano F, Abballe A, De Felip E, di Domenico A, Ferro F, Grammatico P, Ingelido AM, Marra V, Marrocco G, Vallasciani S, Figà-Talamanca I. (2010) Maternal exposures to endocrine disrupting chemicals and hypospadias in offspring. *Birth Defects Res A Clin Mol Teratol*. 88(4):241-50.
- Ingelido AM, Marra V, Abballe A, Valentini S, Iacovella N, Barbieri P, Porpora MG, Domenico AD, Felip ED. (2010) Perfluorooctanesulfonate and perfluorooctanoic acid exposures of the Italian general population. *Chemosphere*. 80(10):1125-1130
- Latini G, Gallo F, Iughetti L. (2010) Toxic environment and obesity pandemia: Is there a relationship? *Journal of Pediatrics*. 36:8.
- Latini G, Knipp G, Mantovani A, Marcovecchio ML, Chiarelli F, Söder O. Endocrine disruptors and human health. *Mini Rev Med Chem*. 2010 Aug;10(9):846-55.

- Turci R, Balducci C, Brambilla G, Colosio C, Imbriani M, Mantovani A, Vellere F, Minoia C. (2010) A simple and fast method for the determination of selected organohalogenated compounds in serum samples from the general population. *Toxicol Lett.* 192(1):66-71.
- Zaccaroni A, Zucchini M, Segatta L, Gamberoni M, Freggi D, Accorsi PA, Scaravelli D, Gardner SC. (2010) Vitellogenin (VTG) conservation in sea turtles: anti-VTG antibody in *Chelonia mydas* versus *Caretta caretta*. *Physiol Biochem Zool.* 83(1):191-5.

2011

- Caserta D, Mantovani A, Marci R, Fazi A, Ciardo F, La Rocca C, Maranghi F, Moscarini M. (2011) Environment and women's reproductive health. *Hum Reprod Update.* 2011 Jan 24. [Epub ahead of print]
- Governini L, Orvieto R, Guerranti C, Gambera L, De Leo V, Piomboni P. (2011) The impact of environmental exposure to perfluorinated compounds on oocyte fertilization capacity. *J Assist Reprod Genet.* Feb 23. [Epub ahead of print]
- La Rocca C, Alessi E, Bergamasco B, Caserta D, Ciardo F, Fanello E, Focardi S, Guerranti C, Stecca L, Moscarini M, Perra G, Tait S, Zaghi C, Mantovani A. Exposure and effective dose biomarkers for perfluorooctane sulfonic acid (PFOS) and perfluorooctanoic acid (PFOA) in infertile subjects: Preliminary results of the PREVIENI project, *International Journal of Hygiene and Environmental Health*, Available online 23 December 2011, ISSN 1438-4639, 10.1016/j.ijheh.2011.10.016. (<http://www.sciencedirect.com/science/article/pii/S1438463911002203>)
- Storelli MM, Barone G, Storelli A, Marcotrigiano GO. Levels and congener profiles of PCBs and PCDD/Fs in blue shark (*Prionace glauca*) liver from the South-Eastern Mediterranean Sea (Italy). *Chemosphere.* 2011 Jan;82(1):37-42.
- Ulaszewska MM, Zuccato E, Capri E, Iovine R, Colombo A, Rotella G, Generoso C, Grassi P, Melis M, Fanelli R. (2011) The effect of waste combustion on the occurrence of polychlorinated dibenzo-p-dioxins (PCDDs), polychlorinated dibenzofurans (PCDFs) and polychlorinated biphenyls (PCBs) in breast milk in Italy. *Chemosphere.* 82(1):1-8.