

Supplementary Materials for

Infant immunization coverage in Italy (2000-2016)

**Carlo Signorelli, Anna Odone, Paola Cella, Stefania Iannazzo, Fortunato D'Ancona
and Raniero Guerra**

Corresponding author:

Anna Odone, Dipartimento di Medicina e Chirurgia, Università degli Studi di Parma, Via Volturno 39, 43125
Parma, Italy. E-mail: anna.odone@unipr.it.

Published on

Ann Ist Super Sanità 2017 Vol. 53, No. 3: 231-237

DOI: [10.4415/ANN_17_03_09](https://doi.org/10.4415/ANN_17_03_09)

This PDF file includes:

2000-2016 Infant immunization coverage rates by single Region and Autonomous Province

2000-2016 INFANT IMMUNIZATION COVERAGE RATES BY SINGLE REGION AND AUTONOMOUS PROVINCE

Piedmont 24 months of age Infant immunization coverage rates by year (per 100 target population, 2000-2016)

ANTIGEN	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Polio	97.2%	97.2%	96.9%	97.1%	97.1%	97.0%	97.2%	97.2%	96.7%	96.5%	96.6%	95.9%	96.5%	96.7%	96.2%	95.2%	95.1%
Tetanus	97.2%	97.2%	96.9%	97.0%	97.0%	96.9%	97.1%	97.1%	96.7%	96.5%	96.7%	96.0%	96.6%	96.8%	96.4%	95.4%	95.4%
Diphtheria	97.2%	97.2%	96.9%	97.0%	97.0%	96.9%	97.1%	97.1%	96.7%	96.5%	96.7%	96.0%	96.6%	96.8%	96.2%	94.9%	95.1%
Pertussis	90.3%	93.2%	88.2%	96.7%	96.1%	96.3%	96.6%	96.9%	96.5%	96.3%	96.5%	95.9%	96.5%	96.6%	96.2%	94.9%	95.1%
Hep B	97.2%	97.2%	96.9%	95.9%	96.8%	96.8%	96.8%	96.9%	96.5%	96.3%	96.6%	95.9%	96.3%	96.5%	95.9%	94.6%	94.7%
Hib	44.0%	66.8%	72.4%	79.7%	87.9%	94.0%	95.1%	95.0%	95.2%	93.7%	96.1%	95.4%	96.1%	96.2%	95.7%	93.8%	94.3%
Measles	67.6%	73.2%	79.3%	84.4%	86.2%	88.6%	89.7%	90.6%	92.3%	93.1%	93.2%	92.2%	91.8%	92.1%	90.6%	88.7%	91.1%
Mumps	67.6%	73.2%	79.3%	84.4%	86.2%	88.6%	89.7%	90.6%	92.3%	93.1%	93.2%	92.2%	91.8%	92.1%	90.6%	88.7%	91.1%
Rubella	67.6%	73.2%	79.3%	84.4%	86.2%	88.6%	89.7%	90.6%	92.3%	93.1%	93.2%	92.2%	91.8%	92.1%	90.6%	88.7%	91.1%
Men C														88.6%	87.1%	86.3%	89.3%
Pneumo														92.7%	92.5%	91.3%	91.8%

Notes:

Hep B: Hepatitis B

Hib: *Haemophilus influenzae* type b

Men C: Meningococcal C Conjugate

Aosta Valley 24 months of age Infant immunization coverage rates by year (per 100 target population, 2000-2016)

ANTIGEN	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Polio	100.0%	99.5%	91.5%	98.5%	99.0%	99.5%	97.4%	96.7%	96.4%	95.5%	95.8%	95.6%	96.3%	93.7%	90.6%	93.4%	90.9%
Tetanus	96.8%	100.0%	90.2%	98.4%	98.7%	99.4%	97.4%	96.7%	96.4%	95.7%	96.1%	95.3%	96.4%	94.4%	91.3%	93.6%	91.3%
Diphtheria	96.8%	100.0%	90.2%	98.4%	98.7%	99.4%	97.4%	96.7%	96.4%	95.7%	96.1%	95.3%	96.4%	93.7%	90.8%	92.9%	90.8%
Pertussis	95.0%	99.2%	90.2%	97.8%	98.7%	99.4%	97.4%		96.4%	95.1%	95.3%	95.2%	95.7%	93.2%	90.1%	92.8%	90.8%
Hep B	98.0%	97.6%	98.6%	98.4%	98.7%	99.3%	97.4%	96.1%	96.3%	95.4%	95.0%	94.8%	95.9%	93.1%	90.2%	92.6%	90.7%
Hib	48.0%	32.9%	83.9%	96.7%	98.1%	98.7%	96.8%	95.9%	95.5%	94.8%	94.5%	94.9%	95.4%	92.9%	89.7%	92.6%	90.9%
Measles	56.0%	61.3%	76.5%	87.8%	87.9%	91.8%	89.0%	88.0%	88.5%	87.8%	87.3%	86.4%	86.6%	84.0%	77.6%	82.3%	83.4%
Mumps	56.0%	61.3%	76.5%	87.8%	87.9%	91.8%	89.0%	88.0%	88.5%	87.8%	87.3%	86.2%	86.5%	83.5%	77.2%	82.2%	82.9%
Rubella	56.0%	61.3%	76.5%	87.8%	87.9%	91.8%	89.0%	88.0%	88.5%	87.8%	87.3%	86.2%	86.5%	83.7%	77.1%	82.2%	83.1%
Men C														83.3%	77.8%	83.1%	84.7%
Pneumo														89.7%	84.4%	88.5%	87.4%

Notes:

Hep B: Hepatitis B

Hib: *Haemophilus influenzae* type b

Men C: Meningococcal C Conjugate

Lombardy 24 months of age Infant immunization coverage rates by year (per 100 target population, 2000-2016)

ANTIGEN	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Polio	91.7%	97.5%	96.5%	97.8%	98.6%	98.3%	97.7%	96.5%	96.4%	97.3%	97.4%	97.0%	96.7%	96.0%	95.0%	93.5%	92.8%
Tetanus	98.0%	97.6%	96.6%	97.9%	98.7%	98.2%	97.7%	96.5%	96.4%	97.3%	97.4%	97.1%	96.7%	96.0%	95.1%	93.6%	94.4%
Diphtheria	98.0%	97.6%	96.6%	97.9%	98.7%	98.2%	97.7%	96.5%	96.4%	97.3%	97.4%	97.1%	96.7%	96.0%	95.0%	93.4%	94.2%
Pertussis	90.4%	95.9%	96.5%	97.1%	97.8%	97.7%	97.3%	95.9%	96.2%	97.0%	97.2%	96.9%	96.5%	95.8%	94.8%	93.4%	94.2%
Hep B	91.3%	97.3%	96.3%	97.7%	98.4%	98.1%	97.5%	96.5%	96.2%	97.1%	97.2%	96.2%	96.5%	95.8%	94.9%	93.2%	91.9%
Hib	74.5%	86.8%	90.8%	93.6%	96.2%	97.4%	96.5%	94.8%	94.8%	95.9%	96.2%	95.9%	95.2%	95.2%	94.3%	93.0%	92.9%
Measles	86.2%	88.1%	81.5%	87.8%	91.9%	93.0%	93.6%	90.6%	93.6%	94.8%	94.9%	94.6%	94.1%	92.6%	89.5%	90.3%	93.4%
Mumps	86.2%	88.1%	81.5%	87.8%	91.9%	93.0%	93.6%	90.6%	93.6%	94.8%	94.7%	93.9%	94.0%	92.6%	89.4%	90.2%	93.3%
Rubella	86.2%	88.1%	81.5%	87.8%	91.9%	93.0%	93.6%	90.6%	93.6%	94.8%	94.7%	93.9%	94.0%	92.6%	89.4%	90.2%	93.3%
Men C														69.1%	79.4%	85.8%	88.2%
Pneumo														83.7%	79.4%	86.8%	85.7%

Notes:

Hep B: Hepatitis B

Hib: *Haemophilus influenzae* type b

Men C: Meningococcal C Conjugate

Aut. Prov. of Bolzano 24 months of age Infant immunization coverage rates by year (per 100 target population, 2000-2016)

ANTIGEN	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Polio	97.0%	93.3%	92.2%	92.7%	91.1%	89.1%	89.9%	89.1%	89.7%	88.9%		89.0%	89.3%	88.8%	88.5%	87.4%	85.1%
Tetanus	97.0%	92.0%	94.0%	92.0%	90.5%	88.1%	89.6%	89.0%	100.0%	88.8%		89.9%	89.3%	88.9%	88.5%	87.5%	85.3%
Diphtheria	97.0%	92.0%	94.0%	92.0%	90.5%	88.1%	89.6%	89.0%	100.0%	88.8%		89.9%	89.3%	88.8%	88.4%	87.5%	85.3%
Pertussis	78.0%	87.4%	91.5%	90.4%	89.0%	71.3%	89.0%	88.6%	89.3%	88.4%		89.9%	89.3%	88.8%	88.4%	87.4%	85.2%
Hep B	94.0%	91.2%	90.7%	91.6%	90.5%	88.4%	89.1%	88.6%	89.2%	88.3%		89.6%	88.8%	88.3%	88.0%	87.1%	84.9%
Hib	77.0%	79.1%	85.3%	90.1%	89.0%	87.3%	89.0%	89.0%	89.6%	88.8%		90.5%	90.0%	88.2%	87.7%	87.2%	84.8%
Measles	57.0%	47.7%	56.9%	63.4%	59.9%	58.4%	67.0%	67.7%	75.9%	70.8%		72.4%	71.5%	68.9%	68.8%	68.8%	67.5%
Mumps	57.0%	47.7%	56.9%	63.4%	59.9%	58.4%	67.0%	67.7%	75.9%	70.8%		72.4%	71.5%	68.9%	68.7%	68.8%	67.4%
Rubella	57.0%	47.7%	56.9%	63.4%	59.9%	58.4%	67.0%	67.7%	75.9%	70.8%		72.4%	71.5%	68.9%	68.8%	68.8%	67.5%
Men C														60.8%	61.3%	63.1%	63.2%
Pneumo														78.8%	80.7%	81.7%	80.5%

Notes:
 Hep B: Hepatitis B
 Hib: *Haemophilus influenzae* type b
 Men C: Meningococcal C Conjugate

Aut. Prov. of Trento 24 months of age Infant immunization coverage rates by year (per 100 target population, 2000-2016)

ANTIGEN	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Polio	98.2%	97.8%	97.4%	96.9%	96.7%	96.7%	96.7%	96.8%	96.2%	96.4%	96.2%	95.9%	95.4%	94.5%	92.7%	92.8%	93.0%
Tetanus	94.5%	97.9%	97.4%	97.1%	96.7%	96.8%	96.5%	96.6%	96.3%	96.4%	96.1%	95.8%	95.3%	94.8%	93.1%	93.1%	93.3%
Diphtheria	94.5%	97.9%	97.4%	97.1%	96.7%	96.8%	96.5%	96.6%	96.3%	96.4%	96.1%	95.8%	95.3%	94.4%	92.7%	92.7%	92.9%
Pertussis	74.5%	95.4%	94.3%	95.4%	95.4%	95.6%	96.0%	96.4%	96.0%	96.2%	95.9%	95.7%	95.1%	94.3%	92.6%	92.5%	92.8%
Hep B	75.2%	96.8%	95.0%	96.3%	95.9%	96.0%	96.1%	96.5%	95.7%	95.9%	95.8%	95.5%	95.0%	94.1%	92.4%	92.1%	92.6%
Hib	62.0%	76.8%	86.1%	92.9%	94.0%	94.1%	95.2%	95.3%	94.6%	94.9%	94.8%	95.1%	94.4%	93.6%	92.1%	92.0%	92.4%
Measles	70.0%	70.0%	79.5%	81.5%	80.4%	84.7%	85.9%	87.7%	88.8%	88.5%	88.9%	89.1%	87.4%	86.3%	84.2%	84.6%	87.4%
Mumps	70.0%	70.0%	79.5%	81.5%	80.4%	84.7%	85.9%	87.7%	88.8%	88.5%	88.7%	89.0%	87.3%	86.2%	84.2%	84.4%	87.3%
Rubella	70.0%	70.0%	79.5%	81.5%	80.4%	84.7%	85.9%	87.7%	88.8%	88.5%	88.7%	89.0%	87.3%	86.2%	84.2%	84.5%	87.3%
Men C														82.8%	81.7%	83.1%	86.0%
Pneumo														87.6%	87.1%	87.3%	89.2%

Notes:
 Hep B: Hepatitis B
 Hib: *Haemophilus influenzae* type b
 Men C: Meningococcal C Conjugate

Veneto 24 months of age Infant immunization coverage rates by year (per 100 target population, 2000-2016)

ANTIGEN	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Polio	98.3%	98.4%	98.2%	97.8%	97.5%	97.2%	97.0%	97.1%	96.8%	96.6%	95.6%	95.3%	94.7%	93.7%	91.7%	91.3%	92.0%
Tetanus	98.6%	98.5%	98.2%	97.6%	97.5%	97.2%	97.1%	97.0%	96.8%	96.6%	95.7%	95.3%	94.7%	94.0%	92.1%	91.8%	92.5%
Diphtheria	98.6%	98.5%	98.2%	97.6%	97.5%	97.2%	97.1%	97.0%	96.8%	96.6%	95.7%	95.3%	94.7%	93.8%	91.8%	91.3%	92.0%
Pertussis	96.1%	96.9%	96.7%	96.5%	96.7%	96.7%	96.9%	96.8%	96.6%	96.4%	95.4%	95.3%	94.6%	93.7%	91.7%	91.3%	92.0%
Hep B	97.8%	97.8%	96.8%	97.1%	97.1%	97.0%	96.8%	96.7%	96.5%	90.6%	95.4%	95.1%	94.4%	93.5%	91.4%	90.8%	91.4%
Hib		83.8%	90.5%	94.4%	95.9%	96.0%	96.1%	96.3%	96.2%	95.8%	94.8%	94.7%	94.1%	93.3%	91.0%	90.6%	91.3%
Measles	90.5%	89.8%	90.2%	91.0%	91.7%	92.2%	92.9%	91.7%	92.0%	93.0%	91.8%	92.5%	91.8%	90.0%	87.1%	87.2%	89.2%
Mumps	90.5%	89.8%	90.2%	91.0%	91.7%	92.2%	92.9%	91.7%	92.0%	93.0%	91.7%	92.3%	91.6%	89.8%	87.0%	87.1%	89.1%
Rubella	90.5%	89.8%	90.2%	91.0%	91.7%	92.2%	92.9%	91.7%	92.0%	93.0%	91.7%	92.3%	91.6%	89.9%	87.0%	87.1%	89.1%
Varicella														86.8%	84.2%	84.0%	85.5%
Men C														92.3%	88.1%	90.5%	90.6%
Pneumo														88.4%	85.6%	84.6%	84.5%

Notes:
 Hep B: Hepatitis B
 Hib: *Haemophilus influenzae* type b
 Men C: Meningococcal C Conjugate

Friuli-Venezia Giulia 24 months of age Infant immunization coverage rates by year (per 100 target population, 2000-2016)

ANTIGEN	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Polio	98.0%	97.4%	97.2%	97.5%	97.4%	97.1%	96.5%	96.0%	95.7%	96.2%	96.2%	96.0%	95.3%	94.4%	92.2%	90.4%	89.4%
Tetanus	98.9%	97.4%	97.3%	97.6%	97.5%	97.2%	96.6%	96.1%	95.9%	96.3%	96.3%	96.7%	95.5%	94.6%	92.6%	90.8%	89.8%
Diphtheria	98.9%	97.4%	97.3%	97.6%	97.5%	97.2%	96.6%	96.1%	95.9%	96.3%	96.3%	96.7%	95.5%	94.6%	92.6%	90.3%	89.3%
Pertussis	93.4%	96.1%	96.3%	97.0%	96.7%	96.5%	96.2%	95.7%	95.4%	96.0%	96.1%	96.2%	95.1%	94.2%	92.1%	90.2%	89.3%
Hep B	93.5%	96.1%	96.2%	96.8%	96.9%	96.5%	95.9%	95.4%	95.3%	95.9%	96.0%	95.4%	94.7%	93.8%	91.7%	89.7%	88.7%
Hib	89.2%	90.6%	93.4%	94.7%	95.2%	95.5%	95.2%	94.7%	94.2%	95.2%	95.3%	95.0%	94.6%	93.7%	91.7%	89.6%	88.7%
Measles	91.8%	91.3%	91.4%	92.9%	92.8%	92.1%	90.8%	90.6%	90.6%	91.4%	92.0%	91.6%	90.0%	87.8%	83.5%	82.0%	83.2%
Mumps	91.8%	91.3%	91.4%	92.9%	92.8%	92.1%	90.8%	90.6%	90.6%	91.4%	91.9%	91.6%	90.0%	87.8%	83.4%	81.8%	83.1%
Rubella	91.8%	91.3%	91.4%	92.9%	92.8%	92.1%	90.8%	90.6%	90.6%	91.4%	91.9%	91.6%	90.0%	87.8%	83.4%	81.9%	83.2%
Varicella														13.7%	60.3%	67.0%	74.5%
Men C														82.0%	82.6%	84.1%	85.4%
Pneumo														86.5%	82.4%	81.0%	81.4%

Notes:

Hep B: Hepatitis B

Hib: *Haemophilus influenzae* type b

Men C: Meningococcal C Conjugate

Liguria 24 months of age Infant immunization coverage rates by year (per 100 target population, 2000-2016)

ANTIGEN	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Polio	99.0%	89.5%	96.2%	96.3%	96.3%	96.5%	95.5%	96.5%	96.7%	96.3%	97.6%	96.7%	96.8%	95.8%	95.7%	94.6%	94.3%
Tetanus	98.0%	89.3%	94.8%	96.5%	96.3%	96.5%	95.5%	96.5%	97.1%	96.3%	97.6%	96.7%	96.8%	95.9%	95.8%	94.6%	94.4%
Diphtheria	98.0%	89.3%	94.8%	96.5%	96.3%	96.5%	95.5%	96.5%	97.1%	96.3%	97.6%	96.7%	96.8%	95.9%	95.7%	94.5%	94.3%
Pertussis	48.0%	85.9%	84.7%	95.5%	95.7%	96.0%	95.0%	96.2%	97.0%	96.3%	97.6%	96.7%	96.7%	95.9%	95.7%	94.5%	94.3%
Hep B	96.0%	88.9%	95.8%	96.1%	96.3%	96.4%	95.4%	96.4%	97.0%	96.2%	97.5%	96.7%	96.8%	95.9%	95.6%	94.3%	94.2%
Hib	53.0%	72.3%	88.5%	93.6%	94.6%	94.6%	94.6%	95.8%	96.7%	95.9%	97.0%	96.3%	96.5%	95.6%	95.2%	93.9%	93.7%
Measles	74.0%	69.3%	79.7%	79.1%	86.5%	87.2%	86.5%	86.6%	86.8%	87.9%	88.9%	85.7%	88.8%	86.0%	82.8%	81.5%	82.2%
Mumps	74.0%	69.3%	79.7%	79.1%	86.5%	87.2%	86.5%	86.6%	86.8%	87.9%	88.8%	85.6%	88.8%	85.9%	82.8%	81.3%	82.1%
Rubella	74.0%	69.3%	79.7%	79.1%	86.5%	87.2%	86.5%	86.6%	86.8%	87.9%	88.8%	85.6%	88.8%	85.9%	82.8%	81.5%	82.1%
Men C														85.6%	83.1%	79.6%	77.6%
Pneumo														93.7%	92.2%	92.8%	91.8%

Notes:

Hep B: Hepatitis B

Hib: *Haemophilus influenzae* type b

Men C: Meningococcal C Conjugate

Emilia-Romagna 24 months of age Infant immunization coverage rates by year (per 100 target population, 2000-2016)

ANTIGEN	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Polio	98.6%	98.4%	98.0%	98.0%	97.9%	97.7%	97.7%	97.6%	97.4%	97.3%	96.7%	96.5%	96.3%	96.1%	94.8%	94.0%	93.3%
Tetanus	98.1%	98.5%	98.1%	98.0%	98.0%	97.7%	97.6%	97.6%	97.5%	97.4%	97.4%	96.6%	96.5%	96.2%	95.1%	94.3%	93.5%
Diphtheria	98.1%	98.5%	98.1%	98.0%	98.0%	97.7%	97.6%	97.6%	97.5%	97.4%	97.4%	96.6%	96.5%	96.0%	94.7%	93.7%	93.1%
Pertussis	96.7%	96.8%	96.8%	96.9%	97.3%	97.2%	97.3%	97.3%	97.1%	97.1%	96.9%	96.2%	96.0%	95.8%	94.4%	93.6%	93.1%
Hep B	98.1%	98.0%	97.4%	97.6%	97.6%	97.4%	97.4%	97.4%	97.2%	97.1%	96.5%	96.3%	96.1%	95.8%	94.5%	93.5%	92.7%
Hib	81.0%	90.6%	95.2%	95.8%	96.7%	96.3%	96.8%	96.7%	96.5%	96.5%	96.0%	95.4%	95.4%	95.3%	94.0%	92.9%	92.2%
Measles	90.4%	90.7%	92.3%	92.5%	92.8%	92.9%	93.7%	93.5%	93.6%	93.9%	93.1%	92.9%	92.6%	91.3%	88.3%	87.2%	87.5%
Mumps	90.4%	90.7%	92.3%	92.5%	92.8%	92.9%	93.7%	93.5%	93.6%	93.9%	92.9%	92.8%	92.4%	91.1%	88.1%	87.0%	87.3%
Rubella	90.4%	90.7%	92.3%	92.5%	92.8%	92.9%	93.7%	93.5%	93.6%	93.9%	92.9%	92.8%	92.4%	91.1%	88.1%	87.0%	87.3%
Men C														91.2%	88.3%	87.4%	87.7%
Pneumo														94.1%	92.5%	91.5%	90.6%

Notes:

Hep B: Hepatitis B

Hib: *Haemophilus influenzae* type b

Men C: Meningococcal C Conjugate

Tuscany 24 months of age Infant immunization coverage rates by year (per 100 target population, 2000-2016)

ANTIGEN	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Polio	94.2%	86.5%	86.8%	95.9%	96.1%	95.2%	97.1%	96.9%	96.9%	96.7%	96.1%	96.2%	95.3%	95.8%	95.4%	95.0%	94.4%
Tetanus	94.5%	86.7%	85.6%	95.8%	96.1%	95.9%	97.0%	96.9%	97.2%	96.8%	96.1%	98.6%	96.6%	96.0%	95.7%	95.2%	94.6%
Diphtheria	94.5%	86.7%	85.6%	95.8%	96.1%	95.9%	97.0%	96.9%	97.2%	96.8%	96.1%	98.6%	96.6%	95.9%	95.6%	95.0%	94.4%
Pertussis	93.5%	86.1%	74.2%	95.7%	96.0%	95.9%	97.0%	96.9%	96.9%	96.8%	96.1%	95.8%	95.1%	95.9%	95.6%	95.0%	94.4%
Hep B	94.7%	81.3%	86.3%	95.6%	95.9%	95.8%	96.9%	96.8%	96.8%	96.7%	95.6%	95.9%	95.2%	95.8%	95.4%	94.8%	94.1%
Hib				87.5%	95.0%	95.3%	96.5%	96.5%	96.4%	95.8%	88.0%	95.2%	94.4%	95.7%	95.1%	94.6%	94.0%
Measles	78.5%	83.9%	77.6%	87.4%	87.6%	89.3%	91.3%	92.2%	92.4%	92.7%	93.1%	92.2%	91.1%	90.1%	89.3%	88.7%	89.4%
Mumps	78.5%	83.9%	77.6%	87.4%	87.6%	89.3%	91.3%	92.2%	92.4%	92.7%	93.0%	92.1%	91.1%	90.0%	89.2%	88.7%	89.3%
Rubella	78.5%	83.9%	77.6%	87.4%	87.6%	89.3%	91.3%	92.2%	92.4%	92.7%	93.0%	92.1%	91.1%	90.0%	89.2%	88.7%	89.4%
Varicella														77.6%	77.1%	78.2%	75.3%
Men C														90.2%	87.8%	90.8%	90.7%
Pneumo														94.0%	93.8%	92.9%	89.0%

Notes:
 Hep B: Hepatitis B
 Hib: *Haemophilus influenzae* type b
 Men C: Meningococcal C Conjugate

Umbria 24 months of age Infant immunization coverage rates by year (per 100 target population, 2000-2016)

ANTIGEN	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Polio	97.7%	97.4%	97.7%	97.2%	97.9%	97.9%	97.5%	97.8%	97.0%	97.3%	98.5%	97.8%	97.5%	97.1%	95.9%	93.9%	94.5%
Tetanus	98.5%	100.0%	98.2%	97.0%	97.9%	97.8%	97.3%	97.7%	97.0%	97.3%	98.3%	97.8%	97.4%	96.8%	95.6%	94.0%	94.6%
Diphtheria	98.5%	100.0%	98.2%	97.0%	97.9%	97.8%	97.3%	97.7%	97.0%	97.3%	98.3%	97.8%	97.4%	96.8%	95.6%	93.8%	94.5%
Pertussis	97.8%	97.0%	97.4%	96.3%	97.6%	97.6%	97.1%	97.6%	97.0%	97.3%	97.6%	97.8%	97.3%	96.7%	95.5%	93.7%	94.5%
Hep B	98.0%	97.1%	97.9%	97.0%	97.8%	97.8%	97.3%	97.5%	97.0%	97.3%	98.2%	97.4%	97.2%	96.6%	95.3%	93.4%	94.0%
Hib	41.3%	74.0%	73.3%	87.9%	96.7%	97.1%	97.1%	97.4%	97.0%	97.3%	98.2%	97.5%	97.2%	96.6%	95.5%	93.7%	94.3%
Measles	84.4%	84.5%	88.1%	88.1%	92.3%	93.2%	93.0%	93.4%	94.6%	95.2%	95.4%	94.7%	94.5%	93.1%	89.0%	87.5%	89.9%
Mumps	84.4%	84.5%	88.1%	88.1%	92.3%	93.2%	93.0%	93.4%	94.6%	95.2%	95.4%	94.7%	94.5%	93.0%	88.8%	87.5%	89.8%
Rubella	84.4%	84.5%	88.1%	88.1%	92.3%	93.2%	93.0%	93.4%	94.6%	95.2%	95.4%	94.7%	94.5%	93.0%	88.8%	87.5%	88.4%
Men C														89.5%	86.5%	85.7%	89.2%
Pneumo														94.9%	94.2%	90.3%	91.6%

Notes:
 Hep B: Hepatitis B
 Hib: *Haemophilus influenzae* type b
 Men C: Meningococcal C Conjugate

Marche 24 months of age Infant immunization coverage rates by year (per 100 target population, 2000-2016)

ANTIGEN	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Polio	97.8%	98.9%	98.8%	98.6%	98.0%	98.1%	98.2%	97.5%	98.0%	97.8%	97.2%	97.2%	97.6%	97.0%	93.7%	92.0%	92.4%
Tetanus	98.6%	98.9%	98.6%	97.1%	98.3%	98.1%	98.2%	97.7%	98.0%	97.8%	97.9%	97.1%	97.6%	97.0%	93.7%	92.1%	92.6%
Diphtheria	98.6%	98.9%	98.6%	97.1%	98.3%	98.1%	98.2%	97.7%	98.0%	97.8%	97.9%	97.1%	97.6%	97.0%	93.6%	91.7%	92.3%
Pertussis	96.1%	97.7%	97.4%	96.3%	97.7%	97.7%	98.0%	97.5%	97.9%	97.7%	97.1%	97.1%	97.5%	97.0%	93.6%	91.7%	92.2%
Hep B	94.1%	98.8%	98.4%	95.1%	96.0%	97.9%	98.1%	97.4%	97.9%	97.7%	97.1%	97.1%	97.3%	96.9%	93.5%	91.7%	92.0%
Hib	88.9%	87.4%	90.4%	96.6%	98.0%	97.1%	97.5%	97.2%	97.4%	97.4%	89.6%	97.1%	88.2%	96.9%	93.5%	91.5%	91.8%
Measles	80.0%	83.9%	89.1%	85.6%	85.9%	87.5%	90.8%	91.2%	93.2%	92.4%	92.7%	92.4%	96.7%	87.8%	81.4%	79.9%	83.0%
Mumps	80.0%	83.9%	89.1%	85.6%	85.9%	87.5%	90.8%	91.2%	93.2%	92.4%	91.9%	92.3%	81.8%	87.8%	81.4%	79.9%	83.0%
Rubella	80.0%	83.9%	89.1%	85.6%	85.9%	87.5%	90.8%	91.2%	93.2%	92.4%	91.9%	92.3%	81.8%	87.8%	81.4%	79.9%	83.0%
Men C														84.9%	76.6%	76.9%	80.8%
Pneumo														93.4%	89.7%	88.0%	89.4%

Notes:
 Hep B: Hepatitis B
 Hib: *Haemophilus influenzae* type b
 Men C: Meningococcal C Conjugate

Lazio 24 months of age Infant immunization coverage rates by year (per 100 target population, 2000-2016)

ANTIGEN	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Polio	86.0%	86.7%	91.4%	92.6%	96.9%	91.1%	94.1%	98.4%	95.8%	96.6%	97.2%	96.6%	98.9%	96.7%	97.6%	95.3%	96.9%
Tetanus	75.5%	82.7%	86.3%	92.9%	95.5%	90.8%	94.0%	98.3%	95.8%	96.5%	97.1%	96.5%	98.9%	96.6%	97.5%	95.2%	96.8%
Diphtheria	75.5%	82.7%	86.3%	92.9%	95.5%	90.8%	94.0%	98.3%	95.8%	96.5%	97.1%	96.5%	98.9%	96.6%	97.5%	95.2%	96.8%
Pertussis	75.4%	82.1%	85.9%	92.6%	95.1%	90.7%	94.0%	98.0%	95.8%	96.5%	97.1%	96.5%	98.8%	96.6%	97.5%	95.2%	96.8%
Hep B	84.0%	83.2%	85.5%	90.7%	95.4%	91.6%	95.4%	98.2%	96.2%	98.4%	98.2%	99.9%	99.9%	96.9%	98.0%	95.2%	96.7%
Hib		42.3%	60.2%	81.9%	86.3%	89.0%	93.6%	96.1%	95.1%	96.3%	96.6%	96.8%	97.5%	96.4%	97.1%	95.2%	96.7%
Measles	71.0%	66.8%	81.8%	82.6%	91.9%	87.7%	87.1%	92.0%	92.2%	89.6%	90.9%	90.0%	90.5%	90.9%	88.5%	84.5%	87.9%
Mumps	71.0%	66.8%	81.8%	82.6%	91.9%	87.7%	87.1%	92.0%	92.2%	89.6%	90.9%	90.0%	90.5%	90.9%	88.5%	84.5%	87.9%
Rubella	71.0%	66.8%	81.8%	82.6%	91.9%	87.7%	87.1%	92.0%	92.2%	89.6%	90.9%	90.0%	90.5%	90.9%	88.5%	84.5%	87.9%
Men C														69.2%	62.6%	68.2%	81.1%
Pneumo														89.2%	91.3%	91.9%	93.8%

Notes:

Hep B: Hepatitis B

Hib: *Haemophilus influenzae* type b

Men C: Meningococcal C Conjugate

Abruzzo 24 months of age Infant immunization coverage rates by year (per 100 target population, 2000-2016)

ANTIGEN	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Polio	97.5%	98.8%		93.2%	98.2%	98.1%	98.1%	97.9%	97.9%	97.6%	97.5%	99.1%	99.7%	97.8%	96.6%	95.7%	97.1%
Tetanus		98.8%		100.0%	98.1%	98.2%	98.0%	97.9%	97.9%	97.6%	97.5%	99.1%	99.7%	97.8%	96.6%	95.7%	97.1%
Diphtheria		98.8%		100.0%	98.1%	98.2%	98.0%	97.9%	97.9%	97.6%	97.5%	99.1%	99.7%	97.8%	96.6%	95.7%	97.1%
Pertussis		95.8%		98.6%	74.2%	98.1%	98.0%	97.9%	97.9%	97.6%	97.5%	99.1%	99.7%	97.8%	96.6%	95.7%	97.1%
Hep B		98.5%		98.7%	98.1%	98.1%	98.1%	97.9%	97.9%	97.6%	97.5%	99.1%	99.7%	97.8%	96.6%	95.7%	97.0%
Hib		87.5%		96.8%	98.0%	98.1%	97.2%	97.9%	97.9%	97.5%	97.4%	99.1%	99.7%	97.8%	96.6%	95.7%	97.0%
Measles		76.7%		88.7%	86.7%	88.8%	89.3%	93.1%	92.2%	92.2%	92.4%	91.9%	92.4%	91.3%	85.7%	84.2%	87.6%
Mumps		76.7%		88.7%	86.7%	88.8%	89.3%	93.1%	92.2%	92.2%	92.4%	91.9%	92.4%	91.3%	85.7%	84.2%	87.6%
Rubella		76.7%		88.7%	86.7%	88.8%	89.3%	93.1%	92.2%	92.2%	92.4%	91.9%	92.4%	91.3%	85.7%	84.2%	87.6%
Men C														54.1%	62.2%	65.4%	62.6%
Pneumo														56.1%	83.6%	86.3%	89.3%

Notes:

Hep B: Hepatitis B

Hib: *Haemophilus influenzae* type b

Men C: Meningococcal C Conjugate

Molise 24 months of age Infant immunization coverage rates by year (per 100 target population. 2000-2016)

ANTIGEN	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Polio	96.6%	97.5%	98.0%	96.4%		98.4%	98.5%	98.0%	98.2%	94.6%	99.0%	99.0%	97.6%	98.1%	96.7%	94.3%	97.3%
Tetanus	97.4%	97.5%	98.0%	96.4%		98.4%	98.5%	98.0%	98.2%	94.6%	99.0%	99.0%	97.6%	98.1%	96.7%	94.3%	97.3%
Diphtheria	97.4%	97.5%	98.0%	96.4%		98.4%	98.5%	98.0%	98.2%	94.6%	99.0%	99.0%	97.6%	98.1%	96.7%	94.3%	97.3%
Pertussis	96.7%	97.4%	98.0%	96.2%		98.4%	98.5%	98.0%	98.2%	94.6%	99.0%	99.0%	97.6%	98.1%	96.7%	94.3%	97.3%
Hep B	99.4%	97.5%	97.9%	96.3%		98.4%	98.5%	98.0%	98.2%	94.6%	99.0%	99.0%	97.6%	98.1%	96.7%	94.3%	97.3%
Hib	38.1%	37.1%	91.0%	95.8%		98.4%	98.5%	98.0%	98.2%	94.6%	99.0%	99.0%	97.6%	98.1%	96.7%	94.3%	97.3%
Measles	59.9%	68.1%	78.5%	82.4%		86.1%		97.3%	91.8%	88.8%	93.6%	89.7%	89.4%	87.6%	86.3%	77.4%	73.5%
Mumps	59.9%	68.1%	78.5%	82.4%		86.1%		97.3%	91.8%	88.8%	93.6%	89.7%	89.4%	87.6%	86.3%	77.4%	73.5%
Rubella	59.9%	68.1%	78.5%	82.4%		86.1%		97.3%	91.8%	88.8%	93.6%	89.7%	89.4%	87.6%	86.3%	77.4%	73.5%
Men C														71.9%	74.2%	68.1%	71.7%
Pneumo														96.0%	94.6%	92.6%	91.5%

Notes:

Hep B: Hepatitis B

Hib: *Haemophilus influenzae* type b

Men C: Meningococcal C Conjugate

Campania 24 months of age Infant immunization coverage rates by year (per 100 target population, 2000-2016)

ANTIGEN	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Polio	92.0%	91.5%	95.0%	94.8%	94.9%	94.5%	94.5%	94.5%	93.1%	94.6%	93.4%	91.9%	93.3%		93.2%	91.3%	92.7%
Tetanus	96.0%	91.7%	95.3%	94.9%	94.7%	97.3%	97.3%	94.5%	90.7%	94.6%	93.4%	93.5%	94.2%		93.2%	91.3%	92.7%
Diphtheria	96.0%	91.7%	95.3%	94.9%	94.7%	97.3%	97.3%	94.5%	90.7%	94.6%	93.4%	93.5%	94.2%		93.2%	91.3%	92.7%
Pertussis	96.0%	91.1%	94.7%	94.6%	94.2%	93.0%	93.0%	94.5%	90.7%	94.6%	93.4%	91.9%	93.3%		93.2%	91.3%	92.7%
Hep B	96.0%	91.6%	93.7%	94.8%	94.1%	93.5%	93.5%	94.5%	90.7%	94.4%	86.3%	90.2%	93.3%		93.2%	91.4%	92.7%
Hib	22.0%	52.3%	75.2%	81.0%	88.3%	89.3%	89.3%	94.4%	91.6%	94.4%	84.0%	88.1%	93.3%		93.1%	91.5%	92.7%
Measles	53.0%	69.1%	79.2%	80.9%	84.4%	86.6%	86.6%	86.8%	87.4%	86.9%	81.0%	86.5%	87.7%		83.7%	80.8%	83.9%
Mumps	53.0%	69.1%	79.2%	80.9%	84.4%	86.6%	86.6%	86.8%	87.4%	86.9%	81.0%	86.5%	87.7%		83.7%	80.8%	83.9%
Rubella	53.0%	69.1%	79.2%	80.9%	84.4%	86.6%	86.6%	86.8%	87.4%	86.9%	81.0%	86.5%	87.7%		83.7%	80.8%	83.6%
Men C															42.7%	50.0%	61.0%
Pneumo															76.6%	83.0%	82.1%

Notes:

Hep B: Hepatitis B

Hib: *Haemophilus influenzae* type b

Men C: Meningococcal C Conjugate

Apulia 24 months of age Infant immunization coverage rates by year (per 100 target population, 2000-2016)

ANTIGEN	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Polio	99.0%	97.2%		100.0%	94.8%	99.0%	96.2%	97.4%	96.7%	97.0%	97.7%	96.9%	96.5%	95.7%	94.6%	93.8%	93.3%
Tetanus	83.9%	98.1%		100.0%	94.2%	98.6%	96.3%	97.4%	96.7%	97.0%	97.5%	96.9%	96.5%	95.7%	94.6%	93.8%	93.3%
Diphtheria	83.9%	98.1%		100.0%	94.2%	98.6%	96.3%	97.4%	96.7%	97.0%	97.5%	96.9%	96.5%	95.7%	94.6%	93.8%	93.3%
Pertussis	81.0%	96.3%		98.8%	94.1%	98.6%	96.3%	97.4%	96.7%	97.0%	97.5%	96.9%	96.5%	95.7%	94.6%	93.8%	93.3%
Hep B		97.4%		99.9%	93.3%	99.1%	96.1%	97.4%	96.7%	97.0%	97.3%	96.9%	96.5%	95.7%	94.6%	93.8%	93.4%
Hib	17.0%	74.6%		93.0%	91.0%	96.8%	93.7%	97.4%	96.3%	97.0%	96.9%	97.2%	96.5%	95.6%	94.6%	93.7%	93.3%
Measles	90.0%	77.3%		85.4%	88.1%	90.2%	88.3%	92.2%	91.8%	92.3%	93.4%	92.7%	92.6%	90.6%	85.1%	84.1%	85.9%
Mumps	90.0%	77.3%		85.4%	88.1%	90.2%	88.3%	92.2%	91.8%	92.3%	93.4%	92.7%	92.6%	90.6%	85.1%	84.1%	85.9%
Rubella	90.0%	77.3%		85.4%	88.1%	90.2%	88.3%	92.2%	91.8%	92.3%	93.4%	92.7%	92.6%	90.6%	85.1%	84.1%	85.9%
Varicella														88.0%	81.7%	81.8%	82.4%
Men C														81.1%	77.8%	77.3%	78.6%
Pneumo														92.9%	93.5%	92.5%	91.4%

Notes:

Hep B: Hepatitis B

Hib: *Haemophilus influenzae* type b

Men C: Meningococcal C Conjugate

Basilicata 24 months of age Infant immunization coverage rates by year (per 100 target population, 2000-2016)

ANTIGEN	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Polio	98.1%	99.4%	99.4%	99.7%	97.8%	98.9%	98.4%	99.1%	97.6%	98.9%	98.0%	98.6%	99.8%	99.0%	98.8%	97.8%	97.4%
Tetanus	99.0%	99.4%	99.9%	99.7%	97.8%	98.9%	98.4%	99.1%	97.6%	98.9%	98.0%	98.6%	99.8%	99.0%	98.8%	97.8%	97.4%
Diphtheria	99.0%	99.4%	99.9%	99.7%	97.8%	98.9%	98.4%	99.1%	97.6%	98.9%	98.0%	98.6%	99.8%	99.0%	98.8%	97.8%	97.4%
Pertussis	84.8%	98.1%	99.1%	99.6%	88.9%	98.9%	98.4%	99.1%	97.6%	98.9%	98.0%	98.6%	99.8%	99.0%	98.8%	97.8%	97.4%
Hep B	98.0%	99.4%	99.1%	88.7%	97.6%	98.9%	98.4%	99.1%	97.6%	98.9%	98.0%	98.6%	99.8%	99.0%	98.8%	97.8%	97.4%
Hib	29.4%	76.7%	81.4%	95.4%	97.4%	98.9%	98.4%	99.1%	97.6%	98.9%	98.0%	98.6%	99.8%	99.0%	98.8%	97.8%	97.4%
Measles	58.9%	74.9%	85.7%	96.6%	86.4%	87.6%	91.4%	89.4%	88.2%	90.2%	89.6%	92.4%	95.0%	91.3%	90.0%	90.3%	90.6%
Mumps	58.9%	74.9%	85.7%	96.6%	86.4%	87.6%	91.4%	89.4%	88.2%	90.2%	89.6%	92.4%	95.0%	91.3%	90.0%	90.3%	90.6%
Rubella	58.9%	74.9%	85.7%	96.6%	86.4%	87.6%	91.4%	89.4%	88.2%	90.2%	89.6%	92.4%	95.0%	91.3%	90.0%	90.3%	90.6%
Varicella															72.5%	77.0%	82.6%
Men C														86.8%	86.3%	85.8%	88.1%
Pneumo														98.7%	98.5%	97.1%	97.0%

Notes:

Hep B: Hepatitis B

Hib: *Haemophilus influenzae* type b

Men C: Meningococcal C Conjugate

Calabria 24 months of age Infant immunization coverage rates by year (per 100 target population, 2000-2016)

ANTIGEN	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Polio			97.4%	95.0%	95.2%	94.6%	94.0%	95.4%	94.9%	94.5%	92.2%	95.9%	95.8%	94.3%	96.1%	95.3%	95.8%
Tetanus			96.8%	94.2%	95.2%	81.6%	94.0%	95.4%	94.9%	94.5%	92.2%	95.9%	95.8%	94.3%	96.1%	95.3%	95.8%
Diphtheria			96.8%	94.2%	95.2%	81.6%	94.0%	95.4%	94.9%	94.5%	92.2%	95.9%	95.8%	94.3%	96.1%	95.3%	95.8%
Pertussis			93.9%	93.6%	86.1%	81.6%	94.0%	95.4%	94.9%	94.5%	92.2%	95.9%	95.8%	94.3%	96.1%	95.3%	95.8%
Hep B			96.8%	91.3%	95.2%	81.6%	94.0%	95.4%	94.9%	94.5%	92.2%	95.9%	95.8%	94.3%	96.1%	95.3%	95.8%
Hib			64.8%	73.9%	85.4%	84.5%	93.9%	95.3%	94.9%	94.5%	92.2%	95.9%	95.8%	80.8%	96.0%	95.2%	95.8%
Measles			59.4%	53.4%	69.6%	78.4%	82.8%	86.4%	88.6%	85.4%	83.9%	85.8%	88.1%	87.6%	83.2%	84.4%	86.5%
Mumps			59.4%	53.4%	69.6%	78.4%	82.8%	86.4%	88.6%	85.4%	83.9%	85.8%	88.1%	87.6%	83.2%	84.4%	86.5%
Rubella			59.4%	53.4%	69.6%	78.4%	82.8%	86.4%	88.6%	85.4%	83.9%	85.8%	88.1%	87.6%	83.2%	83.7%	86.5%
Varicella														62.6%	51.1%	53.0%	64.5%
Men C														67.5%	66.2%	67.9%	70.7%
Pneumo														44.5%	92.0%	88.6%	90.0%

Notes:

Hep B: Hepatitis B

Hib: *Haemophilus influenzae* type b

Men C: Meningococcal C Conjugate

Sicily 24 months of age Infant immunization coverage rates by year (per 100 target population, 2000-2016)

ANTIGEN	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Polio		95.7%	96.0%	95.3%	95.6%	92.9%	96.3%		96.9%	95.9%	94.3%	94.8%	95.7%	95.3%	93.5%	91.9%	91.6%
Tetanus		98.6%	99.9%	89.4%	95.6%	97.8%	96.3%		97.4%	95.9%	94.3%	94.8%	95.7%	95.3%	93.5%	91.9%	91.6%
Diphtheria		98.6%	99.9%	89.4%	95.6%	97.8%	96.3%		97.4%	95.9%	94.3%	94.8%	95.7%	95.3%	93.5%	91.9%	91.6%
Pertussis		80.6%	90.5%	89.3%	95.4%	93.0%	96.3%		96.8%	95.9%	94.3%	94.8%	95.7%	95.3%	93.5%	91.9%	91.6%
Hep B		87.3%	94.0%	89.4%	95.1%	92.5%	96.3%		96.6%	95.9%	94.3%	94.8%	95.7%	95.3%	93.5%	91.9%	91.6%
Hib		51.1%	88.4%	86.8%	94.6%	92.6%	95.9%		96.6%	95.9%	94.3%	94.8%	95.7%	95.3%	93.5%	91.9%	91.6%
Measles		86.9%	82.2%	80.5%	80.8%	83.8%	84.2%		85.3%	86.8%	87.7%	90.1%	89.0%	89.0%	84.0%	79.2%	81.1%
Mumps		86.9%	82.2%	80.5%	80.8%	83.8%	84.2%		85.3%	86.8%	87.7%	90.1%	89.0%	89.0%	84.0%	79.2%	81.1%
Rubella		86.9%	82.2%	80.5%	80.8%	83.8%	84.2%		85.3%	86.8%	87.7%	90.1%	89.0%	89.0%	84.0%	79.2%	81.1%
Varicella														85.0%	79.0%	75.4%	78.3%
Men C														61.4%	60.2%	60.5%	67.2%
Pneumo														92.9%	91.7%	89.4%	88.5%

Notes:

Hep B: Hepatitis B

Hib: *Haemophilus influenzae* type b

Men C: Meningococcal C Conjugate

Sardinia 24 months of age Infant immunization coverage rates by year (per 100 target population, 2000-2016)

ANTIGEN	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016
Polio	98.0%	97.3%	98.5%	98.0%	98.4%	98.4%	98.1%	97.9%	97.2%	96.7%	93.0%	96.1%	93.3%	96.2%	96.1%	95.1%	95.7%
Tetanus		97.4%	98.4%	98.1%	98.3%	98.4%	98.1%	97.9%	97.3%	96.7%	93.0%	96.0%	93.3%	96.8%	96.1%	95.1%	95.6%
Diphtheria		97.4%	98.4%	98.1%	98.3%	98.4%	98.1%	97.9%	97.3%	96.7%	93.0%	96.0%	93.3%	96.8%	96.1%	95.1%	95.6%
Pertussis		97.1%	98.2%	97.8%	98.2%	98.4%	98.1%	97.9%	97.3%	96.7%	93.0%	91.4%	93.3%	96.8%	96.1%	95.1%	95.6%
Hep B		97.4%	98.4%	97.7%	98.3%	98.5%	98.1%	97.9%	97.3%	96.7%	93.0%	96.0%	93.3%	96.8%	96.1%	95.1%	95.6%
Hib		71.9%	90.3%	90.6%	98.1%	98.5%	98.0%	97.8%	97.0%	96.7%	93.0%	96.0%	83.7%	96.8%	96.1%	95.1%	95.6%
Measles		84.2%	86.2%	89.8%	90.5%	92.5%	92.5%	91.5%	92.3%	95.5%	87.7%	95.8%	87.6%	91.1%	88.6%	87.7%	90.3%
Mumps		84.2%	86.2%	89.8%	90.5%	92.5%	92.5%	91.5%	92.3%	95.5%	87.6%	92.7%	87.6%	91.1%	88.6%	87.7%	90.3%
Rubella		84.2%	86.2%	89.8%	90.5%	92.5%	92.5%	91.5%	92.3%	95.5%	87.6%	92.7%	87.6%	91.1%	88.6%	87.7%	90.3%
Varicella														36.2%	59.0%	67.2%	77.9%
Men C														58.5%	84.3%	83.6%	87.9%
Pneumo														64.8%	95.0%	94.1%	94.2%

Notes:

Hep B: Hepatitis B

Hib: *Haemophilus influenzae* type b

Men C: Meningococcal C Conjugate